



HANSAPRISMA

PROVIDING AN ALL-ROUND GOOD FEELING.





Shower renovation set with short HANSAVIVA wall bar set




GUARANTEED TO BE VERY COMFORTABLE.

A thermostat enhances every bathroom furnishing. This particularly applies to HANSAPRISMA. Thanks to a function that sets standards in its class, the HANSAPRISMA range simultaneously makes having a bath and shower significantly safer and noticeably more comfortable. The all-round great feeling starts off with **THERMO COOL**: A special flow system for the hot water inside the thermostat ensures that the outer metal casing hardly heats up. You can therefore touch HANSAPRISMA at any time without having to worry.

And the water is also always maintained at a pleasant temperature: A safety lock that is preset to 38°C provides reliable scalding protection. However, if hotter water is required, you can release the lock by pressing a button to increase the temperature further.

A retrofittable temperature lock, for example, provides complete safety for children or the elderly. This solution fully locks the button.

Important for use in public facilities: The HANSAPRISMA exposed thermostat is suitable for thermal disinfection providing a measure to prevent the formation of legionella bacteria (at least 3 min. at min. water temperature of 70°C at the spout opening).



The thermal imaging camera shows: Compared to a conventional thermostat in this price segment (top image), heat development on the casing of the HANSAPRISMA thermostat (bottom image) is reduced considerably thanks to the short flow of hot water.

eco

Consumes up to 60% less water and energy.



Extremely quiet. Fitting complies with the strict conditions under noise protection class 1.



Thermostat is suitable for thermal disinfection, which is particularly important for public or large-scale facilities.



Scalding protection. Our thermostats offer maximum safety.



THERMO COOL. Improved safety - the housing of the fittings conducts minimal heat.



standard.

Suitable for instantaneous water heaters (shower above 20 kW or bathtub above 24 kW) with relevant limited functionality.

The principle of "safety and comfort" applies to all areas including the operation of HANSAPRISMA. The diverter is integrated in the handle and is easy to use with an ergonomically designed push button. On the bath mixer, you can switch from the bathtub spout to the hand shower, and on both versions of the shower system you can switch from the hand shower to the overhead shower. This operating system prevents unexpected surges of water from above or the horizontal hand shower.

The push button on the practical renovation sets is a water rate economy button. It fully releases the flow rate that can be reduced to meet individual requirements.

HANSAPRISMA is a modern classic that is particularly well combined with the timeless range of HANSA|HOME fittings. Perfect to be combined with a shower from the HANSAVIVA range that is designed with safety and comfort in mind, just like the thermostat. The excellent quality of HANSAPRISMA shower systems is illustrated in many ways –especially in the generous HANSAVIVA overhead showers: The round (diameter of 202 mm) and square version (250 x 250 mm) are both made of solid metal.

Innovative HANSA laminar technology ensures that you can enjoy a shower without any problems. Pure water without any additional air, smoothly flows through the closed HANSAPROTEC systems ensuring that unpleasant swirling and disturbing noises are not generated. This also helps you to save energy and your water consumption is impressively low, at a rate of 7 l/min (recommended minimum flow rate) to max. 12 l/min.

The limescale protection studs are very practical and permanently prevent limescale deposits from forming on the spray openings on the shower.



AN ASSET TO EVERY BATHROOM.

HANSAPRISMA.

HANSA**PRISMA** meets the highest standards of comfort and safety for the bathroom. With its classic premium design and a varied product range, HANSA**PRISMA** provides options to equip new bathrooms and renovate them.

HANSA**PRISMA**



Thermostats



HANSAPRISMA thermostatic shower mixer, DN 15 (G 1/2) for wall-mounting with protection against scalding 5808 0101 chrome



HANSAPRISMA thermostatic shower mixer, DN 15 (G 1/2) without eccentric connections. 5808 0001 chrome



HANSAPRISMA thermostatic bath mixer, DN 15 (G 1/2) for wall-mounting with protection against scalding 5810 2101 chrome

projection: 182 mm



HANSAPRISMA thermostatic bath mixer, DN 15 (G 1/2) without eccentric connections. 5810 2001 chrome projection: 157 mm



HANSAPRISMA thermostatic shower mixer, DN 15 (6 1/2) for wall-mounting with protection against scalding with HANSAVIVA shower system directly connected 5809 9103 chrome



HANSAPRISMA thermostatic shower mixer, DN 15 (G 1/2) for wall-mounting with protection against scalding with shower system directly connected 5809 9113 chrome

Shower / bathtub renovation sets



HANSAPRISMA shower renovation set with HANSAVIVA 900 mm wall bar set 4808 0131 chrome



HANSAPRISMA shower renovation set with HANSAVIVA 600 mm wall bar set 4808 0121 chrome



HANSAPRISMA shower renovation set with HANSAVIVA 600 mm wall bar set and without eccentric connections. 4808 0021 chrome



HANSAPRISMA bathtub renovation set with HANSAVIVA 900 mm wall bar set 4810 2131 chrome



HANSAPRISMA bathtub renovation set with HANSAVIVA 600 mm wall bar set 4810 2121 chrome

HANSA Head Office

Hansa Metallwerke AG Sigmaringer Str. 107 70567 Stuttgart Germany

Tel.: +49 711 1614 0 Fax: +49 711 1614 368 Customer Service Centre Tel.: +49 711 1614 888 Fax: +49 711 1614 801 info@hansa.de