

PIEDRA
STONE

ABADIA

21 x 56 cm · 8,2" x 22"

MATT FINISH C3 · R11 / ACABADO MATE C3 · R11

RED BODY PORCELAIN



Porcelain Tiles
Porcelánico



Moderate relief
Relieve moderado



Floor Tile
Pavimento



Wall Tile
Revestimiento



Matt finish
Acabado Mate



Anti-slip
Anti-deslizante




Abadia Grey

21 x 56 CM

C3 FINISH · R11

GT10



Abadia Marengo

21 x 56 CM

C3 FINISH · R11

GT10



40 different designs on 5 different reliefs

PACKING	BOXES PALLET	SQM BOX	SQM PALLET	KGS PIECE	KGS BOX	KGS PALLET	PIECES BOX	PALLETS CONTAINER	SQM CONTAINER	WEIGHT CONTAINER	THICKNESS	ABSORPTION
21 x 56 CM - DK 10PZ/CJ	48	1,18	56,64	2,300	23,12	1.124	10	22	1.246,08	24.738	0,90	E<0,5



Floor/ Suelo: Abadia Grey 21 x 56 cm



Floor/ Suelo: Abadia Marengo 21 x 56 cm

LA PROVENCE
COLLECTION




MERCHANDISING



Cuna expositor LA PROVENCE · 4 paneles
Medida paneles : 700 x 950 x 15 mm

Tile display LA PROVENCE · 4 panels
Panel size: 700 x 950 x 15 mm



D20_001 Panel Abadia
1005 x 1925 mm

CARACTERÍSTICAS TÉCNICAS / EMBALAJE TECHNICAL SHEET & PACKING LIST

CARACTERÍSTICAS TÉCNICAS / TECHNICAL SHEET

UNE-EN.14411:2016 Norma/Norm		Gres porcelánico Porcelain Tiles		DUALKER	
UNE-EN-ISO 10545		ANEXO / ANNEX G GRUPO / GROUP B1a N \geq 15cm		ANEXO / ANEX G GRUPO / GROUP B1a N \geq 15cm	
Absorción de agua /Water absorption		E \leq 0,50%		E \leq 0,30%	
Fuerza de Rotura en N /Breaking Strenght, in N		\geq 1300N		\geq 2000N	
Resistencia a la Flexion N/mm $_2$ /Modulus of rupture, in N/mm $_2$		Media / Average \geq 35		Media/Average \geq 43	
		TEST METHOD	STANDARD	DUALKER	
RESISTENCIA AL DESLIZAMIENTO /SLIP RESISTANCE		UNE-ENVE-12633	CTE	C2	
		BS 7976-2: 2002	PTV	LOW (40)	
		AS/NZS 4586: 2013	Pendulum SRV	P3	
		DIN 51130: 2014	Inclined Plane	R10	
		ANSI A137.1: 2012 (DCOF)	\geq 0,42W	0,72W	

Los tonos y colores de las fotografías son una referencia a los modelos reales. DUALGRES, S.A. no asume ninguna responsabilidad por errores de impresión en cualquier dato reflejado en el presente catálogo.
Todas las características y especificaciones técnicas están basadas en la información disponible en el momento de impresión del catálogo. DUALGRES, S.A. se reserva el derecho de modificar, de acuerdo a las circunstancias de mercado, cualquier modelo, característica o prestaciones de sus productos sin que se contraiga derecho a perjuicio alguno.

*Colors and tonalities of the pictures shown in this catalogue are a reference of the real models. DUALGRES, S.A. does not take any responsibility of printing mistakes in any data of this catalogue.
All technical characteristics and specifications are based on the available information at the printing moment. DUALGRES, S.A. reserves the right to modify, according to changes in markets, any model, characteristics or other information of its products without any responsibility or any commitment.*

Contáctanos: / Contact us:



DUALGRES, S.A.
Ctra. de Viver al Puerto de Burriana, km 56,9
ONDA (CASTELLÓN) · SPAIN
Tel: (+34) 964 77 11 66 / Fax: (+34) 964 77 12 50
www.dualgres.com / export@dualgres.com

