

ROVERE SABBIA

LEGNI HIGH-TECH 



**RETTIFICATO MONOCALIBRO**

RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**


THICKNESS / DICKE / ÉPAISSEUR

  
20mm

**FORMATI**

SIZES / FORMATE / FORMATS

120 x 60 cm  
48"x 24"



120 x 30 cm  
48"x 12"



ROVERE BRICCOLA

**SUPERFICI** / SURFACES / OBERFLÄCHEN / SURFACES

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

ROVERE IMPERO

**COEFFICIENTE DI ATTRITO**

FRICITION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

AN (R11) A+B (ROVERE SABBIA)

AN (R11) A+B (ROVERE BRICCOLA)

AN (R11) A+B (ROVERE IMPERO)

**FORMATI pag. 388**

SIZES pag. 388 / FORMATE pag. 388 / FORMATS pag. 388



# ROVERE CENERE

LEGNI HIGH-TECH 



## RETTIFICATO MONOCALIBRO

RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

## SPESSORE

THICKNESS / DICKE / ÉPAISSEUR

  
20mm

## FORMATI

SIZES / FORMATE / FORMATS

120 x 60 cm  
48" x 24"



120 x 30 cm  
48" x 12"



# ROVERE GRIGIO

**SUPERFICI** / SURFACES / OBERFLÄCHEN / SURFACES

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

# ROVERE TUNDRA

## COEFFICIENTE DI ATTRITO

FRICITION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT


AN (R11) A+B (ROVERE CENERE)

AN (R11) A+B (ROVERE GRIGIO)

AN (R11) A+B (ROVERE TUNDRA)

**FORMATI pag. 388**

SIZES pag. 388 / FORMATE pag. 388 / FORMATS pag. 388



QUERCIA SHABBY	288
QUERCIA CANADESE	290
QUERCIA BIANCA	292
QUERCIA TROPICALE	294
QUERCIA PETRAEA	296
ROVERE TUNDRA	298
ROVERE PROVENZALE	300
ROVERE CENERE	302
ROVERE SABBIA	304
ROVERE CORDA	306
ROVERE DECAPÉ	308
ROVERE BRICCOLA	310
ROVERE NOCE	312
ROVERE IMPERO	314
ROVERE REALE	316
ROVERE MOKA	318
ROVERE GRIGIO	320
ROVERE BIANCO	322
ROVERE NATURALE	324
ROVERE CILIEGIO	326
ROVERE ANTICO	328
ROVERE ABBAZIA	330
ROVERE NERO	332
WOODRAW ARTIC	334
WOODRAW ASH	336
WOODRAW BOARD	338
WOODRAW POWDER	340
WOODRAW RUST	342



# LEGNI HIGH-TECH

LEGNI INNOVATIVE SLABS, HIGH-TECH & WOODRAW



# QUERCIA SHABBY

INNOVATIVE SLABS  
LEGGI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESORE**  
THICKNESS / DICKE / ÉPAISSEUR

▼  
**6mm**  
▲

**FORMATI**  
SIZES / FORMATE / FORMATS

**150 x 37,5 cm**  
60" x 15"

**150 x 25 cm**  
60" x 10"

**150x18,7 cm**  
60" x 8"



**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

AN (R10) A+B

**FORMATI** / SIZES / FORMATE / FORMATS  
**PEZZI SPECIALI** / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

pag. 381  
pag. 381





# QUERCIA CANADESE

INNOVATIVE SLABS  
LEGNI HIGH-TECH



## RETTIFICATO MONOCALIBRO

RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

## SPESSORE

THICKNESS / DICKE / ÉPAISSEUR

▼  
**6mm**  
▲

## FORMATI

SIZES / FORMATE / FORMATS

**150 x 37,5 cm**  
60" x 15"

**150 x 25 cm**  
60" x 10"

**150x18,7 cm**  
60" x 8"

## SUPERFICI

SURFACES  
OBERFLÄCHEN  
SURFACES

## COEFFICIENTE DI ATTRITO

FRICITION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

FORMATI / SIZES / FORMATE / FORMATS  
PEZZI SPECIALI / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

ANTICATO / ANTIQUED / ANTIK / ANTIQUE

AN (R10) A+B

pag. 381  
pag. 381



# QUERCIA BIANCA

INNOVATIVE SLABS  
LEGNI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

▼  
**6mm**  
▲

**FORMATI**  
SIZES / FORMATE / FORMATS

**150 x 37,5 cm**  
60" x 15"

**150 x 25 cm**  
60" x 10"

**150x18,7 cm**  
60" x 8"

**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

**FORMATI / SIZES / FORMATE / FORMATS**  
**PEZZI SPECIALI / TRIMS / FORMTEILE / PIÈCES SPÉCIALES**

**ANTICATO / ANTIQUED / ANTIK / ANTIQUE**

AN (R10) A+B

pag. 381  
pag. 381



# QUERCIA TROPICALE

INNOVATIVE SLABS  
LEGNI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

▼  
6mm  
▲

**FORMATI**  
SIZES / FORMATE / FORMATS

**150 x 37,5 cm**  
60" x 15"

**150 x 25 cm**  
60" x 10"

**150x18,7 cm**  
60" x 8"

**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

**FORMATI / SIZES / FORMATE / FORMATS**  
**PEZZI SPECIALI / TRIMS / FORMTEILE / PIÈCES SPÉCIALES**

**ANTICATO / ANTIQUED / ANTIK / ANTIQUE**

AN  A+B

pag. 381  
pag. 381





# QUERCIA PETRAEA

INNOVATIVE SLABS  
LEGNI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

6mm

**FORMATI**  
SIZES / FORMATE / FORMATS

**150 x 37,5 cm**  
60" x 15"

**150 x 25 cm**  
60" x 10"

**150x18,7 cm**  
60" x 8"

**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

**FORMATI / SIZES / FORMATE / FORMATS**  
**PEZZI SPECIALI / TRIMS / FORMTEILE / PIÈCES SPÉCIALES**

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

AN  A+B

pag. 381  
pag. 381





# ROVERE TUNDRA

LEGNI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

10mm  
cm<sup>2</sup>

**FORMATI**  
SIZES / FORMATE / FORMATS

**120 x 30 cm**  
48" x 12"

**120 x 20 cm**  
48" x 8"

**120x15 cm**  
48" x 6"

**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

**FORMATI / SIZES / FORMATE / FORMATS**  
**PEZZI SPECIALI / TRIMS / FORMTEILE / PIÈCES SPÉCIALES**

**ANTICATO / ANTIQUED / ANTIK / ANTIQUE**

AN (R10) A

pag. 389  
pag. 389



# ROVERE PROVENZALE

LEGNI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

▼  
**10mm**  
▲

**120 x 30 cm**  
48" x 12"

**120 x 20 cm**  
48" x 8"

**120x15 cm**  
48" x 6"

**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

**FORMATI** / SIZES / FORMATE / FORMATS  
**PEZZI SPECIALI** / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

AN (R10) A+B

pag. 389  
pag. 389



# ROVERE CENERE

LEGNI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

▼  
**10mm**  
▲  
**cm2**

**FORMATI**  
SIZES / FORMATE / FORMATS

**120 x 30 cm**  
48" x 12"



**120 x 20 cm**  
48" x 8"



**120x15 cm**  
48" x 6"



**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES


**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

AN **(R10)** A+B

**FORMATI** / SIZES / FORMATE / FORMATS  
**PEZZI SPECIALI** / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

pag. 389  
pag. 389



**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

▼  
**10mm**  
▲


◌  
**çm2**  
◌

**FORMATI**  
SIZES / FORMATE / FORMATS


**120 x 30 cm**  
48" x 12"



**120 x 20 cm**  
48" x 8"



**120x15 cm**  
48" x 6"



**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

AN **(R9)** A

**FORMATI** / SIZES / FORMATE / FORMATS  
**PEZZI SPECIALI** / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

pag. 389  
pag. 389





**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR


▼  
**10mm**  
▲

**FORMATI**  
SIZES / FORMATE / FORMATS


**120 x 30 cm**  
48" x 12"



**120 x 20 cm**  
48" x 8"



**120x15 cm**  
48" x 6"



**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

AN **(R10)** A

**FORMATI** / SIZES / FORMATE / FORMATS  
**PEZZI SPECIALI** / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

pag. 389  
pag. 389



# ROVERE DECAPÉ

LEGNI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

▼  
**10mm**  
▲

**FORMATI**  
SIZES / FORMATE / FORMATS

**120 x 30 cm**  
48" x 12"

**120 x 20 cm**  
48" x 8"

**120x15 cm**  
48" x 6"

**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

AN **(R10)** A

**FORMATI** / SIZES / FORMATE / FORMATS  
**PEZZI SPECIALI** / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

pag. 389  
pag. 389





**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR


▼  
**10mm**  
▲  
**cm2**

**FORMATI**  
SIZES / FORMATE / FORMATS

**120 x 30 cm**  
48" x 12"



**120 x 20 cm**  
48" x 8"



**120x15 cm**  
48" x 6"



**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

AN **(R11)** A+B

**FORMATI** / SIZES / FORMATE / FORMATS  
**PEZZI SPECIALI** / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

pag. 389  
pag. 389



# ROVERE NOCE

LEGNI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

10mm

**FORMATI**  
SIZES / FORMATE / FORMATS

**120 x 30 cm**  
48" x 12"

**120 x 20 cm**  
48" x 8"

**120x15 cm**  
48" x 6"

**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

AN (R10) A+B

**FORMATI** / SIZES / FORMATE / FORMATS  
**PEZZI SPECIALI** / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

pag. 389  
pag. 389





# ROVERE IMPERO

LEGNI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

10mm

cm<sup>2</sup>

**FORMATI**  
SIZES / FORMATE / FORMATS

**120 x 30 cm**  
48" x 12"

**120 x 20 cm**  
48" x 8"

**120x15 cm**  
48" x 6"

**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES


**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

AN (R10) A

**FORMATI** / SIZES / FORMATE / FORMATS  
**PEZZI SPECIALI** / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

pag. 389  
pag. 389



**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

10mm

**FORMATI**  
SIZES / FORMATE / FORMATS

**120 x 30 cm**  
48" x 12"

**120 x 20 cm**  
48" x 8"

**120x15 cm**  
48" x 6"

**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

**FORMATI / SIZES / FORMATE / FORMATS**  
**PEZZI SPECIALI / TRIMS / FORMTEILE / PIÈCES SPÉCIALES**

**ANTICATO / ANTIQUED / ANTIK / ANTIQUE**

AN  A

pag. 389  
pag. 389



# ROVERE MOKA

LEGNI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

10mm

**FORMATI**  
SIZES / FORMATE / FORMATS

**90 x 22,5 cm**  
36" x 9"

**90 x 15 cm**  
36" x 6"

**90 x 11 cm**  
36" x 4<sup>1/2</sup>"



**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

AN (R11) A+B

**FORMATI** / SIZES / FORMATE / FORMATS  
**PEZZI SPECIALI** / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

pag. 389  
pag. 389



# ROVERE GRIGIO

LEGNI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

10mm

cm<sup>2</sup>

**FORMATI**  
SIZES / FORMATE / FORMATS

**90 x 22,5 cm**  
36" x 9"

**90 x 15 cm**  
36" x 6"

**90 x 11 cm**  
36" x 4<sup>1/2</sup>"

**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

**FORMATI / SIZES / FORMATE / FORMATS**  
**PEZZI SPECIALI / TRIMS / FORMTEILE / PIÈCES SPÉCIALES**

**ANTICATO / ANTIQUED / ANTIK / ANTIQUE**

AN (R11) A

pag. 389  
pag. 389






**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR


▼  
**10mm**  
▲

**FORMATI**  
SIZES / FORMATE / FORMATS


**90 x 22,5 cm**  
36" x 9"



**90 x 15 cm**  
36" x 6"



**90 x 11 cm**  
36" x 4<sup>1/2</sup>"



**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

AN **(R10)** A+B+C

**FORMATI** / SIZES / FORMATE / FORMATS  
**PEZZI SPECIALI** / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

pag. 389  
pag. 389




**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR


▼  
**10mm**  
▲

**FORMATI**  
SIZES / FORMATE / FORMATS


**90 x 22,5 cm**  
36" x 9"



**90 x 15 cm**  
36" x 6"



**90 x 11 cm**  
36" x 4<sup>1/2</sup>"



**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

AN **(R10)** A+B

**FORMATI** / SIZES / FORMATE / FORMATS  
**PEZZI SPECIALI** / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

pag. 389  
pag. 389



# ROVERE CILIEGIO

LEGNI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

▼  
**10mm**  
▲

**FORMATI**  
SIZES / FORMATE / FORMATS

**90 x 22,5 cm**  
36" x 9"

**90 x 15 cm**  
36" x 6"

**90 x 11 cm**  
36" x 4<sup>1</sup>/<sub>2</sub>"

**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

AN **(R10)** A+B

**FORMATI** / SIZES / FORMATE / FORMATS  
**PEZZI SPECIALI** / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

pag. **389**  
pag. **389**



# ROVERE ANTICO

LEGNI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

▼  
**10mm**  
▲

**FORMATI**  
SIZES / FORMATE / FORMATS

**90 x 22,5 cm**  
36" x 9"

**90 x 15 cm**  
36" x 6"

**90 x 11 cm**  
36" x 4<sup>1/2</sup>"

**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

**FORMATI / SIZES / FORMATE / FORMATS**  
**PEZZI SPECIALI / TRIMS / FORMTEILE / PIÈCES SPÉCIALES**

**ANTICATO / ANTIQUED / ANTIK / ANTIQUE**

AN **(R10)** A

pag. 389  
pag. 389





# ROVERE ABBAZIA

LEGNI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

10mm

**FORMATI**  
SIZES / FORMATE / FORMATS

**90 x 22,5 cm**  
36" x 9"

**90 x 15 cm**  
36" x 6"

**90 x 11 cm**  
36" x 4<sup>1/2</sup>"

**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

AN **(R10)** A

**FORMATI** / SIZES / FORMATE / FORMATS  
**PEZZI SPECIALI** / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

pag. 389  
pag. 389



# ROVERE NERO

LEGNI HIGH-TECH 

**RETTIFICATO MONOCALIBRO**  
RECTIFIED SINGLE-CALIBRE / REKTIFIZIERT EINKALIBRIG /  
RECTIFIÉ MONOCALIBRE

**SPESSORE**  
THICKNESS / DICKE / ÉPAISSEUR

▼  
**10mm**  
▲

**FORMATI**  
SIZES / FORMATE / FORMATS

**90 x 22,5 cm**  
36" x 9"

**90 x 15 cm**  
36" x 6"

**90 x 11 cm**  
36" x 4<sup>1/2</sup>"

**SUPERFICI**  
SURFACES  
OBERFLÄCHEN  
SURFACES

**ANTICATO** / ANTIQUED / ANTIK / ANTIQUE

**COEFFICIENTE DI ATTRITO**  
FRICTION COEFFICIENT  
REIBUNGSKOEFFIZIENT  
COEFFICIENT DE FROTTEMENT

AN (R11) A+B+C

**FORMATI** / SIZES / FORMATE / FORMATS  
**PEZZI SPECIALI** / TRIMS / FORMTEILE / PIÈCES SPÉCIALES

pag. 389  
pag. 389