



ARKLAM 6 MM - SUPERSIZE COLLECTION - 1000X3000/ 1500X2600



ARKLAM  
QUALITY DOESN'T FEAR TIME

SLIM THICKNESS / 6<sub>mm</sub>

SUPER SIZE  
1000x3000  
1500x2600  
COLLECTION

www.arklam.es · arklam@arklam.es · Tel.: 0034 964 913 171 · Fax.: 0034 964 657 426  
Ctra. de Alcora, Km. 7,5 · 12130 Sant Joan de Moró · Castellón (Spain)





ARKLAM

QUALITY DOESN'T FEAR TIME



SLIM THICKNESS / **6** mm

Arklam collection is a new sintered mass concept that provides solutions for interior use with character and personality. Born as a result of a deep study of decorative trends and the most contemporary demands.

Its lightness and large dimensions make it an ideal material for interiors, ventilated facades, as well as for rehabilitation projects. Besides it can be applied directly on the existing surface, saving costs and handling times.

Another of its special characteristics is its thin thickness of 6 mm and its three finishes: Silk, highly resistant and ideal for commercial applications, Natural and Polished, with a mirror reflection that brings depth and elegance.

La colección Arklam es una nueva masa sinterizada que aporta soluciones para interiores con carácter y personalidad, nacida del profundo estudio de las tendencias decorativas y las demandas más contemporáneas.

Su ligereza y sus grandes dimensiones lo convierten en un material idóneo tanto para interiores, como para fachadas ventiladas y proyectos de rehabilitación, pudiéndose aplicar directamente sobre la superficie ya existente, ahorrando costes y tiempos de manipulación.

Otra de sus características especiales es su fino espesor de 6 mm y sus tres acabados. Silk, altamente resistente e ideal para aplicaciones comerciales, Natural y Polished, con un reflejo de espejo que aporta profundidad y elegancia.



Arklam arises to respond to the new needs of professionals in architecture and interior decoration. With this vocation, Arklam has consolidated itself as a reference product for its exceptional technical features, which represent a step forward in the coating of all types of surfaces.

Arklam is an innovative solution of large format sintered mass, which stands out for its resistance, durability and design and which has been created specifically for the most exclusive and demanding projects.

Arklam surge para dar respuesta a las nuevas necesidades de los profesionales de la arquitectura y la decoración de interiores. Con esta vocación, Arklam se ha consolidado como un producto de referencia por sus excepcionales prestaciones técnicas, que suponen un paso más allá en el recubrimiento de todo tipo de superficies.

Arklam es una innovadora solución de masa sinterizada de gran formato, que sobresale por su resistencia, durabilidad y diseño y que ha sido creada específicamente para los proyectos más exclusivos y exigentes.



## INDEX/ ÍNDICE


GALLERY/ GALERÍA	6
FORMAT/ FORMATO	8
THICKNESS/ ESPESOR	10
CHARACTERISTICS/ CARACTERÍSTICAS	12
COLLECTION/ COLECCIÓN	24
REVIEW/ RESUMEN	102
GROUTS/ REJUNTES	104
PACKING/ EMBALAJE	106
PROPERTIES/ PROPIEDADES	107
TECHNICAL CHARACTERISTICS/ CARACTERÍSTICAS TÉCNICAS	108
CERTIFICATIONS/ CERTIFICADOS	110
AWARDS/ DISTINCIONES	111



<b>NEW</b>													
<p><b>ATLANTIS</b> POLISHED/SILK</p>  <p>26</p>	<p><b>ATLANTIS GOLD</b> POLISHED/SILK</p>  <p>32</p>	<p><b>BLACK SEA</b> SILK</p>  <p>36</p>	<p><b>COPENHAGUEN WHITE</b> POLISHED/SILK</p>  <p>38</p>	<p><b>COPENHAGUEN GREY</b> POLISHED/SILK</p>  <p>40</p>	<p><b>GLACIAR</b> POLISHED/SILK</p>  <p>42</p>	<p><b>LONDRA GREY</b> SILK</p>  <p>46</p>	<p><b>MANHATTAN WHITE</b> SILK</p>  <p>48</p>	<p><b>MANHATTAN BEIGE</b> SILK</p>  <p>50</p>	<p><b>MANHATTAN GREY</b> SILK</p>  <p>52</p>	<p><b>MANHATTAN GRAPHITE</b> SILK</p>  <p>54</p>	<p><b>NEGRO MARQUINA</b> POLISHED/SILK</p>  <p>56</p>	<p><b>PALISANDRO BLUE</b> POLISHED</p>  <p>58</p>	<p><b>PANDORA</b> POLISHED/SILK</p>  <p>62</p>
<p><b>PIER17 COPPER</b> NATURAL</p>  <p>64</p>	<p><b>PIER17 ZINC</b> NATURAL</p>  <p>66</p>	<p><b>POMPEIA</b> SILK</p>  <p>68</p>	<p><b>POMPEIA DECOR</b> SILK</p>  <p>70</p>	<p><b>PORTOBELLO</b> POLISHED/SILK</p>  <p>74</p>	<p><b>PULPIS NATURAL</b> POLISHED/SILK</p>  <p>76</p>	<p><b>SAHARA NOIR</b> POLISHED/SILK</p>  <p>78</p>	<p><b>SIDNEY</b> NATURAL</p>  <p>82</p>	<p><b>VILLAGE</b> POLISHED/SILK</p>  <p>86</p>	<p><b>VOLAKAS</b> POLISHED</p>  <p>90</p>	<p><b>WHITE</b> SILK</p>  <p>94</p>	<p><b>GREY</b> SILK</p>  <p>96</p>	<p><b>BLACK</b> SILK</p>  <p>98</p>	
						<b>NEW</b>			<b>NEW</b>				



1000x3000 mm/  
39,4"x 118"



1500x2600 mm/  
59"x 103"



500x3000 mm/  
19,7"x 118"




750x2600 mm/  
29,5"x 103"




**ARKLAM is available in different cutting formats adapted to the needs of each projects, such as 500x3000, 750x2600, 1500x1500, 1500x1000 and 1000x1000 mm. Consult your sales agent for custom cut options, for different format requests.**

ARKLAM está disponible en diferentes formatos de corte adaptados a las necesidades de cada proyecto, como por ejemplo 500x3000, 750x 2600, 1500x1500, 1500x1000 y 1000x1000 mm. Consulta a tu agente de ventas para opciones de corte a medida si necesitas otros formatos.


1500x1500 mm/  
59"x 59"





1500x1000 mm/  
59"x 39,4"



1000x1000 mm/  
39,4"x 39,4"





**Our product is characterized by being a thin resistant sheet of 6 mm of thickness. This material offers a mechanical and aesthetic performance suitable for different uses. It adapts to interior designs, capable of satisfying the needs of all design projects, since it can be applied as pavement, both interior and exterior, as well as for interior and exterior cladding (ventilated facades).**

Nuestro producto se caracteriza por ser una fina lámina resistente de 6 mm de espesor. Este material ofrece unas prestaciones mecánicas y estéticas idóneas para los diferentes usos que se le pretenden dar. Se adapta a un diseño de interiores capaz de satisfacer las necesidades de todos los proyectos de diseño, ya que se puede aplicar como pavimento, tanto interior como exterior, o como revestimiento interior o exterior (fachadas ventiladas).




**Maximum strength with minimum thickness. Arklam is a sintered mass with a higher density than other materials used to coat surfaces and its durability is totally guaranteed.**

Máxima resistencia con mínimo grosor. Arklam es una masa sinterizada con una mayor densidad que otros materiales empleados para revestir superficies y su durabilidad está totalmente garantizada.







## SUPER SIZE GRAN FORMATO

**Big in size, big in performance. With Arklam all the advantages are XXL.**

Grande en tamaño, grande en prestaciones. Con Arklam todas las ventajas son XXL.





**Arklam is an extremely light product, a quality that facilitates its handling and placement and contributes to achieving a perfect finish and always at the height of the most demanding projects.**

Arklam es un producto sumamente ligero, una cualidad que facilita su manipulación y colocación y contribuye a alcanzar un acabado perfecto y siempre a la altura de los proyectos más exigentes.





Because variety is important, Arklam Super Size Collection allows you to choose from a rich diversity of designs of all styles. Each series presents differentiated graphics to obtain personalized and plentiful finishes in shades.

Porque en la variedad está el gusto, Arklam Super Size Collection permite elegir entre una rica diversidad de diseños de todos los estilos. Cada serie presenta gráficas diferenciadas para obtener acabados personalizados y abundantes en matices.





**Arklam it's an absolute trend. Exclusivity and avant-garde aesthetics to dress every space in a modern way. Arklam is fashion with a timeless character.**

Arklam es absoluta tendencia. Exclusividad y estética vanguardista para vestir de plena actualidad cada espacio. Arklam es moda con carácter atemporal.





## INNOVATION INNOVACIÓN

Arklam is the result of a constant commitment to technological innovation. The latest advances in R+D incorporated into the manufacturing process allow us to enjoy a product with extraordinary qualities.

Arklam es el resultado de una constante apuesta por la innovación tecnológica. Los últimos avances en I+D incorporados al proceso de fabricación permiten disfrutar de un producto con cualidades extraordinarias.



ARKLAM





# COLLECTION/ COLECCIÓN



# ATLANTIS



6 mm

1000x3000 mm/ 39,4"x118"  
1500x2600 mm/ 59"x103"

12 mm


1500x3200 mm/ 59"x126"

**POLISHED/ SILK**

8 DIFFERENT DESIGNS/  
8 DISEÑOS DIFERENTES



Atlantis Polished 1000x3000 Rect.  
Atlantis Silk 1000x3000 Rect.




Atlantis Polished 1500x2600 Rect.  
Atlantis Silk 1500x2600 Rect.

# ATLANTIS

OPENBOOK

LEFT/ IZQUIERDA



Atlantis L Polished 1000x3000 Rect.  
Atlantis L Silk 1000x3000 Rect.

Atlantis L Polished 1500x2600 Rect.  
Atlantis L Silk 1500x2600 Rect.

RIGHT/ DERECHA



Atlantis R Polished 1000x3000 Rect.  
Atlantis R Silk 1000x3000 Rect.

Atlantis R Polished 1500x2600 Rect.  
Atlantis R Silk 1500x2600 Rect.




ATLANTIS R SILK 1500X2600 RECT.  
ATLANTIS L SILK 1500X2600 RECT.



# ATLANTIS

BOOKMATCH & ENDMATCH





ATLANTIS GOLD



6 mm

1000x3000 mm/ 39,4"x118"

12 mm

1500x3200 mm/ 59"x126"

POLISHED/ SILK

8 DIFFERENT DESIGNS/  
8 DISEÑOS DIFERENTES



Atlantis Gold Silk 1000x3000 Rect.  
Atlantis Gold Polished 1000x3000 Rect.


COUNTERTOP: ATLANTIS GOLD SILK 1500X3200  
WALL: ATLANTIS GOLD R SILK 1000X3000 RECT./ ATLANTIS GOLD L SILK 1000X3000 RECT.  
FLOOR: ATLANTIS GOLD POLISHED 1000X3000 RECT.

# ATLANTIS GOLD

OPENBOOK

LEFT/ IZQUIERDA

RIGHT/ DERECHA



Atlantis Gold L Polished 1000x3000 Rect. Atlantis Gold R Polished 1000x3000 Rect.  
 Atlantis Gold L Silk 1000x3000 Rect. Atlantis Gold R Silk 1000x3000 Rect.

## BOOKMATCH & ENDMATCH





# BLACK SEA



6 mm

1500x2600 mm/ 59"x103"

SILK

8 DIFFERENT DESIGNS/  
8 DISEÑOS DIFERENTES



Black Sea Silk 1500x2600 Rect.



# COPENHAGUEN WHITE



6 mm

1500x2600 mm/ 59"x103"

POLISHED/ SILK

8 DIFFERENT DESIGNS/  
8 DISEÑOS DIFERENTES



Copenhaguen White Polished 1500x2600 Rect.  
Copenhaguen White Silk 1500x2600 Rect.



# COPENHAGUEN GREY



6 mm

1500x2600 mm/ 59"x103"

POLISHED/ SILK

8 DIFFERENT DESIGNS/  
8 DISEÑOS DIFERENTES



Copenhaguen Grey Polished 1500x2600 Rect.  
Copenhaguen Grey Silk 1500x2600 Rect.



# GLACIAR



6 mm

1000x3000 mm/ 39,4"x118"

1500x2600 mm/ 59"x103"

12 mm


1500x3200 mm/ 59"x126"

**POLISHED/ SILK**

1 SINGLE DESIGN/  
1 ÚNICO DISEÑO



Glaciar Polished 1000x3000 Rect.  
Glaciar Silk 1000x3000 Rect.



Glaciar Polished 1500x2600 Rect.  
Glaciar Silk 1500x2600 Rect.



GLACIAR POLISHED 1500X2600 RECT.





## LONDRA GREY



6 mm


1000x3000 mm/ 39,4"x118"

12 mm

1500x3200 mm/ 59"x126"

SILK

4 DIFFERENT DESIGNS/  
4 DISEÑOS DIFERENTES



Londra Grey Silk 1000x3000 Rect.



MANHATTAN WHITE



6 mm

1000x3000 mm/ 39,4"x118"  
1500x2600 mm/ 59"x103"

SILK

8 DIFFERENT DESIGNS/  
8 DISEÑOS DIFERENTES



Manhattan White Silk  
1000x3000 Rect.



Manhattan White Silk 1500x2600 Rect.



# MANHATTAN BEIGE



6 mm

1000x3000 mm/ 39,4"x118"  
1500x2600 mm/ 59"x103"

SILK

8 DIFFERENT DESIGNS/  
8 DISEÑOS DIFERENTES



Manhattan Beige Silk  
1000x3000 Rect.



Manhattan Beige Silk 1500x2600 Rect.



# MANHATTAN GREY



▼  
**6 mm**  
▲

1000x3000 mm/ 39,4"x118"

▼  
**12 mm**  
▲

1500x3200 mm/ 59"x126"

**SILK**

8 DIFFERENT DESIGNS/  
8 DISEÑOS DIFERENTES



Manhattan Grey Silk  
1000x3000 Rect.



Manhattan Grey Silk 1500x2600 Rect.



# MANHATTAN GRAPHITE



6 mm

1000x3000 mm/ 39,4"x118"  
1500x2600 mm/ 59"x103"

SILK

8 DIFFERENT DESIGNS/  
8 DISEÑOS DIFERENTES



Manhattan Graphite Silk  
1000x3000 Rect.



Manhattan Graphite Silk 1500x2600 Rect.



## NEGRO MARQUINA



▼  
**6 mm**  
▲

1000x3000 mm/ 39,4"x118"

▼  
**12 mm**  
▲

1500x3200 mm/ 59"x126"

**POLISHED/ SILK**

4 DIFFERENT DESIGNS/  
4 DISEÑOS DIFERENTES



Negro Marquina Polished 1000x3000 Rect.  
Negro Marquina Silk 1000x3000 Rect.



# PALISANDRO BLUE



▼  
6 mm  
▲

1000x3000 mm/ 39,4"x118"

▼  
12 mm  
▲

1500x3200 mm/ 59"x126"

**POLISHED**

1 SINGLE DESIGN/  
1 ÚNICO DISEÑO




Palisandro Blue Polished 1000x3000 Rect.

# PALISANDRO BLUE

ENDMATCH  180°

The piece's design allows to create an infinite effect alternating successively one piece in the original position with another piece with a 180° rotation.

El diseño de la pieza permite crear un efecto infinito alternando sucesivamente una pieza en la posición original con otra pieza con un giro de 180°.



Original position/ Posición original

Turn 180°/ Giro 180°

1000 mm

3000 mm



FLOOR/ SUELO: GREY SILK 1000X300 ORECT.  
COUNTERTOP/ ENCIMERA: PALISANDRO BLUE POLISHED 1500X3200





# PANDORA

NEW



6 mm

1000x3000 mm / 39,4"x118"

POLISHED / SILK

4 DIFFERENT DESIGNS /  
4 DISEÑOS DIFERENTES



Pandora Polished 1000x3000 Rect.  
Pandora Silk 1000x3000 Rect..



## PIER17 COPPER



1000x3000 mm/ 39,4"x118"  
1500x2600 mm/ 59"x103"

NATURAL

8 DIFFERENT DESIGNS/  
8 DISEÑOS DIFERENTES



Pier17 Copper 1000x3000 Rect. Pier17 Copper 1500x2600 Rect.



# PIER17 ZINC



1000x3000 mm/ 39,4"x118"  
1500x2600 mm/ 59"x103"

**NATURAL**

8 DIFFERENT DESIGNS/  
8 DISEÑOS DIFERENTES



Pier17 Zinc 1000x3000 Rect.



Pier17 Zinc 1500x2600 Rect.



# POMPEIA



6 mm

1000x3000 mm / 39,4"x118"

SILK

8 DIFFERENT DESIGNS/  
8 DISEÑOS DIFERENTES



Pompeia Silk 1000x3000 Rect.

# POMPEIA DECOR



6 mm

1000x3000 mm/ 39,4"x118"

SILK

2 DIFFERENT DESIGNS/  
2 DISEÑOS DIFERENTES



Pompeia Silk Decor 1000x3000 Rect.



POMPEIA SILK 1000X3000 RECT. / POMPEIA SILK DECOR 1000X3000 RECT.



# PORTOBELLO




6 mm


1000x3000 mm/ 39,4"x118"  
1500x2600 mm/ 59"x103"

**POLISHED/ SILK**

6 DIFFERENT DESIGNS/  
6 DISEÑOS DIFERENTES



Portobello Polished  
1000x3000 Rect.  
Portobello Silk 1000x3000 Rect.



Portobello Polished 1500x2600 Rect.  
Portobello Silk 1500x2600 Rect.



## PULPIS NATURAL



▼  
6 mm  
▲

1000x3000 mm/ 39,4"x118"

POLISHED/ SILK

▼  
12 mm  
▲

SILK

1500x3200 mm/ 59"x126"

4 DIFFERENT DESIGNS/  
4 DISEÑOS DIFERENTES



Pulpis Natural Polished 1000x3000 Rect.  
Pulpis Natural Silk 1000x3000 Rect.





# SAHARA NOIR

NEW



6 mm

1000x3000 mm/ 39,4"x118"

POLISHED/ SILK

4 DIFFERENT DESIGNS/  
4 DISEÑOS DIFERENTES



Sahara Noir Polished 1000x3000 Rect.  
Sahara Noir Silk 1000x3000 Rect.



SAHARA NOIR SILK 1000X3000 RECT.



# SIDNEY MOKA



6 mm

1000x3000 mm/ 39,4"x118"

NATURAL

6 DIFFERENT DESIGNS/  
6 DISEÑOS DIFERENTES



Sidney Moka Natural 1000x3000 Rect.



SIDNEY MOKA NATURAL 1000X3000 RECT.



# VILLAGE



6 mm

1000x3000 mm/ 39,4"x118"  
1500x2600 mm/ 59"x103"

POLISHED/ SILK

12 mm

1500x3200 mm/ 59"x126"

SILK

4 DIFFERENT DESIGNS/  
4 DISEÑOS DIFERENTES



Village Silk 1000x3000 Rect.



Village Polished 1500x2600 Rect.  
Village Silk 1500x2600 Rect.



VILLAGE POLISHED 1500X2600 RECT.



# VOLAKAS

NEW



6 mm

1000x3000 mm / 39,4"x118"

POLISHED

6 DIFFERENT DESIGNS/  
6 DISEÑOS DIFERENTES



Volakas Polished 1000x3000 Rect.

# BASIC LINE







WHITE




▼  
6 mm  
▲

1000x3000 mm/ 39,4"x118"

SILK

BASIC LINE



White Silk 1000x3000 Rect.



GREY



▼  
6 mm  
▲

1000x3000 mm/ 39,4"x118"

SILK

BASIC LINE



Grey Silk 1000x3000 Rect.



BLACK



6 mm

1000x3000 mm/ 39,4"x118"

SILK

BASIC LINE



Black Silk 1000x3000 Rect.




CONCRETE & STONES/ CEMENTOS Y PIEDRAS


BASIC LINE



BLACK SEA SILK LONDRA GREY SILK MANHATTAN WHITE SILK MANHATTAN BEIGE SILK MANHATTAN GREY SILK MANHATTAN GRAPHITE SILK PIER17 ZINC NATURAL




PIER17 COPPER NATURAL POMPEIA SILK POMPEIA DECOR SILK SIDNEY MOKA NATURAL VILLAGE POLISHED/ SILK




GLACIAR POLISHED/ SILK WHITE SILK

MARBLES/ MÁRMOLES


BASIC LINE



ATLANTIS POLISHED/ SILK ATLANTIS GOLD POLISHED/ SILK COPENHAGUEN GREY POLISHED/ SILK COPENHAGUEN WHITE POLISHED/ SILK NEGRO MARQUINA POLISHED/ SILK PALISANDRO BLUE POLISHED PANDORA POLISHED/ SILK



PORTOBELLO POLISHED/ SILK PULPIS NATURAL POLISHED/ SILK SAHARA NOIR POLISHED/ SILK VOLAKAS POLISHED



GREY SILK BLACK SILK



COLLECTIONS		1500x2600			1000x3000		
		6 mm			6 mm		
		Polished	Silk	Natural	Polished	Silk	Natural
ATLANTIS		●	●		●	●	
ATLANTIS GOLD					●	●	
BLACK					●		
BLACK SEA			●				
COPENHAGUEN	WHITE 	●	●				
	GREY 	●	●				
GLACIAR		●	●		●	●	
GREY						●	
LONDRA						●	
MANHATTAN	WHITE 		●			●	
	BEIGE 		●			●	
	GREY 		●			●	
	GRAPHITE 		●			●	
NEGRO MARQUINA					●	●	

COLLECTIONS		1500X2600			1000X3000		
		6 mm			6 mm		
		Polished	Silk	Natural	Polished	Silk	Natural
PALISANDRO BLUE					●		
PANDORA					●	●	
PIER17	COPPER 			●			●
	ZINC 			●			●
POMPEIA						●	
POMPEIA DECOR						●	
PORTOBELLO		●	●		●	●	
PULPIS NATURAL					●	●	
SAHARA NOIR					●	●	
SIDNEY							●
VILLAGE		●	●			●	
VOLAKAS					●		
WHITE						●	



In order to achieve the best result in the installation of Arklam, we recommend the use of specific grouts for large format pieces. For this reason, a specially selected grout colour chart has been created for each Arklam model, in collaboration with two major brands: Kerakoll and Mapei.

Para conseguir el mejor resultado en la instalación de Arklam, recomendamos el uso de rejuntas específicos para piezas de gran formato. Por esta razón se ha creado una carta de colores de rejunte especialmente seleccionada para cada modelo Arklam, en colaboración con dos grandes marcas: Kerakoll y Mapei.



COLLECTIONS	RECOMMENDED GROUT / REJUNTE RECOMENDADO	
	Kerakoll	Mapei
ATLANTIS		Fugabella Eco 01 Blanco Ultracolor Plus 100
ATLANTIS GOLD		Fugabella Eco 01 Blanco Ultracolor Plus 100
BLACK		Fugabella Eco 06 Negro Fugalite Bio 06 Negro
BLACK SEA		Fugabella Eco 05 Antracita Ultracolor Plus 119
COPENHAGUEN	WHITE 	Fugabella Eco 03 Gris Perla
	GREY 	Fugalite Bio 03 Gris Perla Ultracolor Plus 112
GLACIAR		Fugabella Eco 01 Blanco Ultracolor Plus 100
GREY		Fugabella Eco 04 Gris Hierro Ultracolor Plus 119
LONDRA		Fugabella Eco 04 Gris Hierro Ultracolor Plus 149
MANHATTAN	WHITE 	Fugalite Bio 07 Jazmín Ultracolor Plus 130
	BEIGE 	Fugabella Eco 03 Gris Perla Ultracolor Plus 133
	GREY 	Fugabella Eco 05 Antracita Ultracolor Plus 113

COLLECTIONS		RECOMMENDED GROUT / REJUNTE RECOMENDADO	
		Kerakoll	Mapei
MANHATTAN	GRAPHITE 	Fugalite Bio 06 Negro	Ultracolor Plus 119
NEGRO MARQUINA		Fugalite Bio 06 Negro	-
PALISANDRO BLUE		Fugabella Eco 04 Gris Hierro	Ultracolor Plus 119
PANDORA		Fugabella Eco 01 Blanco	Ultracolor Plus 100
PIER17	COPPER 	Fugabella Eco 06 Negro	Ultracolor Plus 144
	ZINC 	Fugalite Bio 06 Negro	Ultracolor Plus 119
POMPEIA		Fugabella Eco 04 Gris Hierro	Ultracolor Plus 112
POMPEIA DECOR		Fugabella Eco 04 Gris Hierro	Ultracolor Plus 112
PORTOBELLO		Fugabella Eco 02 Gris Luz	Ultracolor Plus 100
PULPIS NATURAL		Fugalite Bio 12 Nogal	Ultracolor Plus 149
SAHARA NOIR		Fugalite Bio 06 Negro	-
SIDNEY		Fugalite Bio 04 Gris Hierro	Ultracolor Plus 112
VILLAGE		Fugabella Eco 05 Antracita	Ultracolor Plus 112
VOLAKAS		Fugabella Eco 01 Blanco	Ultracolor Plus 100
WHITE		Fugabella Eco 01 Blanco	Ultracolor Plus 100



FORMAT FORMATO	BOXES CAJAS			PALET PALLET			
	PIECES PIEZAS	M2	NET WEIGHT PESO NETO (Kg)	PIECES PIEZAS	M2	NET WEIGHT PESO NETO (Kg)	GROSS WEIGHT PESO BRUTO (Kg)
1000x3000 mm 39,4"x118"	1	3	42,00	20	60	840	943,02
1500x2600 mm 59"x103"	1	3,90	56,25	16	62,4	900	1076,5
500x3000 mm 19,7"x118"	1	1,5	21,03	32	48	672,08	777,08
750x2600 mm 29,5"x103"	1	1,95	28,12	32	62,4	900	1073,77
1500x1500 mm 59"x59"	1	2,25	32,00	24	54	768	862,06
1500x1000 mm 59"x39,4"	1	1,5	21,03	32	48	672,08	777,08
1000x1000 mm 39,4"x39,4"	2	2	29,10	48	48	698,40	750,20

FORMAT FORMATO	PALLET DIMENSIONS DIMENSIONES PALET (mm)		
	HEIGHT ALTO	LENGTH LARGO	WIDTH ANCHO
1000x3000 mm/ 39,4"x118"	305	3180	1120
1500x2600 mm/ 59"x103" 750x2600 mm/ 29,5"x103"	360	2860	1620
500x3000 mm/ 19,7"x118"	305	3180	1120
1500x1500 mm/ 59"x59"	365	1620	1620
1500x1000 mm/ 59"x39,4"	305	3180	1120
1000x1000 mm/ 39,4"x 39,4"	630	1120	1120

	Highly UV Resistant/ Resistente a los rayos UV
	Frost resistance/ Resistente a las heladas
	Waterproof/ Impermeable
	Resistance to high temperatures/ Resistente a altas temperaturas
	Lightness/ Ligereza
	Resistant to scratches/ Resistencia al rayado
	Resistant to stains/ Resistente a las manchas
	Recyclable/ Reciclable
	Easy to clean/ Fácil de limpiar
	Resistant to chemical attack/ Resistencia al ataque químico



	TECHNICAL CHARACTERISTICS/ CARACTERÍSTICAS TÉCNICAS SEGÚN NORMAS	REFERENCE STANDARD/ NORMA DE REFERENCIA	VALUE REQUIRED/ VALOR REQUERIDO	MEAN VALUE/ VALOR MEDIO OBTENIDO
<b>DIMENSIONAL CHARACTERISTICS</b> Permissible deviation from work size.  <b>CARACTERÍSTICAS DIMENSIONALES</b> Desviación admisible respecto de la dimensión de fabricación.	Length and width/ Longitud y anchura	EN-ISO 10545-2	± 0,6 % / ± 2,0 mm	± 0,6 % / ± 2,0 mm
	Thickness/ Grosor		± 5 % / ± 0,5 mm	± 5 % / ± 0,5 mm
	Warpages of edges/ Rectitud de los lados		± 0,5 % / ± 1,5 mm	± 0,5 % / ± 1,5 mm
	Wedging/ Ortogonalidad		± 0,6 % / ± 2,0 mm	± 0,6 % / ± 2,0 mm
	Flatness/ Planaridad		± 0,5 % / ± 2,0 mm	± 0,5 % / ± 2,0 mm
<b>CHEMICAL CHARACTERISTICS</b>  <b>CARACTERÍSTICAS QUÍMICAS</b>	Resistance to household cleaning products and swimming pool additives/ Resistencia a productos domésticos de limpieza y aditivos de piscina.	EN-ISO 10545-13	GB Min./ Mín. GB	Resist (GA)/ Resiste (GA)
	Resistance to acids and bases in low concentration/ Resistencia a ácidos y bases en baja concentración.	EN-ISO 10545-13	As indicated by manufacturer/ Indicada por el fabricante	Resist (GLA)/ Resiste (GLA)
	Resistance to staining/ Resistencia a las manchas.	EN-ISO 10545-14	Class 3 min./ Mín. Clase 3	Class 5/ Clase 5

	TECHNICAL CHARACTERISTICS/ CARACTERÍSTICAS TÉCNICAS SEGÚN NORMAS	REFERENCE STANDARD/ NORMA DE REFERENCIA	VALUE REQUIRED/ VALOR REQUERIDO	MEAN VALUE/ VALOR MEDIO OBTENIDO
<b>PHYSICAL CHARACTERISTICS</b>  <b>CARACTERÍSTICAS FÍSICAS</b>	Water adsorption/ Absorción al agua	EN-ISO 10545-3	≤ 0,5 %	≤ 0,5%
	Breaking strength/ Fuerza de rotura	EN-ISO 10545-4	≥ 700 N	Standard overtakes/ Supera la norma
	Bending strength/ Resistencia a la flexión	EN-ISO 10545-4	≥ 35 N / mm <sup>2</sup>	Standard overtakes/ Supera la norma
	Resistance to deep abrasion / Resistencia a la abrasión profunda	EN-ISO 10545-6	≤ 175 mm <sup>3</sup>	Standard overtakes/ Supera la norma
	Resistance to abrasion utility - PEI/ Resistencia a la abrasión PEI	EN-ISO 10545-7	Indicate the result/ Indicar resultado	1 - 5
	Lineal thermal expansion/ Dilatación Térmica lineal	EN-ISO 10545-8	Indicate the result/ Indicar resultado	≤ 9 X 10 <sup>-6</sup> K <sup>-1</sup>
	Thermal shock resistance/ Resistencia al choque térmico	EN-ISO 10545-9	Pass test/ Superar prueba	Resist/ Resiste
	Mohs surface hardness/ Dureza Mohs	EN 101	Indicate the result/ Indicar resultado	5 - 6
Frost resistance/ Resistencia a la helada	EN-ISO 10545-12	Pass test/ Superar prueba	Resist/ Resiste	





## CERTIFICATIONS/ CERTIFICADOS



CE Marking declares conformity of our products with the technical and legal requirements for safety/ Marcado CE que declara la conformidad de todos nuestros productos con los requisitos legales y técnicos en materia de seguridad.



CCC Certificate that guarantees that our products meet the standard of radioactivity./ Certificado CCC que avala que nuestros productos cumplen con el estándar de radioactividad.



Certificate of content in COVs which states that our products are exempt and belong to type A./ Certificado del contenido en COVs que declara que nuestros productos están exentos y son de tipo A.



LEED certificate that guarantees compliance with a set of rules on the use of strategies aimed at sustainability in buildings./ Certificado LEED que avala el cumplimiento de un conjunto de normas sobre la utilización de estrategias encaminadas a la sostenibilidad en edificios.



In compliance with ISO international standards./ En cumplimiento de la normativa ISO de estándares internacionales.



In compliance with UNE normative documents created in the Technical Committees for Standardization of the Spanish Association for Standardization and Certification./ En cumplimiento con los documentos normativos UNE creados en los Comités Técnicos de Normalización de la Asociación Española de Normalización y Certificación.



DAPcons certification, EPD ecolabeling programme for pioneering construction in Spain which follows European guidelines and is regulated by ISO 14025 and 15804 standards./ Certificación DAPcons, programa de ecoetiquetado de EPD de la construcción pionero en España que sigue las directrices europeas y regulado por las normas ISO 14025 y 15804.



Technical Approval Document - DIT/ Documento de Idoneidad Técnica - DIT.



The AAI includes all environmental aspects, and other related aspects considered by the competent environmental authorities, in accordance with basic state and corresponding autonomous legislation./ La AAI incluye todos los aspectos ambientales, y aquellos otros relacionados que consideran las autoridades ambientales competentes, de acuerdo con la legislación básica estatal y las correspondientes autonómicas.



The quality and impartiality of the certification process, and the level of its requirements form the basis of the technical added value of QB certification./ La calidad e imparcialidad del proceso de certificación y el nivel de sus requisitos constituyen la base del valor añadido técnico de la certificación QB.

## AWARDS/ DISTINCIONES

ARKLAM



**PREMIO nan**  
arquitectura y construcción

AL MEJOR MATERIAL PARA PAVIMENTO Y REVESTIMIENTO

2018



2018



**Cámara Castellón**

PREMIO A LA EXPORTACIÓN PYME EXPORTADORA

2017

**CDI CV** COLEGIO DE DISEÑADORES DE INTERIOR C. VALENCIANA

**EA D** COLECTIVO DE EMPRESAS ASOCIADAS PARA EL DISEÑO

**AMC** Asociación de Mobiliario de Cocina

**CTAA COLEGIO TERRITORIAL DE ARQUITECTOS DE ALICANTE**

**PLAZATIO**

**jtc**

member of **archiproducts**





Arklam reserves the right to make changes in this catalogue for the benefit of the product and the customer. All names, measures and benchmarks of the pieces are also available on the website, this avoiding typographical error that may have occurred at the time of printing this catalogue. Due to printing processes, the colors of the pieces represented, may have a slight variation from the original color.

In accordance with current legislation, the total or partial reproduction of this publication by any means or procedure, computer processing or any form of transfer of the same without prior written permission of the copyright holders are prohibited.

All images and content in this publication are the property of Saniceramic Group.

Saniceramic Group reserves all rights and, in particular, those of reproduction, distribution, public communication and transformation, even partial.

© 2019 Saniceramic Group. All rights reserved.

Arklam se reserva el derecho de introducir modificaciones en este catálogo en beneficio del producto y del cliente. Todos los nombres, medidas y referencias de las piezas se encuentran también disponibles en nuestra página web, evitando de este modo errores tipográficos que se hayan podido producir a la hora de imprimir este catálogo. Debido a los procesos de impresión, los colores de las piezas representadas, pueden sufrir una leve variación respecto al color original.

Quedan prohibidos, conforme a la legislación vigente, la reproducción total o parcial de esta publicación por cualquier medio o procedimiento, el tratamiento informático o cualquier forma de cesión de la misma sin autorización previa y por escrito de los titulares del copyright.

Todas las imágenes y el contenido de esta publicación son propiedad de Saniceramic Group.

Saniceramic Group se reserva todos los derechos y, en particular, los de reproducción, distribución, comunicación pública y transformación, incluso parcial.

© 2019 Saniceramic Group. Todos los derechos reservados.

www.arklam.es | arklam@arklam.es  
Tel.: 0034 964 626 309 | Fax.: 0034 964 657 426  
Ctra. de Alcora, Km. 7,5 | 12130 Sant Joan de Moró  
Castellón (Spain)

Together on social networks  
Juntos en redes sociales

