

# aur6

---

VIVA  
MADE



# aur6

PENSARE CON LE MANI  
THINKING WITH YOUR HANDS

Direte che parlare delle mani, anzi celebrarle come l'utensile primario di noi artigiani, non c'entra con una nuova serie di piastrelle, che per di più abbiamo voluto chiamare "AURA". Invece l'abbiamo veramente "pensata con le mani", come raccomandava nel 1935 il filosofo Denis de Rougemont, e vi invitiamo a toccare la superficie, ad accarezzare la struttura. Con le vostre mani capirete come le nostre idee abbiano acquistato un peso, un legame terreno, che ha evitato loro di allontanarsi dalla concretezza, di cui tutti abbiamo un gran bisogno, soprattutto di questi tempi.

You will say that talking about hands, and celebrating their role as the main tool of us craftsmen, has nothing to do with a new collection of tiles, especially one we have chosen to call "AURA".

But we have really "thought with our hands" when creating this collection, following the advice given back in 1935 by the philosopher Denis de Rougemont, and we urge you to touch the surface and caress its structure.

With your hands, you will understand how my ideas acquired weight, a link to the earth, which kept them firmly connected to reality – something we all greatly need, these days in particular.



aura marrone  
60x60



aura beige

60x60



**aura nero**  
60x60





aura bianco

60x60



aura bianco  
60x60





**9R5T6R**  
 Aura Marrone Nat. Rett.  
 60x60\_23<sup>5/8</sup>"x23<sup>5/8</sup>" 64




**9N5T6R**  
 Aura Marrone Nat. Rett.  
 30x60\_11<sup>13/16</sup>"x23<sup>5/8</sup>" 64



**9S5T6R**  
 Aura Marrone Nat. Rett.  
 15x60\_5<sup>7/8</sup>"x23<sup>5/8</sup>" 79B



**9B5T6R**  
 Aura Marrone Nat. Rett.  
 10x60\_3<sup>15/16</sup>"x23<sup>5/8</sup>" 79B



**9E5T6R**  
 Aura Marrone Nat. Rett.  
 5x60\_1<sup>15/16</sup>"x23<sup>5/8</sup>" 84

**9R5T6RZ**  
 Aura Marrone Antislip Rett.  
 60x60\_23<sup>5/8</sup>"x23<sup>5/8</sup>" 64

**9N5T6RZ**  
 Aura Marrone Antislip Rett.  
 30x60\_11<sup>13/16</sup>"x23<sup>5/8</sup>" 64

Si consiglia la posa con fuga 2 mm.  
 Laying with a 2 mm-joint is recommended.

Pezzi speciali - Trims



**BATT162**  
 Batt. Aura Marrone Nat. Rett.  
 8x60\_3<sup>1/8</sup>"x23<sup>5/8</sup>" 20



**9R5T1R**  
 Aura Beige Nat. Rett.  
 60x60\_23<sup>5/8</sup>"x23<sup>5/8</sup>" 64



**9N5T1R**  
 Aura Beige Nat. Rett.  
 30x60\_11<sup>13/16</sup>"x23<sup>5/8</sup>" 64



**9S5T1R**  
 Aura Beige Nat. Rett.  
 15x60\_5<sup>7/8</sup>"x23<sup>5/8</sup>" 79B



**9B5T1R**  
 Aura Beige Nat. Rett.  
 10x60\_3<sup>15/16</sup>"x23<sup>5/8</sup>" 79B



**9E5T1R**  
 Aura Beige Nat. Rett.  
 5x60\_1<sup>15/16</sup>"x23<sup>5/8</sup>" 84

**9R5T1RZ**  
 Aura Beige Antislip Rett.  
 60x60\_23<sup>5/8</sup>"x23<sup>5/8</sup>" 64

**9N5T1RZ**  
 Aura Beige Antislip Rett.  
 30x60\_11<sup>13/16</sup>"x23<sup>5/8</sup>" 64

Si consiglia la posa con fuga 2 mm.  
 Laying with a 2 mm-joint is recommended.

Pezzi speciali - Trims



**BATT161**  
 Batt. Aura Beige Nat. Rett.  
 8x60\_3<sup>1/8</sup>"x23<sup>5/8</sup>" 20







**9R5T9R**  
Aura Nero Nat. Rett.  
60x60\_23<sup>5/8</sup>"x23<sup>5/8</sup>" 64



**9N5T9R**  
Aura Nero Nat. Rett.  
30x60\_11<sup>13/16</sup>"x23<sup>5/8</sup>" 64



**9S5T9R**  
Aura Nero Nat. Rett.  
15x60\_5<sup>7/8</sup>"x23<sup>5/8</sup>" 79B



**9B5T9R**  
Aura Nero Nat. Rett.  
10x60\_3<sup>15/16</sup>"x23<sup>5/8</sup>" 79B



**9E5T9R**  
Aura Nero Nat. Rett.  
5x60\_1<sup>15/16</sup>"x23<sup>5/8</sup>" 84

**9R5T9RZ**  
Aura Nero Antislip Rett.  
60x60\_23<sup>5/8</sup>"x23<sup>5/8</sup>" 64

**9N5T9RZ**  
Aura Nero Antislip Rett.  
30x60\_11<sup>13/16</sup>"x23<sup>5/8</sup>" 64

Si consiglia la posa con fuga 2 mm.  
Laying with a 2 mm-joint is recommended.

### Pezzi speciali - Trims



**BATT163**  
Batt. Aura Nero Nat. Rett.  
8x60\_3<sup>1/8</sup>"x23<sup>5/8</sup>" 20



**9R5T0R**  
Aura Bianco Rett.  
60x60\_23<sup>5/8</sup>"x23<sup>5/8</sup>" 64



**9N5T0R**  
Aura Bianco Nat. Rett.  
30x60\_11<sup>13/16</sup>"x23<sup>5/8</sup>" 64



**9S5T0R**  
Aura Bianco Nat. Rett.  
15x60\_5<sup>7/8</sup>"x23<sup>5/8</sup>" 79B



**9B5T0R**  
Aura Bianco Nat. Rett.  
10x60\_3<sup>15/16</sup>"x23<sup>5/8</sup>" 79B



**9E5T0R**  
Aura Bianco Nat. Rett.  
5x60\_1<sup>15/16</sup>"x23<sup>5/8</sup>" 84

**9R5T0RZ**  
Aura Bianco Antislip Rett.  
60x60\_23<sup>5/8</sup>"x23<sup>5/8</sup>" 64

**9N5T0RZ**  
Aura Bianco Antislip Rett.  
30x60\_11<sup>13/16</sup>"x23<sup>5/8</sup>" 64

Si consiglia la posa con fuga 2 mm.  
Laying with a 2 mm-joint is recommended.

### Pezzi speciali - Trims



**BATT160**  
Batt. Aura Bianco Nat. Rett.  
8x60\_3<sup>1/8</sup>"x23<sup>5/8</sup>" 20



| CARATTERISTICHE TECNICHE<br>Technical Features - Características Técnicas - Технические Характеристики   | NORMA<br>Standard - Norme<br>Norm - Norma - Norma  | VALORI<br>Value - Valeur<br>Vorgabe - Valor - Средние  |
|--|--|--|
|  | UNI EN ISO 10545/2   | ± 0,26% / ± 1,5mm  |
| <b>PLANARITÀ</b><br>Flatness - Planéité - Ebenflächigkeit - Planiyud - Плоскостность   | ASTM C485<br>Warpage<br>Calibrated ± 0,75%<br>(max ± 0,09 in)<br>Rectified ± 0,40%<br>(max ± 0,05 in-size ≤ 60cm)<br>(max ± 0,07 in-size > 60cm) | -<br>± 0,25%<br>(max ± 0,05 in-size ≤ 60cm)<br>(max ± 0,07 in-size > 60cm)   |
| <b>ASSORBIMENTO D'ACQUA - Valore medio in %</b><br>Water absorption - Average value expressed in %<br>Absorption d'eau - Valeur moyenne en %<br>Wasseraufnahme - Durchschnittswert in %<br>Absorción de agua - Valor medio en % - Поглощение воды  | UNI EN ISO 10545/3<br>≤ 0,5 %<br>ASTM C373   | Conforme<br>Compliant  |
| <b>RESISTENZA ALLA FLESSIONE</b><br>Modulus of rupture - Resistance a la flexion<br>Biegefestigkeit - Resistencia a la flexion - Прочность на изгиб  | UNI EN ISO 10545/4   | ≥ 50 N/mm <sup>2</sup>   |
| <b>FORZA DI ROTTURA</b><br>Breaking strength - Résistance à la rupture<br>Bruchlast - Resistencia a la rotura - Разрывное усилие   | UNI EN ISO 10545/4<br>ASTM C648  | ≥ 2000 N<br>700 LBS  |
| <b>RESISTENZA AL GELO</b><br>Frost resistance - Résistance au gel - Frostbeständigkeit<br>Resistencia a las heladas - Морозостойкость  | UNI EN ISO 10545/12<br>ASTM C1026  | Conforme<br>Unaffected   |
| <b>RESISTENZA CHIMICA ad alte e basse concentrazioni di acidi e basi</b><br>Chemical resistance to high and low acid and basic concentrations<br>Résistance chimique aux hautes et basses concentrations d'acides et de bases<br>Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen<br>Resistencia química con concentraciones altas y bajas de ácidos y bases<br>Химическая стойкость к высоким и низким концентрациям кислот и щелочей | UNI EN ISO 10545/13<br>ASTM C-650  | GA - GLA<br>Unaffected   |
| <b>RESISTENZA ALLE MACCHIE</b><br>Stain resistance - Résistance aux taches - Fleckenbeständigkeit<br>Resistencia a las manchas - Стойкость к образованию пятен   | UNI EN ISO 10545/14<br>CTI 81-7D   | 5<br>No Evident Variation  |
| <b>COEFFICIENTE DI ATTRITO</b><br>Slip resistance - Coefficient de glissement - Rutschfestigkeit Barfußbereich<br>Coeficiente de atrito medio - Коэффициент трения   | N 51130<br>DIN 51097<br>ANSI A 137.1 - 2012<br>DCOF ( Section 9.6 )<br>B.C.R.A.  | NATURALE<br>R10<br>A<br>Dry ≥ 0,42/Wet ≥ 0,42<br>≥ 0,40<br>ANTISLIP<br>R11<br>B (A+B)<br>Dry ≥ 0,42/Wet ≥ 0,42<br>≥ 0,40 |


Per maggiori chiarimenti sui dati tecnici e sulla garanzia consultare il catalogo generale in vigore. - For further information on technical specifications, please consult our up-dated general catalogue. - Pour toutes informations supplémentaires sur les données techniques et sur les garanties, veuillez consulter le catalogue general en vigueur. - Für weitere Informationen über technische Daten und Garantie beziehen sie sich bitte auf den aktuellen Gesamtkatalog. - Para ultteriores informaciones sobre los datos tecnicos y la garantia, vease el catalogo general en vigor. - Более подробную информацию о технических данных и гарантии смотрите в действующем сводном катал.



7,5%




放射水平A类



| IMBALLI E PESI Packing and weight - Emballages et poids - Verpackung und gewicht - Embalajes y pesos - УПАКОВКА И ВЕС |                           |                                 |                           |                             |                          |  |                              |                          |  |
|---|---------------------------|---------------------------------|---------------------------|-----------------------------|--------------------------|--|------------------------------|--------------------------|--|
| Articolo<br>Item  | Formato (cm)<br>Size (cm) | Spessore (mm)<br>Thickness (mm) | Pz. x Mq.<br>Pieces x Sqm | Pz. x Scat.<br>Pieces x Box | Mq. x Scat.<br>Sqm x Box | Peso x Scat. (Kg)<br>Weight x Box (Kg) | Scat. x Pal.<br>Boxes x Pal. | Mq. x Pal.<br>Sqm x Pal. | Peso x Pal. (Kg)<br>Weight x Pal. (Kg) |
| Reference   | Format (cm)               | Epaisseur (mm)                  | Pcs / M <sup>2</sup>      | Pcs / Bte                   | M <sup>2</sup> / Bte     | Poids / Bte (Kg)                       | Bte / Pal.                   | M <sup>2</sup> / Pal.    | Poids / Pal. (Kg)                      |
| Artikel   | Format (cm)               | Stärke (mm)                     | Stk. x Qm                 | Stk. x Krt.                 | Qm x Krt.                | Gewicht x Krt. (Kg)                    | Krt. x Pal.                  | Qm x Pal.                | Gewicht x Pal. (Kg)                    |
| Articulo  | Tamaño (cm)               | Espesor (mm)                    | Pzs x Mc.                 | Pzs x Caja                  | Mc. x Caja               | Peso x Caja (Kg)                       | Cajas x Pal.                 | Mc. x Pal.               | Peso x Pal. (Kg)                       |
| Артикула  | Формат (cm)               | Толщина (mm)                    | Шт. x Кв.М.               | Кв.М. x Кор.                | Кв.М. x Кор.             | Вес x Кор. (Kg)                        | Кор. x Подд.                 | Кв.М x Подд.             | Вес x Подд (Kg)                        |
| 9R5T_R  | 60x60                     | 10                              | 2,78                      | 3                           | 1,080                    | 25,00                                  | 40                           | 43,20                    | 1000                                   |
| 9R5T_RZ   | 60x60                     | 10                              | 2,78                      | 3                           | 1,080                    | 25,00                                  | 40                           | 43,20                    | 1000                                   |
| 9N5T_R  | 30x60                     | 10                              | 5,56                      | 6                           | 1,080                    | 25,00                                  | 40                           | 43,20                    | 1000                                   |
| 9R5T_RZ   | 30x60                     | 10                              | 5,56                      | 6                           | 1,080                    | 25,00                                  | 40                           | 43,20                    | 1000                                   |
| 9S5T_R  | 15x60                     | 10                              | 11,11                     | 12                          | 1,080                    | 25,00                                  | 50                           | 54,00                    | 1250                                   |
| 9B5T_R  | 10x60                     | 10                              | 16,67                     | 12                          | 0,720                    | 16,70                                  | 60                           | 43,20                    | 1002                                   |
| 9E5T_R  | 5x60                      | 10                              | 33,33                     | 24                          | 0,720                    | 16,70                                  | 60                           | 43,20                    | 1002                                   |



a brand of EMILCERAMICA S.p.A.





a brand of EMILCERAMICA S.p.A.  
Sede amministrativa/commerciale:  
Via Ghiarola Nuova, 29/33  
41042 Fiorano Modenese (MO) Italy  
Tel. +39 0536 998701 - Fax +39 0536 998702  
info@emilceramicagroup.it - www.cerviva.it

