



Silver
NCS S 2002 - Y50R



Graphite
NCS S 5502Y

Natural Matt

BELCASTEL

Pcb V2+ Rc

FORMATS



11
Designs

90x180 / 35"x72"

□ Natural M 37




22
Designs

90x90 / 35"x35"

□ Natural M 24

□ Adz M 33 ~~20~~




12
Designs

60x120 / 24"x48"


□ Natural M 23

MOSAICS



Belcastel Silver
30x30 (5x5) 12"x12"

□ Natural M45



Belcastel Graphite
30x30 (5x5) 12"x12"

□ Natural M45



Wall tile Belcastel Silver 90x180 Metal Steel 60x120 and Riv Quabella Coral 30x90.
Floor tile Belcastel Silver 90x90

TECHNICAL SPECIFICATIONS

CUMPLE	< 0,5%	110/130	45 / 60	RESISTE	RESISTE	RESISTE	UA	C5	DCOF > 0,42 C1 / R9 NAT. C3 / R11 ADZ

*Posibilidad de tratamiento C2/C3 sobre el acabado natural. Consulte condiciones. Este tratamiento puede producir cambio de color en las tonalidades oscuras.
*Possibility to get C2/C3 anti-slip rating for Nat finish. Check conditions. This process may generate shade variation in dark colours.
*Possibilité de traitement C2/C3 sur la finition naturelle. Consultez les conditions. Ce traitement peut produire un changement de couleur dans les tons foncés.




Wall tile Belcastel Silver 90x180. Floor tile Belcastel Silver 90x90.



Floor tile Belcastel Graphite 90x90. Wall tile Riv Neo Palomastone Graphite 33,3x100.

BELCASTEL SILVER 22 DESIGNS 90x90



Floor tile Belcastel Graphite 90x90. Diluca Umber 22,5x180.



Natural Matt

BELCASTEL

Pcb V2+ Rc

FORMATS



90x90 / 35"x35"
Adz M 33 \neq 20



Silver
NCS S 2002 - Y50R

BELCASTEL SILVER 20 DESIGNS 90x90



Graphite
NCS S 5502Y

TECHNICAL SPECIFICATIONS

CUMPLE	0,1%	110 / 130	45 / 60	RESISTE	RESISTE	RESISTE	UA*	C5	C3 / R11 ADZ DCOF >0,42

*Evitar el contacto con disoluciones ácidas. *Avoid any contact with acid solutions.
*Évitez tout contact avec des solutions acides.



Floor tile Belcastel Silver 90x90 (20MM)