

# CERAMICA

Mutina

colours

sizes

technical features

packing


MU  
TIN  
A<sup>®</sup>

**CERAMICA / all colours**




**CERAMICA / all colours sizes**

**design** Silvia Giacobazzi 2010  
**production** artisanal  
**material** impasto pressato smaltato - glazed pressed body  
**thickness** 11 mm  
\*misure nominali - nominal sizes



**complementary pieces**



## CERAMICA / technical features

### BIII GROUP

norma standard	caratteristiche features	valore prescritto value required	ceramica
ISO 10545/3	assorbimento d'acqua water absorption	> 10%	> 10%
ASTM C373			> 10%
ISO 10545/11	resistenza al cavillo crazing resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ISO 10545/9	resistenza agli sbalzi termici thermal shock resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ISO 10545/13	resistenza agli attacchi chimici resistance to chemical attacks	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C650			unaffected
ISO 10545/14	resistenza alle macchie stains resistance	classe 3 min	classe 5

## CERAMICA / packing

formato size	pz-mq pcs-sqm	pz-scat. pcs-box	mq-scat. sqm-box	scat.-pal. box-pal.	kg-scat. kg-box	kg-pal. kg-pal.	mq-pal sqms-pal
5,3·19,8	95,29	65	0,68	64	13,15	842	43,52
5,3·59,7	31,60	20	0,63	60	12,35	741	37,80
quarter round 1,1·10,8	-	-	-	-	-	-	-
angolo quarter round 1,4·1,4	-	-	-	-	-	-	-



V1  
variazione uniforme  
uniform variation

**MUTINA.IT**

Follow us on

