

	Description	inch	lbs	Qty.	Model-No.	USD	
						White - 00	
70							
1017	Washbasin 🖔						
	with overflow,						
-	cUPC listed,						
	with tap platform,						
	fixings included	05.5/0" 40.5/0"	,,, ,	10	004045 00 000	100	
	25 5/8" ●	25 5/8" x 19 5/8"	47.5	18	231065 00 002		
0	25 5/8" ● ● ●	25 5/8" x 19 5/8"	47.5	18	231065 00 302		
	23 5/8" •	23 5/8" x 18 1/8"	39.2 39.2	21	231060 00 002 231060 00 302	180 180	
	23 5/8" ● ● ●	23 5/8" x 18 1/8"	39.2		231060 00 302	100	
	Pedestal						
	for # 231065, 231060,						
ll.	231055, 034812		23.0	35	086327 00 002	170	
P	231033, 034012		23.0		000327 00 002	170	
_	Siphon cover						
	for # 231065, 231060,						
	231055, 034812						
	fixings included		12.1	40	085718 00 002	145	
	Infobox: Washbasin is not Al	DA compliant in combina	ation wit	h pedestal	, siphon cover or meta	l console	
a	Washbasin						
	with overflow,						
	cUPC listed,						
	with tap platform,						
	fixings included						
1	21 5/8" ●	21 5/8" x 16 7/8"	35.5	24	231055 00 002	170	
	21 5/8" ● ● ●	21 5/8" x 16 7/8"	35.5	24	231055 00 302	170	
	Pedestal						
	for # 231065, 231060,						
	231055, 034812		23.0	35	086327 00 002	170	
	Sinhon cover						
4	Siphon cover for # 231065, 231060,						
	231055, 034812 fixings included		12.1	40	085718 00 002	145	
	iixiiigs iiictuueu		12.1	40	063716 00 002	145	
-	Handrinse basin						
20.0	with overflow,						
1000	with tap platform,						
	fixings included,						
	19 5/8"						
	without tap hole ⊠	19 5/8" x 8 5/8"	15.4	40	070650 00 002	130	
	tap hole on right side ●	19 5/8" x 8 5/8"	15.4	40	070650 00 082	130	
	tap hole on left side ●	19 5/8" x 8 5/8"	15.4	40	070650 00 092	130	
			n				
	Infobox: Mandatory in comb	ination with a bottle tra	۲				
	Infobox: Mandatory in comb	ination with a bottle tra	Υ				
	Infobox: Mandatory in comb	ination with a bottle tra	Υ				
		ination with a bottle tra	Υ				
4	Handrinse basin	ination with a bottle tra	P .				
	Handrinse basin with overflow,	ination with a bottle tra	Ψ				
	Handrinse basin with overflow, cUPC listed,	ination with a bottle tra	Ψ				
	Handrinse basin with overflow, cUPC listed, with tap platform,	ination with a bottle tra	Y				
	Handrinse basin with overflow, cUPC listed, with tap platform, fixings included						
	Handrinse basin with overflow, cUPC listed, with tap platform,	ination with a bottle tra	22.5	36	070545 00 002	140	
	Handrinse basin with overflow, cUPC listed, with tap platform, fixings included 17 3/4" ●			36	070545 00 002	140	
	Handrinse basin with overflow, cUPC listed, with tap platform, fixings included 17 3/4" ● Siphon cover			36	070545 00 002	140	
	Handrinse basin with overflow, cUPC listed, with tap platform, fixings included 17 3/4" ● Siphon cover fixings included	17 3/4" x 13 3/8"	22.5				
	Handrinse basin with overflow, cUPC listed, with tap platform, fixings included 17 3/4" ● Siphon cover			36	070545 00 002 085717 00 002	140	
	Handrinse basin with overflow, cUPC listed, with tap platform, fixings included 17 3/4" ● Siphon cover fixings included	17 3/4" x 13 3/8"	22.5				



	Description	inch	lbs	Qty.	Model-No.	USD
						White - 00
-1	Handrinse basin				'	
The same of the sa	with overflow, with tap platform,					
	fixings included,					
	14 1/8"					
	without tap hole ⊠	14 1/8" x 10 5/8"	12.1	42	070536 00 002	140
	tap hole on right side ●	14 1/8" x 10 5/8"	12.1	42	070536 00 082	140
	tap hole on left side ●	14 1/8" x 10 5/8"	12.1	42	070536 00 092	140
	Infobox: Mandatory in combina	tion with a bottle trap	0			
	Vanity basin					
	Vanity basin drop-in basin,					
	with overflow,					
1000	with tap platform,					
	cUPC listed					
	21 1/2" ●	21 1/2" x 17 1/8"	25.0	32	033754 00 00	130
	21 1/2" ● ● ●	21 1/2" x 17 1/8"	25.0	32	033754 00 30	130
-3	Semi-recessed washbasin					
	with overflow,					
172	with tap platform,					
	fixings included	04 5/0" 45 0/0"	20.0		222255 22 22	070
	21 5/8" •	21 5/8" x 17 3/8"	32.0	28	033955 00 00	270
	21 5/8" ● ● ●	21 5/8" x 17 3/8"	32.0	28	033955 00 30	270
	Vanity basin					
	undermount basin, with overflow,					
-	without tap platform,					
	fixings included					
	22" ×	22" x 15 3/4"	19.6	28	033856 00 00	180
		·				
	Fixing					
	for stone countertops					
	(with the exception of # 046651	L)	0.4		005028 00 00	35
	Infobox: Measurements of und	ercounter models rep	resent i	nterior mea	surements	
141	Vanity basin 🖒					
-	undermount basin,					
	cUPC listed,					
	with overflow,					
	without tap platform, fixings included					
	19 1/2" 🛭	19 1/2" x 11 3/8"	22.0	32	033849 00 00	140
		_, _, _ ,		<u> </u>	223047 00 00	2.0
	for stone countertops					
	(with the exception of # 046651	L)	0.4		005028 00 00	35
	Infobox: Measurements of und	ercounter models rep	resent i	nterior mea	surements	



	Description	inch	lbs	Qty.	Model-No.	USD	
	p					White - 00	
						- 00	
	Double furniture washbasin	å					
-	with overflow,						
	with tap platform,						
	fixings included						
	47 1/4" ●	47 1/4" x 18 7/8"	79.6	12	034812 00 002	775	
	47 1/4" ● ● ●	47 1/4" x 18 7/8"	79.6	12	034812 00 302	775	
	Towel rail						
1	square tube 1/2", Chrome						
	for washbasin # 045412, 034812		1.8		003033 10 00	395	
7	034012		1.0		003033 10 00	373	
	Space-saving siphon						
	White				005073 00 92	105	
	Infobox: For mounting ceran	nics larger than 47 1/4	, 2 sets	of washbas	sin fixations are require	ed / For vanity units	the spa
	saving siphon is recommend						
	combination with pedestal, s				, ,		•
	, in the second	,					
8	Furniture washbasin						
	with overflow,						
Mary Mary	with tap platform,						
	fixings included						
	41 3/8" ●	41 3/8" x 18 7/8"	67.1	8	034210 00 002	615	
	41 3/8" ● ● ●	41 3/8" x 18 7/8"	67.1	8	034210 00 302		
	33 1/2" ●	33 1/2" x 18 7/8"	55.0	8	034285 00 002	500	
	33 1/2" ● ● ●	33 1/2" x 18 7/8"	55.0	8	034285 00 302	500	
	25 5/8" ●	25 5/8" x 18 7/8"	44.3	18	034265 00 002	360	
	25 5/8" ● ● ●	25 5/8" x 18 7/8"	44.3	18	034265 00 302	360	
	Towel rail						
	square tube 1/2", Chrome						
1	for washbasin # 032910,						
	034210		1.3		003035 10 00	375	
	for washbasin # 032985,						
	034285, 035285		1.0		003036 10 00	350	
	for washbasin # 034265		0.9		003032 10 00	285	
	Space-saving siphon						
	Space-saving siphon White				005073 00 92	105	
	White						
		space saving siphon is :	recomm	ended / Ov			age 540
	White	space saving siphon is ı	recomm	ended / Ov			age 540
	White	space saving siphon is ı	recomm	ended / Ov			page 543
	White Infobox: For vanity units the	space saving siphon is ı	recomm	ended / Ov			page 543
	White Infobox: For vanity units the Bidet floor standing ●	space saving siphon is I	recomm	ended / Ov			page 543
	White Infobox: For vanity units the Bidet floor standing ● with overflow,	space saving siphon is I	recomm	ended / Ov			page 543
-	White Infobox: For vanity units the Bidet floor standing ● with overflow, with tap platform				erview of furniture rec	commendation see p	page 543
	White Infobox: For vanity units the Bidet floor standing ● with overflow,	space saving siphon is 1 13 3/4" x 21 1/4"	recomm	ended / Ov			page 543
	White Infobox: For vanity units the Bidet floor standing ● with overflow, with tap platform fixings included				erview of furniture rec	commendation see p	page 543
A	White Infobox: For vanity units the Bidet floor standing ● with overflow, with tap platform fixings included Siphon for bidet				erview of furniture rec	commendation see p	page 543
	White Infobox: For vanity units the Bidet floor standing ● with overflow, with tap platform fixings included				erview of furniture rec	commendation see p	page 543



	Description	inch	lbs	Qty.	Model-No.	USD	
						White - 00	
	Tollet						
1	Toilet wall-mounted 🖒 washdown model						
	■ 1.6/0.8 gpf	14" x 21 1/2"	44.1	20	253509 00 922	295	
	• 1.0, 0.0 gp	14 X L1 1/L			200007 00 722	270	
	Noise reduction gasket						
	for wall-mounted toilet		0.7		005020 00 00	95	
	Geberit in-wall tank and carrie	r					
	width 19 3/4", depth 5 1/2"	100// 51/0"				40-	
	height (adjustable) 43" - 47"	19 3/4" x 5 1/2"	38.0		111335 00 5	635	
	Dual Flush Astuator Sigma 01						
	Dual Flush Actuator Sigma 01 White	9 5/8" x 6 1/2"			115770 11 5	100	
	WIIIC) 3/0 X 0 1/2			113//0113	100	
	Toilet seat and cover						
	hinges stainless steel						
	without slow close		5.3		006731 00 00	110	
	hinges plastic						
	with slow close		5.8		006739 00 00	140	
	Infobox: For additional actuator	options, please refe	er to page	307 - 308			
_							
	Toilet close-coupled						
	washdown model,						
	(without cistern),						
	Outlet for Vario connector set,						
	for horizontal and vertical outlet	t.					
	length adjustable from	•					
	2 3/4" - 7 1/8", and vario						
	connecting bend, vertical outlet						
	from 6 3/4" - 8 1/4",						
	fixings included						
	1 .6/0.8 gpf	14 1/8" x 27 3/8"			214209 00 922	385	
	Vario connector set						
	for horizontal and vertical outlet	t,					
	length adjustable		2.2		001/22 00 00	110	
	incl. excenter		3.3		001422 00 00	110	
	Vario connecting bend						
	Ø 3 7/8", for vertical outlet		1.5		899025 00 06	115	
	5 0 770 , for vertical butter		1.5		577525 00 00	113	
	Cistern						
	with Dual Flush mechanism,						
	Chrome,						
	bottom left supply						
	1.6/0.8 gpf	15 1/8" x 6 3/4"		48	092710 00 04	140	
	Toilet seat and cover						
	elongated,						
	hinges stainless steel				0067/4 00 00	440	
	with slow close		5.5		006741 00 00	110	
	with slow close, removable		5.5		006209 00 96	140	



	Description	inch	lbs	Qty.	Model-No.	USD	
						White - 00	
	One-Piece toilet 🖒 🕚						
	US-version toilet,						
-	cUPC listed,						
30 A	syphonic,						
	12" rough-in,						
1000	with Single Flush mechanism,						
	vertical outlet	454/0" 005/0"	07.0		044004 00 04	0.00	
	1.28 gpf, with side lever left		87.0	8	011301 00 01	360	
	à 1.28 gpf, with side lever right	15 1/2" X 28 //8"	87.0	8	011301 00 82	360	
	Mounting set						
	for One-piece and Two-piece						
	toilets						
	1/2", US-version		1.1		001431 00 00	110	
	1/2 , 03 (0131011				001431 00 00	110	
	Toilet seat and cover						
	elongated,						
	hinges stainless steel						
	without slow close		5.5		006741 00 00	110	
	with slow close, removable		5.5		006209 00 96	140	
	Infobox: The mounting set is o	ptional for installation	า				
	, ,						
400	Two-Piece toilet 🚳						
	(without cistern),						
-	cUPC listed,						
	US-version toilet,						
FA	syphonic,						
100	12" rough-in,						
100	vertical outlet						
	1 .28 gpf	13 3/4" x 27"	57.6	12	011701 00 62	150	
	Mounting set						
	for One-piece and Two-piece						
	toilets						
	toilets 1/2", US-version		1.1		001431 00 00	110	
	1/2", US-version		1.1		001431 00 00	110	
			1.1		001431 00 00	110	
	1/2", US-version Cistern with Single Flush mechanism,		1.1		001431 00 00	110	
	1/2", US-version Cistern with Single Flush mechanism, with side lever,		1.1		001431 00 00	110	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, CUPC listed,		1.1		001431 00 00	110	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, CUPC listed, 3" flapper valve,		1.1		001431 00 00	110	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply						
	1/2", US-version Cistern with Single Flush mechanism, with side lever, CUPC listed, 3" flapper valve,	15 3/8" x 6 3/4"	26.4	40	001431 00 00	110	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply 1.28 gpf	15 3/8" x 6 3/4"		40			
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply 1.28 gpf Toilet seat and cover	15 3/8" x 6 3/4"		40			
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply 1.28 gpf Toilet seat and cover elongated,	15 3/8" x 6 3/4"		40			
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply 1.28 gpf Toilet seat and cover elongated, hinges stainless steel	15 3/8" x 6 3/4"	26.4	40	092720 00 02	115	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply 1.28 gpf Toilet seat and cover elongated, hinges stainless steel without slow close	15 3/8" x 6 3/4"	26.4	40	092720 00 02 006741 00 00	115	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply 1.28 gpf Toilet seat and cover elongated, hinges stainless steel	15 3/8" x 6 3/4"	26.4	40	092720 00 02	115	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply ▶ 1.28 gpf Toilet seat and cover elongated, hinges stainless steel without slow close with slow close, removable		26.4 5.5 5.5	40	092720 00 02 006741 00 00	115	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply 1.28 gpf Toilet seat and cover elongated, hinges stainless steel without slow close		26.4 5.5 5.5	40	092720 00 02 006741 00 00	115	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply ▶ 1.28 gpf Toilet seat and cover elongated, hinges stainless steel without slow close with slow close, removable		26.4 5.5 5.5	40	092720 00 02 006741 00 00	115	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply ▶ 1.28 gpf Toilet seat and cover elongated, hinges stainless steel without slow close with slow close, removable		26.4 5.5 5.5	40	092720 00 02 006741 00 00	115	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply ▶ 1.28 gpf Toilet seat and cover elongated, hinges stainless steel without slow close with slow close, removable		26.4 5.5 5.5	40	092720 00 02 006741 00 00	115	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply ▶ 1.28 gpf Toilet seat and cover elongated, hinges stainless steel without slow close with slow close, removable		26.4 5.5 5.5	40	092720 00 02 006741 00 00	115	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply ▶ 1.28 gpf Toilet seat and cover elongated, hinges stainless steel without slow close with slow close, removable		26.4 5.5 5.5	40	092720 00 02 006741 00 00	115	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply ▶ 1.28 gpf Toilet seat and cover elongated, hinges stainless steel without slow close with slow close, removable		26.4 5.5 5.5	40	092720 00 02 006741 00 00	115	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply ▶ 1.28 gpf Toilet seat and cover elongated, hinges stainless steel without slow close with slow close, removable		26.4 5.5 5.5	40	092720 00 02 006741 00 00	115	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply ▶ 1.28 gpf Toilet seat and cover elongated, hinges stainless steel without slow close with slow close, removable		26.4 5.5 5.5	40	092720 00 02 006741 00 00	115	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply ▶ 1.28 gpf Toilet seat and cover elongated, hinges stainless steel without slow close with slow close, removable		26.4 5.5 5.5	40	092720 00 02 006741 00 00	115	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply ▶ 1.28 gpf Toilet seat and cover elongated, hinges stainless steel without slow close with slow close, removable		26.4 5.5 5.5	40	092720 00 02 006741 00 00	115	
	1/2", US-version Cistern with Single Flush mechanism, with side lever, cUPC listed, 3" flapper valve, bottom left supply ▶ 1.28 gpf Toilet seat and cover elongated, hinges stainless steel without slow close with slow close, removable		26.4 5.5 5.5	40	092720 00 02 006741 00 00	115	