


Product Information			
Fronts Body Mirror Cabinet	Decor Pricegroup 1	14 Terra18 White Matt31 Pine Silver43 Basalt Matt49 Graphite Matt51 Pine Terra	Basic material: High-compressed three-ply chipboard, directly coated with melamine resin decor on both sides. Edge Material: ABS-Edge material.
		52 European Oak53 Chestnut Dark79 Natural Walnut	
	Decor Pricegroup 2	22 White High Gloss73 Ticino Cherry Tree	Basic material: High-compressed three-ply chipboard, with laminate (HPL) pressed on both sides. Edge Material: ABS-Edge material.
Edges Mirror ground plate	Decor Pricegroup 1	37 White Aluminum	Basic material: High-compressed MDF-Board directly coated. Edge Material: ABS-Edge material.
Mirror with lighting			LED light technology, 3500 Kelvin light color. Sensor switch bottom right for on/off function.
Handles furniture		Silver anodized	Aluminum
Handles mirror cabine	et	Silver anodized	Zinc diecasting

Ordering Sample



Ketho Body Tall cabinet Vanity unit

49 Graphite Matt

	Description	Remark	Quantity	Model-No.
1	Tall Cabinet	Height 70 7/8"	1	# KT 1265 L 49 49
2	Vanity unit wall mounted	Width 55 1/8"	1	# KT 6657 L 49 49
3	Mirror with lighting	Width 25 5/8"	1	# KT 7330 0 00 00
С	Vero		1	# 045260 00 001




Description	inch	Model-No.	USD	USD	USD	USD
			Pricegroup 1	Pricegroup 2		
			, ,			
x						
Community of the second						
16 410						
Vanity unit wall-mounted						
1 box drawer with siphon cut-out	and					
cover						
for D-Code # 034265	23 5/8" x 17 7/8"	KT 6670	790	905		
for D-Code # 034285	31 1/2" x 17 7/8"	KT 6667	840	940		
for D-Code # 034210	39 3/8" x 17 7/8"	KT 6668	880	970		
for D-Code # 034812	45 4/5" x 17 7/8"	KT 6669	905	1,030		
Leteberry WAT CORD AT COOR AS			11.14.11.70.0	1:1 14 11 / 6		" 005080:
Infobox: # KT 6670, KT 6667, KT	I 6668 available from stock: 18	-White Matt, 43-Ba	salt Matt, 49-Gra	phite Matt / Spac	e saving sipho	in # 005073 is
recommended						
x						
8						
Endinment of The						
9.8						
480						
Janitu unit wall man						
Vanity unit wall-mounted 2 drawers,						
z arawers, upper drawer including cut-out fo	ar sinhan					
upper drawer including cut-out fo and siphon cover	n aihiinii					
for D-Code # 034265	23 5/8" x 17 7/8"	KT 6650	1,035	1,175		
for D-Code # 034285	31 1/2" x 17 7/8"	KT 6647	1,075	1,220		
for D-Code # 034210	39 3/8" x 17 7/8"	KT 6648	1,135	1,265		
for D-Code # 034812	45 1/4" x 17 7/8"	KT 6649	1,270	1,340		
			·			
Infobox: # KT 6647, KT 6648, KT	Γ 6649 and KT 6650 available f	rom stock: 18-Whit	e Matt, 43-Basalt	Matt, 49-Graphit	te Matt / Sipho	on for washbasir
# 005026 is recommended						
L_ 440						
17 3/8-						
The same of the sa						
215.8°						
Vanity unit wall-mounted						
1 door	10.000 4000	WT 4445 : /5		=		
for Starck 3 # 030348	17 3/8" x 17 7/8"	KT 6662 L/R	525	590		
Infohov: # I/T (((2) I /D ave!!-El-	from stock: 10 White Matt / 2	Dacalt Matt / C C	caphita Matt / C	so coving sinh	# 005072 :- :	cocommonded /
Infobox: # KT 6662 L/R available Required specification for ordering		-Dasall Mall, 49-61	арппе мат / Spa	ice saving sipnon	# UUOU/3 IS I	ecommenaea /
- Hinges left (L) or right (R)	19.					
ranges telt (E) or right (R)						



Description	inch	Model-No.	USD	USD	USD	USD
			Pricegroup 1	Pricegroup 2		
X						
10 ST						
Vanity unit wall-mounted						
1 box drawer with siphon cut-out and	1					
cover						
for Starck 3 # 030470	25 5/8" x 18 1/4"	KT 6663	750	900		
for Starck 3 # 030480	31 1/2" x 18 1/4"	KT 6664	770	935		
for Starck 3 # 030410	39 3/8" x 18 1/4"	KT 6665	790	970		

Infobox: # KT 6663, KT 6664 and KT 6665 available from stock: 18-White Matt, 43-Basalt Matt, 49-Graphite Matt / Space saving siphon # 005073 is recommended




Vanity unit wall-mounted

1 box drawer with siphon cut-out and cover

for Starck 3 # 033213 47 1/4" x 18 1/4" **KT 6666** 870 1,095

Infobox: # KT 6666 available from stock: 18-White Matt, 43-Basalt Matt, 49-Graphite Matt / Space saving siphon # 005073 is recommended




Vanity unit wall-mounted

2 drawers, upper drawer including cut-out for siphon

and sipnon cover					
for Starck 3 # 030470	25 5/8" x 18 1/4"	KT 6643	925	1,170	
for Starck 3 # 030480	31 1/2" x 18 1/4"	KT 6644	960	1,220	
for Starck 3 # 030410	39 3/8" x 18 1/4"	KT 6645	1,000	1,265	

Infobox: # KT 6643, KT 6644 and KT 6645 available from stock: 18-White Matt, 43-Basalt Matt, 49-Graphite Matt / Space saving siphon # 005073 is recommended



Vanity unit wall-mounted

upper drawer including cut-out for siphon

and siphon cover for Starck 3 # 033213 47 1/4" x 18 1/4" KT 6646 1,110 1,425

Infobox: # KT 6646 available from stock: 18-White Matt, 43-Basalt Matt, 49-Graphite Matt / Space saving siphon # 005073 is recommended



Description	inch	Model-No.	USD	USD	USD	USD
			Pricegroup 1	Pricegroup 2		
_						
450 17 3/4-						
21 5/8						
Vanity unit wall-mounted						
1 door						
for Vero # 070350 (not ground)	17 3/4" x 8 7/8"	KT 6629 L/R	605	670		
Infaham Danniard and iffication for an	-dt					
Infobox: Required specification for or - Hinges left (L) or right (R)	dering.					
- Tilliges telt (E) of Fight (it)						
<u> </u>						
15 _{3/4} -						
Transport 1						
9.3						
21 5/8						
Vanity unit wall-mounted						
1 door						
or Vero # 070445 (not ground)	15 3/4" x 12 5/8"	KT 6630 L/R	605	670		
Infoham Daguinad anasification for an	adanina.					
Infobox: Required specification for or	dering:					
- Hinges left (L) or right (R)						
x						
A seeses a seese seese seese						
26 2						
Vanity unit wall-mounted						
1						
1 pull-out compartment						
for Vero # 045450 (not ground)	17 3/4" x 17 3/8"	KT 6685	865	945		
for Vero # 045450 (not ground) for Vero # 045460 (not ground)	21 5/8" x 17 3/8"	KT 6686	895	980		
for Vero # 045450 (not ground) for Vero # 045460 (not ground) for Vero # 045470 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8"	KT 6686 KT 6684	895 910	980 995		
for Vero # 045450 (not ground) for Vero # 045460 (not ground) for Vero # 045470 (not ground) for Vero # 045480 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8"	KT 6686 KT 6684 KT 6687	895 910 925	980 995 1,015		
or Vero # 045450 (not ground) or Vero # 045460 (not ground) or Vero # 045470 (not ground) or Vero # 045480 (not ground) or Vero # 045410 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688	895 910 925 960	980 995 1,015 1,050		
or Vero # 045450 (not ground) or Vero # 045460 (not ground) or Vero # 045470 (not ground) or Vero # 045480 (not ground) or Vero # 045410 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8"	KT 6686 KT 6684 KT 6687	895 910 925	980 995 1,015		
for Vero # 045450 (not ground) for Vero # 045460 (not ground) for Vero # 045470 (not ground) for Vero # 045480 (not ground) for Vero # 045410 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688	895 910 925 960	980 995 1,015 1,050		
for Vero # 045450 (not ground) for Vero # 045460 (not ground) for Vero # 045470 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688	895 910 925 960	980 995 1,015 1,050		
for Vero # 045450 (not ground) for Vero # 045460 (not ground) for Vero # 045470 (not ground) for Vero # 045480 (not ground) for Vero # 045410 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688	895 910 925 960	980 995 1,015 1,050		
or Vero # 045450 (not ground) or Vero # 045460 (not ground) or Vero # 045470 (not ground) or Vero # 045480 (not ground) or Vero # 045410 (not ground) or Vero # 045412 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688	895 910 925 960	980 995 1,015 1,050		
or Vero # 045450 (not ground) or Vero # 045460 (not ground) or Vero # 045470 (not ground) or Vero # 045480 (not ground) or Vero # 045410 (not ground) or Vero # 045412 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688	895 910 925 960	980 995 1,015 1,050		
or Vero # 045450 (not ground) or Vero # 045460 (not ground) or Vero # 045470 (not ground) or Vero # 045480 (not ground) or Vero # 045410 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688	895 910 925 960	980 995 1,015 1,050		
or Vero # 045450 (not ground) or Vero # 045460 (not ground) or Vero # 045470 (not ground) or Vero # 045480 (not ground) or Vero # 045410 (not ground) or Vero # 045412 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688	895 910 925 960	980 995 1,015 1,050		
or Vero # 045450 (not ground) or Vero # 045460 (not ground) or Vero # 045470 (not ground) or Vero # 045480 (not ground) or Vero # 045410 (not ground) or Vero # 045412 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688	895 910 925 960	980 995 1,015 1,050		
or Vero # 045450 (not ground) or Vero # 045460 (not ground) or Vero # 045470 (not ground) or Vero # 045480 (not ground) or Vero # 045410 (not ground) or Vero # 045412 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688	895 910 925 960	980 995 1,015 1,050		
for Vero # 045450 (not ground) for Vero # 045460 (not ground) for Vero # 045470 (not ground) for Vero # 045480 (not ground) for Vero # 045410 (not ground) for Vero # 045412 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688	895 910 925 960	980 995 1,015 1,050		
for Vero # 045450 (not ground) for Vero # 045460 (not ground) for Vero # 045470 (not ground) for Vero # 045480 (not ground) for Vero # 045410 (not ground) for Vero # 045412 (not ground) for Vero # 045412 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688	895 910 925 960	980 995 1,015 1,050		
or Vero # 045450 (not ground) or Vero # 045460 (not ground) or Vero # 045470 (not ground) or Vero # 045480 (not ground) or Vero # 045410 (not ground) or Vero # 045412 (not ground) or Vero # 045412 (not ground) or Vero # 045412 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688	895 910 925 960	980 995 1,015 1,050		
Vanity unit wall-mounted 2 drawers, (1 x including cut-out for siphon and siphon cover)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8" 45 1/4" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688 KT 6689	895 910 925 960 1,070	980 995 1,015 1,050 1,175		
Vanity unit wall-mounted 2 drawers, (1 x including cut-out for vero # 045450 (not ground) Avaity unit wall-mounted or vero # 045450 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8" 45 1/4" x 17 3/8" 17 3/4" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688 KT 6689	895 910 925 960 1,070	980 995 1,015 1,050 1,175		
Vanity unit wall-mounted 2 drawers, (1 x including cut-out for vero # 045450 (not ground) or Vero # 045410 (not ground) or Vero # 045410 (not ground) or Vero # 045412 (not ground) or Vero # 045412 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8" 45 1/4" x 17 3/8" 17 3/4" x 17 3/8" 21 5/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688 KT 6689	895 910 925 960 1,070	980 995 1,015 1,050 1,175 1,210 1,250		
Vanity unit wall-mounted 2 drawers, (1 x including cut-out for Vero # 045450 (not ground) for Vero # 045450 (not ground) for Vero # 045410 (not ground) for Vero # 045412 (not ground) for Vero # 045412 (not ground) for Vero # 045412 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8" 45 1/4" x 17 3/8" 17 3/4" x 17 3/8" 21 5/8" x 17 3/8" 25 5/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688 KT 6689 KT 6689	895 910 925 960 1,070 1,100 1,140 1,165	980 995 1,015 1,050 1,175 1,210 1,250 1,275		
Vanity unit wall-mounted 2 drawers, (1 x including cut-out for Vero # 045450 (not ground) for Vero # 045450 (not ground) for Vero # 045410 (not ground) for Vero # 045412 (not ground) for Vero # 045450 (not ground) for Vero # 045460 (not ground) for Vero # 045470 (not ground) for Vero # 045480 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8" 45 1/4" x 17 3/8" 17 3/4" x 17 3/8" 21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688 KT 6689 KT 6689	895 910 925 960 1,070 1,100 1,140 1,165 1,190	980 995 1,015 1,050 1,175 1,210 1,250 1,275 1,295		
Vanity unit wall-mounted 2 drawers, (1 x including cut-out for Vero # 045450 (not ground) for Vero # 045450 (not ground) for Vero # 045410 (not ground) for Vero # 045412 (not ground) for Vero # 045412 (not ground) for Vero # 045412 (not ground)	21 5/8" x 17 3/8" 25 5/8" x 17 3/8" 29 1/2" x 17 3/8" 37 3/8" x 17 3/8" 45 1/4" x 17 3/8" 17 3/4" x 17 3/8" 21 5/8" x 17 3/8" 25 5/8" x 17 3/8"	KT 6686 KT 6684 KT 6687 KT 6688 KT 6689 KT 6689	895 910 925 960 1,070 1,100 1,140 1,165	980 995 1,015 1,050 1,175 1,210 1,250 1,275		



Description	inch	Model-No.	USD	USD	USD	USD
			Pricegroup 1	Pricegroup 2		
h						
X						
4 61 60 78						
Vanity unit wall-mounted						
1 pull-out compartment						
for Vero # 032985 (not ground)	21 1/2" v 17 7/0"	KT 6690	855	935		
	31 1/2" x 17 7/8"					
for Vero # 032910 (not ground)	39 3/8" x 17 7/8"	KT 6691	885	970		
or Vero # 032912 (not ground)	47 1/4" x 17 7/8"	KT 6692	1,005	1,095		
To the state of th						
x —						
18 7/8"						
4 8						
Vanity unit wall-mounted						
2 drawers,						
1 x including cut-out for siphon and						
siphon cover)						
for Vero # 032985 (not ground)	31 1/2" x 17 7/8"	KT 6640	1,115	1,220		
for Vero # 032910 (not ground)	39 3/8" x 17 7/8"	KT 6641	1,150	1,265		
for Vero # 032912 (not ground)	47 1/4" x 17 7/8"	KT 6642	1,300	1,425		
or vero # 032712 (not ground)	47 1/4 X 17 7/0	K1 0042	1,300	1,425		
!						
X —						
Nestangen and American						
9 2						
426 16 34°						
Vanity unit wall-mounted						
1 pull-out compartment,						
·						
countertop including one cut-out	01.1/0" 01.5/0"	WT 6604	E.C.O.	1.000		
for 1 above-counter basin central	31 1/2" x 21 5/8"	KT 6694	760	1,090		
for 1 vanity basin central incl. siphon						
cover	31 1/2" x 21 5/8"	KT 6794	880	1,240		
for 1 above-counter basin central	39 3/8" x 21 5/8"	KT 6695	835	1,140		
or 1 vanity basin central incl. siphon						
cover	39 3/8" x 21 5/8"	KT 6795	915	1,300		
for 1 above-counter basin central	47 1/4" x 21 5/8"	KT 6696	880	1,245		
for 1 vanity basin central incl. siphon	, + x 0/0	0070	- 000	1,240		
cover	47 1/4" x 21 5/8"	KT 6796	955	1,335		
,0401	4/ 1/4 7 7 1 3/0	K1 07 70	700	1,333		
Infobox: Space saving siphon # 00507	2 is recommended / D	ired enseif+:-	or ordering:			
		aired specification	or ordering:			
- Model no. ceramic, please refer to pa	ge 549 - 550					



$\textbf{Ketho} \hspace{0.2cm} \textbf{Design by Christian Werner}$

Description	inch	Model-No.	USD	USD	USD	USD
			Pricegroup 1	Pricegroup 2		
1400						
55 1/8"						
3						
426						
/anity unit wall-mounted						
? pull-out compartments, . countertop with one cut-out or two						
cut-outs						
or 1 or 2 above-counter basins	55 1/8" x 21 5/8"	KT 6697 B/L/R	1,195	1,815		
or 1 or 2 vanity basins each including						
iphon cover(s)	55 1/8" x 21 5/8"	KT 6797 B/L/R	1,390	2,085		
1-f-h C # 005073	:	:				
Infobox: Space saving siphon # 005073 - Model no. ceramic, please refer to pag		ed specification for	oraering:			
- Model no. ceramic, please rejer to pag - L/R/B = Washbasin left, right or both s						
e;						
Market Company						
19 1/2						
anity unit wall-mounted						
2 drawers,						
upper drawer including cut-out for sipho	on					
and siphon cover,						
ountertop including one cut-out or 1 above-counter basin central	31 1/2" x 21 5/8"	KT 6654	1,115	1,430		
or 1 vanity basin central	31 1/2" x 21 5/8"	KT 6754	1,115	1,430		
or 1 above-counter basin central	39 3/8" x 21 5/8"	KT 6655	1,150	1,495		
or 1 vanity basin central	39 3/8" x 21 5/8"	KT 6755	1,150	1,495		
or 1 above-counter basin central	47 1/4" x 21 5/8"	KT 6656	1,205	1,570		
or 1 vanity basin central	47 1/4" x 21 5/8"	KT 6756	1,205	1,570		
Infobox: Space saving siphon # 005073	is recommended / Requir	ed specification for	ordering.			
- Model no. ceramic, please refer to pag		cu specification joi	ordering.			
1400 55 1/8"						
or constant of the constant of						
19 1/2"						
anity unit wall-mounted						
drawers,						
countertop with one cut-out or two						
ut-outs,						
Irawer beneath basin including cut-out						
or siphon and siphon cover	FF 1/0" · · · 01 F/0"	VT ((FR 5 /) -	1.500	2.445		
or 1 or 2 above-counter basins or 1 or 2 vanity basin(s)	55 1/8" x 21 5/8" 55 1/8" x 21 5/8"	KT 6657 B/L/R KT 6757 B/L/R	1,760 1,760	2,445 2,445		
or T of C variity habilit(2)	33 1/0 X Z1 3/0	K1 0/3/ B/L/K	1,760	2,445		
Infobox: Space saving siphon # 005073	is recommended / Reauir	ed specification for	ordering:			
- L/R/B = Washbasin left, right or both		,	•			
- Model no. ceramic, please refer to pag						



Description inch	Model-No.	USD	USD	USD	USD
		Pricegroup 1	Pricegroup 2		
X					
750 2 1750 2 1750					
`					
dirror with lighting					
firror with lighting IAPMO®ELECTRICAL,					
firrors require a GFCI 110 V 60 Hz power					
ource. Flat plug will be supplied with					
nirror,					
sensor switch bottom right,					
ED (life span > 30,000 hours),					
amps non-exchangeable					
ED module 3500 kelvin light color, 10 W 25 5/8" x 1 5/8"	KT 7330	945			
ED module 3500 kelvin light color, 11 W 31 1/2" x 1 5/8"	KT 7331	970			
ED module 3500 kelvin light color, 14 W 39 3/8" x 1 5/8"	KT 7332	1,120			
ED module 3500 kelvin light color, 16 W 47 1/4" x 1 5/8"	KT 7333	1,215			
additional modules					
ED dimming function	UV 9980	110			
ED diffilling function	04 9960	110			
Infobox: Distance between sensor and reflecting surfaces = minim	um 3" / # KT 733	D. KT 7331. KT 7	332 and KT 7333	are available fr	om stock
	0 , , 00	, ,	002 4.14 14.1 7 000	ar o aranas is ji	5,550.
650 25 5/8"					
25 2 20 2 20 2 20 2 20 2 20 2 20 2 20 2					
firror cabinet					
IAPMO®ELECTRICAL,					
mirror door, handle attached,					
. nande attached, ! glass shelves,					
: interior lights (fluorescent tube T5					
4 W 835 W),					
firror cabinets require a GFCI 110 V					
60 Hz power source. Flat plug will be					
upplied with the mirror cabinet,					
sensor switch bottom right					
FCI outlets are not supplied by the					
nanufacturer (GFCI outlets can be added					
o the cabinet by a certified electrician on					
	KT 7530 L/R	1,155	1,520		
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8"					
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8" Infobox: Handles are included for optional installation on mirror g				es = minimum 3	' / Required
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8" Infobox: Handles are included for optional installation on mirror gispecification for ordering:				es = minimum 3	' / Required
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8" Infobox: Handles are included for optional installation on mirror g				es = minimum 3	' / Required
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8" Infobox: Handles are included for optional installation on mirror gispecification for ordering:				es = minimum 3	' / Required
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8" Infobox: Handles are included for optional installation on mirror gispecification for ordering:				es = minimum 3	' / Required
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8" Infobox: Handles are included for optional installation on mirror gispecification for ordering:				es = minimum 3	' / Required
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8" Infobox: Handles are included for optional installation on mirror gispecification for ordering:				es = minimum 3	' / Required
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8" Infobox: Handles are included for optional installation on mirror gispecification for ordering:				es = minimum 3	' / Required
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8" Infobox: Handles are included for optional installation on mirror gispecification for ordering:				es = minimum 3	' / Required
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8" Infobox: Handles are included for optional installation on mirror gispecification for ordering:				es = minimum 3	'/ Required
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8" Infobox: Handles are included for optional installation on mirror gispecification for ordering:				es = minimum 3	'/ Required
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8" Infobox: Handles are included for optional installation on mirror gispecification for ordering:				es = minimum 3	'/ Required
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8" Infobox: Handles are included for optional installation on mirror gispecification for ordering:				es = minimum 3	'/ Required
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8" Infobox: Handles are included for optional installation on mirror gispecification for ordering:				es = minimum 3	' / Required
o the cabinet by a certified electrician on he job site) 25 5/8" x 7 1/8" Infobox: Handles are included for optional installation on mirror gispecification for ordering:				es = minimum 3	'/Required



Design by Christian Werner						
Description	inch	Model-No.	USD	USD	USD	USD
			Pricegroup 1	Pricegroup 2		
800						
31 1/2-						
7 750						
Mirror cabinet						
cIAPMO®ELECTRICAL,						
2 mirror doors,						
2 handles attached,						
2 glass shelves,						
GFCI outlets are not supplied by the						
manufacturer (GFCI outlets can be added						
to the cabinet by a certified electrician or						
the job site), 2 interior lights (fluorescent tube T5						
14 W 835 W),						
Mirror cabinets require a GFCI 110 V						
60 Hz power source. Flat plug will be						
supplied with the mirror cabinet,						
1 sensor switch bottom right						
	31 1/2" x 7 1/8"	KT 7531	1,280	1,695		
	39 3/8" x 7 1/8"	KT 7532	1,325	1,765		
Infobox: Handles are included for option	al installation on mirror gla	ass / Distance bet	ween sensor and	reflecting surface	es = minimum 3"	
1200						
47 1/4"						
750						
•						
Mirror cabinet						
cIAPMO®ELECTRICAL,						
3 mirror doors,						
3 handles attached,						
4 glass shelves,						
2 interior lights (fluorescent tube T5						
14 W 835 W),						
Mirror cabinets require a GFCI 110 V						
60 Hz power source. Flat plug will be						
supplied with the mirror cabinet, 1 sensor switch bottom right						
GFCI outlets are not supplied by the						
manufacturer (GFCI outlets can be added						
to the cabinet by a certified electrician or	1					
the job site)	47 1/4" x 7 1/8"	KT 7533	1,540	2,070		
Infobox: Handles are included for option	al installation on mirror gla	ass / Distance bet	ween sensor and	reflecting surface	es = minimum 3"	



Description	inch	Model-No.	USD	USD	USD	USD
			Pricegroup 1	Pricegroup 2		
500 19 5/8						
19 2/8.						
21 550						
Low cabinet						
1 door,						
1 glass shelf	10.5/0#1/.1/0#	VT 2520 L /D	(15	020		
1 tray above	19 5/8" x 14 1/8"	KT 2528 L/R	615	820		
Infobox: Required specification for	ordering:					
- Hinges left (L) or right (R)						
19 5/8"						
670						
6 0						
Mobile storage unit						
1 door,						
1 glass shelf 1 tray above	19 5/8" x 14 1/8"	KT 2530 L/R	700	860		
		KI 2000 L/ K	700	000		
Infobox: Required specification for	ordering:					
- Hinges left (L) or right (R)						
<u>↓</u> 500						
19 5/8-						
34 5/8						
Semi-tall cabinet						
1 door 2 glass shelves	19 5/8" x 14 1/8"	KT 1266 L/R	745	1,020		
		K1 1200 L/K	745	1,020		
Infobox: Required specification for	ordering:					
- Hinges left (L) or right (R)						



Description	inch	Model-No.	USD	USD	USD	USD
			Pricegroup 1	Pricegroup 2		
15 3/4-						
15 3/4"						
NA NA						
1320						
$ \mathbf{I} \mathbf{I} $						
Fall cabinet						
1 door,						
2 glass shelves,						
1 wooden shelf	15 3/4" x 14 1/8"	KT 1257 L/R	795	1,050		
	19 5/8" x 14 1/8"	KT 1267 L/R	815	1,170		
Infobox: Required specification for o - Hinges left (L) or right (R)	raering:					
goo top (E) or right (II)						
15 3/4-						
15 3/4-						
 						
1800						
Tall cabinet						
1 door, 3 glass shelves,						
1 wooden shelf						
	15 3/4" x 14 1/8"	KT 1255 L/R	895	1,185		
	19 5/8" x 14 1/8"	KT 1265 L/R	920	1,285		
Infobox: # KT 1255 L/R and KT 126	5 L/R available from stock: 3	18-White Matt, 43-E	Basalt Matt and 49	9-Graphite Matt /	Required specif	fication for
ordering:					•	
- Hinges left (L) or right (R)						