

|         | Description  | inch                                   | lbs                         | Qty.                 | Model-No                             | <i>,</i> .                                  | USD                           |             |
|---------|--|--|-----------------------------|----------------------|--------------------------------------|---|-------------------------------|-------------|
|         |  |  |                             |                      |                                      |   | White - 00                    |             |
|         |  |  |                             |                      |                                      |   |                               |             |
|         |  |  |                             |                      |                                      |   | 1                             |             |
| 1       | Washbasin + 🖒  |  |                             |                      |                                      |   |                               |             |
|         | without overflow,  |  |                             |                      |                                      |   |                               |             |
|         | with tap platform,   |  |                             |                      |                                      |   |                               |             |
|         | with deep basin,   |  |                             |                      |                                      |   |                               |             |
|         | ceramic covered slotted waste  |  |                             |                      |                                      |   |                               |             |
|         |  |  |                             |                      |                                      |   |                               |             |
|         | included,  |  |                             |                      |                                      |   |                               |             |
|         | fixings included   |  |                             |                      |                                      |   |                               |             |
|         | 27 1/2" ●  | 27 1/2" x 19 5/8"                      | 41.2                        | 15                   | 270170                               |   | 1,285                         |             |
|         | 27 1/2" ● ● ●  | 27 1/2" x 19 5/8"                      | 41.2                        | 15                   | 270170                               |   | 1,285                         |             |
|         | 23 5/8" ●  | 23 5/8" x 18 1/4"                      | 34.3                        | 15                   | 270160                               | 00 001                                      | 1,000                         |             |
|         | 23 5/8" ● ● ●  | 23 5/8" x 18 1/4"                      | 34.3                        | 15                   | 270160                               | 00 301                                      | 1,000                         |             |
| 400     |  |  |                             |                      |                                      |   |                               |             |
| -       | Design Siphon *  |  |                             |                      |                                      |   |                               |             |
|         | Chrome   |  | 3.3                         |                      | 005036                               | 10 92                                       | 220                           |             |
|         | Cirionic   |  | 5.5                         |                      | 003030                               | 10 ) [                                      | 220                           |             |
|         | Pedestal   |  |                             |                      |                                      |   |                               |             |
|         |  |  |                             |                      |                                      |   |                               |             |
|         | for # 270070, 270170,  |  | 25.6                        | 27                   | 005040                               | 00.00                                       | F00                           |             |
| 100     | 270060, 270160   |  | 25.6                        | 24                   | 085810                               | 00 00                                       | 530                           |             |
|         |  |  |                             |                      |                                      |   |                               |             |
| 45      | Siphon cover   |  |                             |                      |                                      |   |                               |             |
|         | for # 270070, 270170,  |  |                             |                      |                                      |   |                               |             |
|         | 270060, 270160   |  | 13.2                        | 24                   | 085812                               | 00 00                                       | 470                           |             |
|         |  |  |                             |                      |                                      |   |                               |             |
|         | Fixing   |  |                             |                      |                                      |   |                               |             |
|         | for siphon cover   |  | 0.2                         |                      | 005503                               | 00 00                                       | 40                            |             |
|         |  |  |                             |                      |                                      |   |                               |             |
|         | Infobox: * When using this siph cordance with the technical spoor metal console  |  |                             |                      |                                      |   |                               |             |
|         | cordance with the technical spo<br>or metal console  |  |                             |                      |                                      |   |                               |             |
|         | cordance with the technical spoor metal console  Handrinse basin   |  |                             |                      |                                      |   |                               |             |
| +       | cordance with the technical spoor metal console  Handrinse basin without overflow,   |  |                             |                      |                                      |   |                               |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform,  |  |                             |                      |                                      |   |                               |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow,   |  |                             |                      |                                      |   |                               |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform,  |  |                             |                      |                                      |   |                               |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included,  |  |                             |                      |                                      |   |                               |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included   | ecification sheet / Wa                 | shbasin                     | is not ADA           |                                      | ombinat                                     | ion with pedestal             |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included,  |  |                             |                      | compliant in c                       | ombinat                                     |                               |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8" ●   | ecification sheet / Wa                 | shbasin                     | is not ADA           | compliant in c                       | ombinat                                     | ion with pedestal             |             |
| <u></u> | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8"  Siphon cover   | ecification sheet / Wa                 | shbasin                     | is not ADA           | 072050                               | ombinat                                     | ion with pedestal,            |             |
| <u></u> | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8" ●   | ecification sheet / Wa                 | shbasin                     | is not ADA           | compliant in c                       | ombinat                                     | ion with pedestal             |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8"  Siphon cover for # 072050  | ecification sheet / Wa                 | shbasin                     | is not ADA           | 072050                               | ombinat                                     | ion with pedestal,            |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8"  Siphon cover for # 072050  Fixing  | ecification sheet / Wa                 | 25.8<br>10.6                | is not ADA           | 072050<br>085813                     | 00 001<br>00 00                             | 835                           |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8"  Siphon cover for # 072050  | ecification sheet / Wa                 | shbasin                     | is not ADA           | 072050                               | 00 001<br>00 00                             | ion with pedestal,            |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8"  Siphon cover for # 072050  Fixing  | ecification sheet / Wa                 | 25.8<br>10.6                | is not ADA           | 072050<br>085813                     | 00 001<br>00 00                             | 835                           |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8"  Siphon cover for # 072050  Fixing  | ecification sheet / Wa                 | 25.8<br>10.6                | is not ADA           | 072050<br>085813                     | 00 001<br>00 00                             | 835                           |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8"  Siphon cover for # 072050  Fixing  | ecification sheet / Wa                 | 25.8<br>10.6                | is not ADA           | 072050<br>085813                     | 00 001<br>00 00                             | 835                           |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8" ●  Siphon cover for # 072050  Fixing for siphon cover   | ecification sheet / Wa                 | 25.8<br>10.6                | is not ADA           | 072050<br>085813                     | 00 001<br>00 00                             | 835                           |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8" ●  Siphon cover for # 072050  Fixing for siphon cover   | ecification sheet / Wa                 | 25.8<br>10.6                | is not ADA           | 072050<br>085813                     | 00 001<br>00 00                             | 835                           |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8" ●  Siphon cover for # 072050  Fixing for siphon cover   | ecification sheet / Wa                 | 25.8<br>10.6                | is not ADA           | 072050<br>085813                     | 00 001<br>00 00                             | 835                           |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8" ●  Siphon cover for # 072050  Fixing for siphon cover   | ecification sheet / Wa                 | 25.8<br>10.6                | is not ADA           | 072050<br>085813                     | 00 001<br>00 00                             | 835                           |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8" ●  Siphon cover for # 072050  Fixing for siphon cover   | ecification sheet / Wa                 | 25.8<br>10.6                | is not ADA           | 072050<br>085813                     | 00 001<br>00 00                             | 835                           |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8" ●  Siphon cover for # 072050  Fixing for siphon cover   | 19 5/8" x 16 1/2"                      | 25.8<br>10.6                | 21                   | 072050<br>085813                     | 00 001<br>00 00<br>00 00                    | 835 470                       |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8" ●  Siphon cover for # 072050  Fixing for siphon cover   | ecification sheet / Wa                 | 25.8<br>10.6                | is not ADA           | 072050<br>085813                     | 00 001<br>00 00<br>00 00                    | 835                           |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8" ●  Siphon cover for # 072050  Fixing for siphon cover  Washbowl ground, without overflow, without tap platform, fixings and ceramic covered slotted waste included 27 1/2" ⋈                          | 19 5/8" x 16 1/2"                      | 25.8<br>10.6                | 21                   | 072050<br>085813                     | 00 001<br>00 00<br>00 00                    | 835 470                       |             |
|         | cordance with the technical spoor metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8" ●  Siphon cover for # 072050  Fixing for siphon cover   | 19 5/8" x 16 1/2"                      | 25.8<br>10.6                | 21                   | 072050<br>085813<br>005503           | 00 001<br>00 00<br>00 00                    | 835 470                       |             |
|         | cordance with the technical spror metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8" ●  Siphon cover for # 072050  Fixing for siphon cover  Washbowl ground, without overflow, without tap platform, fixings and ceramic covered slotted waste included 27 1/2" ⊗  Design Siphon *         | 19 5/8" x 16 1/2"                      | 25.8<br>10.6<br>0.2         | 21                   | 072050<br>085813                     | 00 001<br>00 00<br>00 00                    | 835<br>470<br>40              |             |
|         | cordance with the technical spror metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8" ●  Siphon cover for # 072050  Fixing for siphon cover  Washbowl ground, without overflow, without tap platform, fixings and ceramic covered slotted waste included 27 1/2" ⋈  Design Siphon *  Chrome | 19 5/8" x 16 1/2"<br>27 1/2" x 16 1/2" | 25.8<br>10.6<br>0.2<br>26.0 | 21<br>24             | 072050<br>072050<br>085813<br>005503 | 00 001<br>00 00<br>00 00<br>00 001          | 835<br>470<br>40<br>1,200     | siphon cove |
|         | cordance with the technical spror metal console  Handrinse basin without overflow, with tap platform, ceramic covered slotted waste included, fixings included 19 5/8" ●  Siphon cover for # 072050  Fixing for siphon cover  Washbowl ground, without overflow, without tap platform, fixings and ceramic covered slotted waste included 27 1/2" ⊗  Design Siphon *         | 19 5/8" x 16 1/2" 27 1/2" x 16 1/2"    | 25.8<br>10.6<br>0.2<br>26.0 | 21 24 20 pht from up | 072050 085813 005503 037070 005036   | 00 001<br>00 00<br>00 00<br>00 001<br>10 92 | 1,200 220 d floor to center o | siphon cove |





| Description                 | inch              | lbs  | Qty. | Model-No.     | USD        |  |
|-----------------------------|-------------------|------|------|---------------|------------|--|
|                             |                   |      |      |               | White - 00 |  |
|                             |                   |      |      |               | 1          |  |
| Washbowl + Å                |                   |      |      |               |            |  |
| ground,                     |                   |      |      |               |            |  |
| without overflow,           |                   |      |      |               |            |  |
| without tap platform,       |                   |      |      |               |            |  |
| fixings and ceramic covered |                   |      |      |               |            |  |
| slotted waste included,     |                   |      |      |               |            |  |
| with deep basin             |                   |      |      |               |            |  |
| 27 1/2" ⊠                   | 27 1/2" x 17 3/4" | 29.8 | 17   | 036970 00 001 | 1,165      |  |
| Design Siphon *             |                   |      |      |               |            |  |
| Chrome                      |                   | 3.3  |      | 005036 10 92  | 220        |  |

Infobox: \* When using this siphon please observe outlet height from upper surface of finished floor to center of outlet in accordance with the technical specification sheet / Overview of furniture recommendation see page 543



#### Furniture washbasin

without overflow, with tap platform, fixings and ceramic covered slotted waste included

| 39 3/8" ●     | 39 3/8" x 20 5/8" | 43.2 | 10 | 0371 | 10 00 | 001 | 1,565 |  |
|---------------|-------------------|------|----|------|-------|-----|-------|--|
| 39 3/8" ● ● ● | 39 3/8" x 20 5/8" | 43.2 | 10 | 0371 | 10 00 | 301 | 1,565 |  |
| •             |                   |      |    |      |       |     |       |  |

### Space-saving siphon

White 005073 00 92 105

Infobox: For vanity units the space saving siphon is recommended / Overview of furniture recommendation see page 543 / Installation only in combination with PuraVida vanity unit



#### Furniture handrinse basin

without overflow, with tap platform, fixings and ceramic covered slotted waste included

19 5/8" ● 19 5/8" x 16 1/2" 22.0 24 **072150 00 001** 820

#### Space-saving siphon

White 005073 00 92 105

Infobox: For vanity units the space saving siphon is recommended / Overview of furniture recommendation see page 543 / Installation only in combination with PuraVida vanity unit



### Bidet wall-mounted ●

with overflow, Durafix and ceramic covered

pop-up waste, included with tap platform

14 1/8" x 21 1/4" 39.7 20 **224715 00 001** 1,285

#### Fixing

for wall-mounted bidet and wall-

mounted toilet

caps white Ø 1/2" x 7 1/8" 0.4 **006500 00 00 50** 

### Carrier for bidet

30.0 **111520 00 1 590** 

#### Siphon for bidet

with extended outlet pipe
Chrome 1 1/4" x 19 3/4" 1.3 005027 00 92 40

Infobox: Durafix for invisible fixation is included / If pre-wall carrier not used, the fixing # 006500 is recommended





|         | Description                        | inch                    | lbs       | Qty.         | Model-No.              | USD                 |
|---------|------------------------------------|-------------------------|-----------|--------------|------------------------|---------------------|
|         |                                    |                         |           |              |                        | White - 00          |
|         |                                    |                         |           |              |                        |                     |
|         |                                    |                         |           |              |                        |                     |
|         | Toilet wall-mounted 🖒 🚳            |                         |           |              |                        |                     |
| -       | cUPC listed,                       |                         |           |              |                        |                     |
|         | washdown model,                    |                         |           |              |                        |                     |
|         | Durafix included,                  |                         |           |              |                        |                     |
|         | US-version toilet                  |                         |           |              |                        |                     |
|         | <b>1</b> .6/0.8 gpf                | 14 1/8" x 21 1/4"       | 50.7      | 16           | 221909 00 921          | 1,565               |
|         |                                    |                         |           |              |                        |                     |
|         | Toilet seat and cover              |                         |           |              |                        |                     |
|         | hinges stainless steel             |                         |           |              |                        |                     |
|         | with slow close                    |                         | 6.4       |              | 006919 00 00           | 245                 |
| EBI     |                                    |                         |           |              |                        |                     |
| _       | Geberit in-wall tank and carrie    | r                       |           |              |                        |                     |
| -       | width 19 3/4", depth 5 1/2"        |                         |           |              |                        |                     |
| 100/270 | height (adjustable) 43" - 47"      | 19 3/4" x 5 1/2"        | 38.0      |              | 111335 00 5            | 635                 |
| H       |                                    |                         |           |              |                        |                     |
| [ , 1   | Dual Flush Actuator Sigma 01       |                         |           |              |                        |                     |
|         | White                              | 9 5/8" x 6 1/2"         |           |              | 115770 11 5            | 100                 |
| 1 72    |                                    |                         |           |              |                        |                     |
|         | Infobox: Durafix for invisible fix | ration is included / Fo | r additio | nal actuator | r options, please refe | r to page 307 - 308 |






| Product Information  |                                  |  |  |
|--|----------------------------------|--|--|
| Fronts<br>Edges Mirror ground<br>plate<br>Body Mirror Cabinet                                | <b>Lacquer</b><br>Pricegroup 4   | 85 White High Gloss  | Basic material: PU-mouldings. Lacquered opaque in several coats  |
| Body   | <b>Lacquer</b><br>Pricegroup 4   | 85 White High Gloss  | <b>Basic material</b> : High-compressed MDF board. Lacquered opaque in several coats. Interior side: High-compressed MDF board, directly coated with melamine resin decor in (57) Black Diamond.   |
| Ecessed grip<br>Edge of body   |                                  | <ul><li>40 Black High Gloss</li><li>59 Ebony</li><li>70 Aluminum</li><li>85 White High Gloss</li><li>88 Red High Gloss</li></ul> | Edge material: ABS-Edge material.  |
| Console and cover plate each in combination with edge (console, semi-tall cabinet and mobile | <b>Decor</b><br>Pricegroup 2     | <b>70</b> Aluminum   | Basic material: Compact laminated panel, with laminate (HPL) pressed on one side, glued with three-ply chipboard at bottom side, with laminate (HPL) in (57) Black Diamond.  Edge material: ABS-Edge material (lacquered in 85 White High Gloss).                    |
| cabinet and mobile<br>storage unit)  | Real wood veneer<br>Pricegroup 3 | <b>59</b> Ebony  | Basic material: Compact laminated panel, with real wool veneer pressed on one side, glued with three-ply chipboard at bottom side, with laminate (HPL) in (57) Diamond Black.  Edge material: ABS-Edge material (lacquered in 85 White High Gloss).                  |
|  |                                  |  | Real wood veneer is a natural material, differences in color and structure may occur.  |
|  | <b>Lacquer</b><br>Pricegroup 4   | 40 Black High Gloss<br>85 White High Gloss<br>88 Red High Gloss  | Basic material: Compact laminated panel, pressed with several layers of covering lacquer on one side, glued with three-ply chipboard at bottom side, with laminate (HPL) in (57) Black Diamond. Edge material: ABS-Edge material (lacquered in 85 White High Gloss). |
| Hinge mirror<br>cabinet  |                                  | Silver anodized  | Aluminum   |
| Rail<br>inside of doors  |                                  | Chrome   | Metal, Chrome  |
| Glass dividers   |                                  |  | Clear Glass  |



## Ordering Sample



## PuraVida

Console, cover plate Edge Interior color of recessed handle 88 Red High Gloss85 White High Gloss88 Red High Gloss

|   | Description                  | Remark                                     | Quantity | Model-No.         |
|---|------------------------------|--|----------|-------------------|
| 1 | Tall Cabinet                 | Width 18 1/8"                              | 1        | # PV 9206 L 85 88 |
| 2 | Console                      | Width 70 7/8"                              | 1        | # PV 071C 0 85 88 |
| 3 | Console support (Towel rail) |  | 1        | # UV 9933 0 00 00 |
| 4 | Low cabinet for console      | Width 31 1/2", installed lateral left side | 1        | # PV 9202 0 85 88 |
| 5 | Mirror with lighting         | Width 28 3/8"                              | 1        | # PV 9421 0 85 85 |
| С | PuraVida 27 1/2"             |  | 1        | # 037070 00 001   |



| Description   | inch              | Model-No.   | USD          | USD          | USD          | USD          |
|---|-------------------|-------------|--------------|--------------|--------------|--------------|
|   |                   |             | Pricegroup 1 | Pricegroup 2 | Pricegroup 3 | Pricegroup 4 |
| 800<br>311/2  |                   |             |              |              |              |              |
| Vanity unit wall-mounted                                    |                   |             |              |              |              |              |
| 2 drawers,  |                   |             |              |              |              |              |
| upper drawer including cut-out                              | t for siphon      |             |              |              |              |              |
| and siphon cover<br>for PuraVida # 037110                   | 31 1/2" x 17 3/4" | PV 6767     |              |              |              | 3,955        |
| jui ruiavida # U3/11U                                       | 31 1/2 X 1/ 3/4"  | PV 0/0/     |              |              |              | 3,755        |
| Infobox: Required specification                             | n for ordering:   |             |              |              |              |              |
| - Interior color of recessed har                            |                   |             |              |              |              |              |
| ,   |                   |             |              |              |              |              |
|   |                   |             |              |              |              |              |
| max. 2000<br>max. 78 3/4                                    |                   |             |              |              |              |              |
| Console   |                   |             |              |              |              |              |
| countertop including one cut-or                             | ut,               |             |              |              |              |              |
| Width min. see ordering inform                              | ation,            |             |              |              |              |              |
| Width max. 78 3/4",   |                   |             |              |              |              |              |
| edges: 85 White High Gloss,                                 |                   |             |              |              |              |              |
| inlaying plate possible in all Pu                           | raVida            |             |              |              |              |              |
| colors  | als to wall       | PV 071C     |              | 680          | 750          | 915          |
| basic price until 31 1/2", for babasic price until 31 1/2", | ILK-(U-Wdll       | PV U/IL     |              | 680          | /50          | 312          |
| for corner left / right                                     |                   | PV 073C L/R |              | 680          | 750          | 915          |
| basic price until 31 1/2", for nic                          | che (alcove)      | PV 075C     |              | 680          | 750          | 915          |
| price per section of 3 7/8"                                 | (4.0010)          |             |              | 45           | 55           | 60           |
| ,                     |                   |             |              |              |              |              |

Infobox: - Low cabinets align left or right with the console

- Vanity units cannot be mounted next to each other / Required specification for ordering:
- Width
- Console color
- Dimension from console edge to the middle of the basin(s)  $% \left( \frac{1}{2}\right) =\frac{1}{2}\left( \frac{1}{2}\right) \left( \frac{1}{2}\right$
- Number and position of floor cabinets
- Number and position of console supports
- Model no. ceramic, please refer to page 560 561 / Please indicate exact measurements and drawings: furniture order sheet on page 564 is required



| Description                        | inch                | Model-No.   | USD          | USD          | USD          | USD          |
|------------------------------------|---------------------|-------------|--------------|--------------|--------------|--------------|
| max. 2000 max. 78 y                | 4"                  |             | Pricegroup 1 | Pricegroup 2 | Pricegroup 3 | Pricegroup 4 |
| Console                            |                     |             |              |              |              |              |
| 1 console with two cut-outs,       |                     |             |              |              |              |              |
| Width min. see ordering inform     | ation,              |             |              |              |              |              |
| Width max. 78 3/4",                |                     |             |              |              |              |              |
| edges: 85 White High Gloss,        |                     |             |              |              |              |              |
| inlaying plate possible in all Pur | raVida              |             |              |              |              |              |
| colors                             |                     |             |              |              |              |              |
| basic price until 31 1/2", for ba  | ck-to-wall 21 5/8"  | PV 072C     |              | 890          | 955          | 1,185        |
| basic price until 31 1/2",         |                     |             |              |              |              |              |
| for corner left / right            | 21 5/8"             | PV 074C L/R |              | 890          | 955          | 1,185        |
| basic price until 31 1/2", for nic | che (alcove)21 5/8" | PV 076C     |              | 890          | 955          | 1,185        |
| price per section of 3 7/8"        |                     |             |              | 45           | 55           | 60           |
| ·                                  |                     |             |              |              |              |              |

Infobox: - Low cabinets align left or right with the console

- Vanity units cannot be mounted next to each other / Required specification for ordering:
- Width Console color
- Dimension from console edge to the middle of the basin(s)
- Number and position of floor cabinets
- Number and position of console supports
- Model no. ceramic, please refer to page 560 561 / Please indicate exact measurements and drawings: furniture order sheet on page 564 is requi-

| 40 x 20 + 1 3/8° x 3/8°   |                  |         |     |  |  |
|---|------------------|---------|-----|--|--|
| Console support   |                  |         |     |  |  |
| 1 console support-bracket,  |                  |         |     |  |  |
| mountable beneath console 18 7/8" to 21 5/8" depths                                   |                  |         |     |  |  |
| Grey, powder-coated   | 1 5/8" x 16 3/4" | UV 9902 | 115 |  |  |
|   |                  |         |     |  |  |
|   |                  |         |     |  |  |
| 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5   |                  |         |     |  |  |
| T .   |                  |         |     |  |  |
| Console support   |                  |         |     |  |  |
| 1 console support-towel rail,<br>for installation beneath console 21 5/8"<br>in depth |                  |         |     |  |  |
| Chrome  | 1 5/8" x 18 7/8" | UV 9933 | 385 |  |  |
|   |                  |         |     |  |  |
|   |                  |         |     |  |  |
|   |                  |         |     |  |  |
|   |                  |         |     |  |  |
|   |                  |         |     |  |  |
|   |                  |         |     |  |  |
|   |                  |         |     |  |  |
|   |                  |         |     |  |  |
|   |                  |         |     |  |  |
|   |                  |         |     |  |  |
|   |                  |         |     |  |  |
|   |                  |         |     |  |  |
|   |                  |         |     |  |  |



| Description                  |                            | inch                           | Model-No.          | USD               | USD                | USD          | USD             |
|------------------------------|----------------------------|--------------------------------|--------------------|-------------------|--------------------|--------------|-----------------|
|                              |                            |                                |                    | Pricegroup 1      | Pricegroup 2       | Pricegroup 3 | Pricegroup 4    |
| 800                          |                            |                                |                    |                   |                    |              |                 |
| 31 1/2"                      |                            |                                |                    |                   |                    |              |                 |
|                              | <del>1</del>               |                                |                    |                   |                    |              |                 |
|                              | 376                        |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
| Vanity unit for c            | onsolo                     |                                |                    |                   |                    |              |                 |
| 2 drawers,                   | onsote                     |                                |                    |                   |                    |              |                 |
|                              | cluding cut-out for sipho  | n                              |                    |                   |                    |              |                 |
| and siphon cover             | ,                          |                                |                    |                   |                    |              |                 |
| for console                  | 27070 # 026070             | 21 1/24 21 5/04                | DV CECO            |                   |                    |              | / 105           |
| jor Puravida # 0             | 37070, # 036970            | 31 1/2" x 21 5/8"              | PV 6769            |                   |                    |              | 4,195           |
|                              |                            | 6 is recommended / Only ir     |                    |                   |                    |              | cluded in deli- |
|                              |                            | of vanity unit = central in re | elation to basin / | Required specific | ation for ordering | :            |                 |
| - Interior color             | of recessed handle         |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              | The second second          |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
| 14,7                         |                            |                                |                    |                   |                    |              |                 |
| - x                          |                            |                                |                    |                   |                    |              |                 |
| -1                           |                            |                                |                    |                   |                    |              |                 |
| Low cabinet for              | console                    |                                |                    |                   |                    |              |                 |
| 2 drawers                    |                            | 18 1/8" x 21 5/8"              | PV 9200            |                   |                    |              | 3,075           |
|                              |                            | 23 5/8" x 21 5/8"              | PV 9201            |                   |                    |              | 3,455           |
|                              |                            | 31 1/2" x 21 5/8"              | PV 9202            |                   |                    |              | 3,830           |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              | ed specification for order | ring:                          |                    |                   |                    |              |                 |
| - Interior color             | of recessed handle         |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
| 720<br>28 <sub>3/8</sub> -   |                            |                                |                    |                   |                    |              |                 |
| 3,0                          |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
| 600                          |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
| Mirror with light            |                            |                                |                    |                   |                    |              |                 |
| cIAPMO®ELECTE                |                            |                                |                    |                   |                    |              |                 |
| ground plate mir<br>Lacquer, | ror: 85 White High Gloss   |                                |                    |                   |                    |              |                 |
|                              | a GFCI 110 V 60 Hz powe    | r                              |                    |                   |                    |              |                 |
|                              | will be supplied with      |                                |                    |                   |                    |              |                 |
| mirror                       |                            |                                |                    |                   |                    |              |                 |
| 2 interior lights            | TE 4 / W 00 E W 0          | 00.010# 4.510#                 |                    |                   |                    |              | 4 400           |
| (fluorescent tube            | e T5 14 W 835 W)           | 28 3/8" x 1 5/8"               | PV 9421            |                   |                    |              | 1,680           |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |
|                              |                            |                                |                    |                   |                    |              |                 |



| Description   | inch              | Model-No.   | USD          | USD          | USD          | USD          |
|---|-------------------|-------------|--------------|--------------|--------------|--------------|
| Tall cabinet  |                   |             | Pricegroup 1 | Pricegroup 2 | Pricegroup 3 | Pricegroup 4 |
| 2 doors, each door including 2 integrated shelves and rails inside, |                   |             |              |              |              |              |
| 4 glass shelves,  |                   |             |              |              |              |              |
| 1 central shelf including integrated tray                           |                   |             |              |              |              |              |
| drawer  |                   |             |              |              |              |              |
| width 20 7/8" (opened)  | 18 1/8" x 14 1/8" | PV 9206 L/R |              |              |              | 6,080        |
| Infobox: Required specification for order                           | ng:               |             |              |              |              |              |

Infobox: Required specification for ordering:
- Interior color of recessed handle
- Hinges left (L) or right (R)