

Product Information			
Fronts Body Vanity Unit # S1 9523 and # S1 9520	Real wood veneer Pricegroup 3	05 Oak 13 American Walnut 24 Macassar	Basic material: Base: solid wood, multiplex curved pasted plywood. Outside real wood veneer, colorless lacquered. Interior finish: laminate (HPL) in (57) Black Diamond for # S1 9523 and laminate (HPL) in black for # S1 9520. Edge material: one-sided Trim in real wood veneer.
			Real wood veneer is a natural material, differences in color and structure may occur.
	Lacquer Pricegroup 4	40 Black High Gloss 85 White High Gloss	Basic material: Base: solid wood, multiplex curved pasted ply- wood. Outside lacquered opaque in several coats. Interior finish: laminate (HPL) in (57) Black Diamond for # S1 9523 and laminate (HPL) in black for # S1 9520. Edge material: one-sided ABS-Edge material (lacquered).
Fronts Body # S1 9526, S1 9528, S1 9529, S1 9108	Real wood veneer Pricegroup 3	05 Oak 13 American Walnut 24 Macassar	Basic material: High-compressed three-ply chipboard. Outside real wood veneer, colorless lacquered. Interior finish: laminate (HPL) in (57) Black Diamond. Edge material: Trim in real wood veneer.
			Real wood veneer is a natural material, differences in color and structure may occur.
	Lacquer Pricegroup 4	40 Black High Gloss85 White High Gloss	Basic material: High-compressed MDF board. Lacquered opaque in several coats. Interior finish: laminate (HPL) in (57) Black Diamond. Edge material: ABS-Edge material (lacquered).
Fronts # S1 9526, S1 9528, S1 9529, S1 9108	Real wood veneer Pricegroup 3	05 Oak 13 American Walnut 24 Macassar	 Basic material: Lightweight buildung board, consisting of 2 three-ply chipboard with honeycomb core layer. Outside real wood veneer, colorless lacquered. Interior finish: laminate (HPL) in (57) Black Diamond. Edge material: Edges on top and above in real wood veneer, colorless lacquered. Vanity units with side edges of vanity units with coverprofile (anodized aluminum profile), tall cabinet with cover profile only on handle edge.
			Real wood veneer is a natural material, differences in color and structure may occur.
	Lacquer Pricegroup 4	40 Black High Gloss 85 White High Gloss	Basic material: Lightweight buildung board, consisting of 2 three-ply chipboard with honeycomb core layer. Outside lacquered opaque in several coats. Interior finish: laminate (HPL) in (57) Black Diamond. Edge material: ABS-Edge material (lacquered). Side edges of vanity units with coverprofile (anodized aluminum profile), tall cabinet with cover profile only on handle edge.
Edges Mirror ground plate Body Mirror Cabinet		Neutral	Basic material: High-compressed MDF board directly coated. Edge material: ABS-Edge material.
Box drawer for mirror cabinets + vanity unit # S1 9523	Lack	37 White Aluminum	Solid wood, all sides lacquered (open porous).
Handles furniture # S1 9520		Chrome	Brass, chrome
Handles furniture # S1 9523		Silver anodized	Aluminum
Cover profile vanity units and tall cabinet		Silver anodized	Aluminum
Extension mechanism		Without handle	Push-to-open technology with self-closing mechanism.

All Duravit surfaces are resistant to moisture / Furniture Surfaces see end of pricelist

Starck Design by Philippe Starck

Product Information


Interior System

Real Wood massive Pricegroup 1 77 Amer. Walnut massive78 Maple massive

The interior system with a material mix in acryl glass and solid wood is available in maple or walnut. There is an individually designed interior system for each cabinet width between 23 5/8" -47 1/4". Each size of the cabinet have a individual layout of the interior systems to use the optimum storage space. The box cover plus the small and big wave have a special anti-slip lacquer.

Starck Design by Philippe Starck

Ordering Sample



	Starck			
	Vanity Unit, Tall cabinet	85 White High Gloss		
	Wall board	05 Oak		
	Description	Remark	Quantity	Model-No.
1	Vanity unit wall mounted	Width 32 7/8"	1	# S1 9526 0 85 85
2	Mirror cabinet	Width 29 1/2"	1	# S1 9721 R 00 00
3	Tall cabinet	Width 15 3/4"	1	# S1 9108 L 85 85
4	Wall board	Width 31 1/2"	2	# S1 9428 0 05 05
С	Washbowl Starck 18 1/2"		1	# 038647 00 271

Starck Design by Philippe Starck

Description	inch	Model-No.	USD	USD	USD	USD
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
500						
560 22 1/16"						
- 22						
888888888888						
32 12 M						
/anity unit floor standing						
L glass shelf with rail,						
Width 37" (opened)						
or Starck 1 # 040658	22" x 23 5/8"	S1 9520			4,770	6,070
Infohov: # \$1 0520 ovoila	ble from stock: 05-0ak, 13-American	Walnut 2/ Masas	con (O Block High	Close OF Whit	o Lligh Close / Sinl	on for washba
-	nded / Ceramic is not included, please		sar, 40-Black High	1 6(055, 85-1011)	e High Gloss / Sipi	ion for washba-
	nded / ceramic is not included, please	order separatety.				
₩ ⁶ 450						
ø 17 _{3/4} -						
4						
Carrieta S						
ATT						
22 1/2						
r						
/anity unit wall-mounted						
circular,						
2 doors,						
2 wooden boxes,						
width 35 3/8" (opened)						
for Starck 1 # 038647 (not	ground) 17 3/4" x 19 5/8"	S1 9523			3,715	3,980
Infobox: Sipnon for Washb	asin # 005026 is recommended					
835						
32 7/8-						
425						
16.45						
/anity unit wall-mounted						
L pull-out compartment						
countertop including one	central cut-out 32 7/8" x 22 1/4"	S1 9526			2,440	2,650
4						
ETT -						
Additional modules						
nterior system for pull-out	compartment					
n maple or walnut solid wo						
or cabinet widths 32 7/8"						
cut-out	32 7/8"	UV 9850	375			
	ess push-to-open technology / Interior	r modules can not	be retrofitted, are	factory installed	i and must be requ	lested upon
	phon # 005073 is recommended					
	e refer to page 555 / Required specifi	cation for ordering	: / # S1 9526 ava	ilable from stock	without basin cut	-out: 24-Ma-
	ss and 85-White High Gloss					
- Interior module yes or no		ior modulos				
- wathut-77 of Mapte-78,	/ Stocked vanities do not include interi	ior modules				

Starck Design by Philippe Starck

Description	inch	Model-No.	USD	USD	USD	USD
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
1235						
48 5/8~						
425						
anity unit wall-mounted						
pull-out compartment	10 5 101 00 1 1 1	64 0500 L /L/D			0.000	0.100
ountertop including one cut-out	48 5/8" x 22 1/4"	S1 9528 L/M/R			2,880	3,130
4						
dditional modules						
iterior system for pull-out compartm	opt					
n maple or walnut solid wood	ent					
or cabinet widths 48 5/8" without sip	hon					
ut-out	48 5/8"	UV 9851	540			
	40 57 0	07 7031	540			
nfobox: Including handleless push-to	anon technology (Interior	modulos con not ha	rotrofittad ara	factory installed	and must be requ	locted upon
Interior module yes or no						
- Walnut-77 or Maple-78						
1435 56 1/2*						
425						
anity unit wall-mounted						
pull-out compartments						
countertop with one cut-out or two						
ut-outs	56 1/2" x 22 1/4"	S1 9529 B/L/R			3,700	3,995
A comment						
dditional modulos						
dditional modules	ont					
nterior system for pull-out compartm n maple or walnut solid wood	ent					
or cabinet widths 56 1/2" without sip	hon					
		111/ 0.050	225			
ut-out left / right or cabinet widths 56 1/2" without sip	56 1/2"	UV 9852	225			
			(50			
ut-out on either side	56 1/2"	UV 9853	450			
	anon tool / / / /	modules	notno/itt- 1	fo atoms installed	المتعامية المعام	acted
Infobox: Including handleless push-to		modules can not be	retrontted, are	factory installed	i and must be requ	iestea upon
ordering / Space saving siphon # 005						
L/R/B = Washbasin left, right or bot		,				
Model no. ceramic, please refer to p	age 555 / Required specific	cation for ordering:				
	age 5557 Required specific	cation for oracinity.				

Interior module yes or no
 position of interior system on left, right or both sides
 Walnut-77 or Maple-78

Starck Design by Philippe Starck

Description	inch	Model-No.	USD	USD	USD	USD
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
292						
292 11 _{1/2} -						
33 1/2 0						
lirror with lighting						
IAPMO®ELECTRICAL,	·					
compact fluorescent tube Dulux F 24 W						
340 CW,						
firrors require a GFCI 110 V 60 Hz power						
ource. Flat plug will be supplied with						
nirror, sensor switch						
	11 1/2" x 3 7/8"	S1 9716	1,110			
nfobox: Distance between sensor and ref	lecting surfaces = minir	num 3" / # S1 97	16 is available fro	m stock		
— x —						
27 1/2						
firror with lighting						
IAPMO®ELECTRICAL,						
. compact fluorescent tube Dulux F 24 W 840 CW,						
Airrors require a GFCI 110 V 60 Hz power						
ource. Flat plug will be supplied with						
nirror,						
sensor switch	00 5 /011 0 5 /011					
	23 5/8" x 3 7/8" 29 1/2" x 3 7/8"	S1 9717 S1 9718	1,365 1,435			
nfobox: Distance between sensor and ref	lecting surfaces = minir	num 3" / # S1 97	17 and S1 9718 a	re available fror	n stock	
766 30 1/8						
SU 1/8						
2 e						
43 1/2						
firror with lighting						
IAPMO®ELECTRICAL,						
1irrors require a GFCI 110 V 60 Hz power						
ource. Flat plug will be supplied with						
nirror,						
sensor switch bottom right	20 1/0# 2 2 2/0#	\$1.06/1	2.005			
ED module 3500 kelvin light color, 54 W	JU 1/8 X 2 3/8"	S1 9641	3,995			
nfobox: Distance between sensor and ref	lecting surfaces = minir	num 3"				

395

455

515

Starck Design by Philippe Starck

Description	inch	Model-No.	USD	USD	USD	USD
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
27 100						
Mirror cabinet						
cIAPMO®ELECTRICAL,						
1 compact fluorescent tube Dulux F 24 W						
840 CW,						
1 mirror door,						
2 wooden boxes,						
Mirror cabinets require a GFCI 110 V						
60 Hz power source. Flat plug will be						
supplied with the mirror cabinet,						
1 sensor switch,						
GFCI outlets are not supplied by the						
manufacturer (GFCI outlets can be added						
to the cabinet by a certified electrician on						
the job site)	22 5/04 5 2/04	C1 0720 L /D	1.050			
	23 5/8" x 5 3/8"	S1 9720 L/R	1,850			
	29 1/2" x 5 3/8"	S1 9721 L/R	1,945			
Infoham Illinger english (Deer englishe			ht# / De suissed as		ada ata ay	
Infobox: Hinges central / Door can be op - hinge position left (L) or right (R)	ened 180° / The picture	e snows version "rig	nt" / Required sp	ecification for o	raering:	

____60 ____3/8"

Wall board 1

1 shelf,				
fixation with locking pin				
	23 5/8" x 7 7/8"	S1 9427		370
	31 1/2" x 7 7/8"	S1 9428		420
	47 1/4" x 7 7/8"	S1 9429		475
				-

Infobox: # S1 9427 available from stock: 24-Macassar, 40-Black High Gloss, 85-White High Gloss

Tall cabinet								
1 door, 4 glass shelves with aluminum brackets								
Width 18 7/8" (opened)	17 3/4" x 16 1/2"	S1 9108 L/R			2,920	3,155		
Infobox: Required specification for ordering: - Hinges left (L) or right (R) / # S1 9108 L/R available from stock: 24-Macassar, 40-Black High Gloss, 85-White High Gloss								