












Starck 3 SensoWash® WCs Design by Philippe Starck

Description		inch	lbs	Qty.	Model-No.	USD
						White - 00
	Toilet wall-mounted   washdown model, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included, Durafix included, cUPC listed ♻️ 1.6/0.8 gpf	14 5/8" x 24 3/8"	64.0	12	222659 00 92	500
	Noise reduction gasket for wall-mounted toilet		0.7		005020 00 00	95
	Geberit in-wall tank and carrier width 19 3/4", depth 5 1/2" height (adjustable) 43" - 47"	19 3/4" x 5 1/2"	38.0		111335 00 5	635
	Dual Flush Actuator Sigma 01 White	9 5/8" x 6 1/2"			115770 11 5	100
Infobox: Choose suitable pre-installation kit or connecting set depending on used in-wall carrier. / Durafix for concealed fixation is included / For additional actuator options, please refer to page 307 - 308 / Further details available at www.sensowash.us / For suitable SensoWash shower-toilet seats, please see matrix on page 315						
	Toilet wall-mounted   washdown model, suitable for SensoWash Starck, Durafix included, cUPC listed ♻️ 1.6/0.8 gpf	14 5/8" x 24 3/8"	64.0	12	222609 00 92	445
	Noise reduction gasket for wall-mounted toilet		0.7		005020 00 00	95
	Geberit in-wall tank and carrier width 19 3/4", depth 5 1/2" height (adjustable) 43" - 47"	19 3/4" x 5 1/2"	38.0		111335 00 5	635
	Dual Flush Actuator Sigma 01 White	9 5/8" x 6 1/2"			115770 11 5	100
Infobox: Durafix for concealed fixation is included / For additional actuator options, please refer to page 307 - 308 / Further details available at www.sensowash.us						
	Toilet floor standing US-version for Geberith Monolith, washdown model, only in combination with SensoWash, Comfort height 16 1/2", elongated, connecting elements for SensoWash with concealed connections included, fixings included horizontal outlet	14 5/8" x 24 3/8"	71.6	9	215859 00 00	555
Infobox: Only in combination with Geberit Monolith Art. No. 131.126.SF.1 (white), Art. No. 131.126.SG.1 (black) and Geberit S-bend for US Art. No. 131.127.29.1						








Starck 3 SensoWash® WCs Design by Philippe Starck


Description	inch	lbs	Qty.	Model-No.	USD
					White - 00
Toilet close-coupled					
washdown model, only in combination with Sen- soWash, (without cistern), Outlet for Vario connector set, for horizontal and vertical outlet, length adjustable from 2 3/4" - 7 7/8", and vario connecting bend, vertical outlet from 7 1/2" - 9", connecting elements for Senso- Wash with concealed connections included, fixings included, cUPC listed					
● 1.6/0.8 gpf	14 5/8" x 27 3/4"	75.6	9	214159 00 92	690
Vario connector set					
for horizontal and vertical outlet, length adjustable incl. excenter		3.3		001422 00 00	110
Vario connecting bend					
Ø 3 7/8", for vertical outlet		1.5		899025 00 06	115
Cistern					
with Dual Flush mechanism, Chrome, ● 1.6/0.8 gpf, cUPC listed for bottom left supply	15 3/8" x 7 1/4"	28.7	27	092010 00 05	235
Connecting set					
only in combination with SensoWash C with concealed connections and cistern # 093510/092010				100524 00 00	55
Infobox: Further details available at www.sensowash.us / For suitable SensoWash shower-toilet seats, please see matrix on page 315					









WonderGliss
+ \$ 95 per piece
Simply add a '1' to the model-no.

Starck 3 SensoWash® WCs Design by Philippe Starck

Description	inch	lbs	Qty.	Model-No.	USD	
					White - 00	
 <p>Toilet close-coupled </p> <p>washdown model, suitable for SensoWash Starck, (without cistern), Outlet for Vario connector set, for horizontal and vertical outlet, length adjustable from 2 3/4" - 7 7/8", and vario connecting bend, vertical outlet from 7 1/2" - 9", fixings included, cUPC listed 1.6/0.8 gpf</p>	14 5/8" x 27 3/4"	75.6	9	214109 00 92	640	
	Vario connector set					
	for horizontal and vertical outlet, length adjustable					
	incl. excenter		3.3		001422 00 00	110
	Vario connecting bend					
Ø 3 7/8", for vertical outlet						
		1.5		899025 00 06	115	
<p>Cistern </p> <p>with Dual Flush mechanism, Chrome, 1.6/0.8 gpf, cUPC listed for bottom left supply</p>	15 3/8" x 7 1/4"	28.7	27	092010 00 05	235	
	Infobox: Further details available at www.sensowash.us					
 <p>One-Piece toilet </p> <p>US-version toilet, only in combination with Sen- soWash, syphonic, 12" rough-in, with Single Flush mechanism, with side lever, 3" flapper valve, connecting elements for Senso- Wash with concealed connections included, vertical outlet, cUPC listed 1.28 gpf</p>	14 5/8" x 28 1/8"	114.9	8	212051 00 01	670	
	Mounting set					
	for One-piece and Two-piece toilets					
	1/2", US-version		1.1		001417 00 00	110
	Infobox: The mounting set is optional for installation / Further details available at www.sensowash.us / For suitable Senso- Wash shower-toilet seats, please see matrix on page 315					





Starck 3 SensoWash® WCs Design by Philippe Starck

Description		inch	lbs	Qty.	Model-No.	USD
						White - 00
	One-Piece toilet  US-version toilet, cUPC listed, suitable for SensoWash Starck, syphonic, 12" rough-in, with Single Flush mechanism, with side lever, 3" flapper valve, vertical outlet					
	1.28 gpf	14 5/8" x 28 1/8"	114.9	8	212001 00 01	615
	Mounting set for One-piece and Two-piece toilets 1/2", US-version			1.1	001417 00 00	110
Infobox: The mounting set is optional for installation / Further details available at www.sensowash.us						
	Two-Piece toilet  (without cistern), US-version toilet, only in combination with Sen- soWash, elongated, 12" rough-in, connecting elements for Senso- Wash with concealed connections included, vertical outlet, cUPC listed					
	1.28 gpf	14 5/8" x 27 3/4"	85.8	12	212551 00 00	280
	Cistern  with Single Flush mechanism, with side lever, 3" flapper valve, bottom left supply, cUPC listed					
	1.28 gpf	15 3/8" x 7 1/8"	30.4	40	092040 00 04	195
Mounting set for One-piece and Two-piece toilets 1/2", US-version			1.1	001417 00 00	110	
Infobox: The mounting set is optional for installation / Further details available at www.sensowash.us / For suitable Senso- Wash shower-toilet seats, please see matrix on page 315						



WonderGliss
 + \$ 95 per piece
 Simply add a '1' to the model-no.

Starck 3 SensoWash® WCs Design by Philippe Starck

Description	inch	lbs	Qty.	Model-No.	USD
					White - 00
 Two-Piece toilet  (without cistern), cUPC listed, US-version toilet, suitable for SensoWash Starck, syphonic, 12" rough-in, vertical outlet 1.28 gpf	14 5/8" x 27 3/4"	85.8	12	212501 00 00	225
Mounting set for One-piece and Two-piece toilets 1/2", US-version		1.1		001417 00 00	110
 Cistern  with Single Flush mechanism, with side lever, 3" flapper valve, bottom left supply, cUPC listed 1.28 gpf	15 3/8" x 7 1/8"	30.4	40	092040 00 04	195
Infobox: The mounting set is optional for installation / Further details available at www.sensowash.us					

