
Ordering Sample




	Description	Remark	Quantity	Model-No.
1	Bathtub	73" x 33 5/8"	1	# 700127 00 0 00 0090
2	Panel with short pillar	74 3/4" x 39 3/8" x 30 1/8"	1	# SU 8842
3	Foldable relaxing deck	73" x 33 5/8"	1	# 790831 00 0 00 0000
4	Waste and overflow (not visible)		1	# 790245 00 0 00 1000




 $Bathtub\ rectangle,\ with\ support\ frame\ for\ panel,\ with\ two\ backrest\ slopes,\ incl.\ fixation\ for\ foldable\ relaxing\ deck,\ cUPC\ listed$ 

1/4" sanitary acrylic








Length inch	Width inch	Depth/Height inch	Capacity gal	Weight lbs	Model-No.	USD
						White - 00
Bathtub						
73 3/4"	35 3/8"	18 1/8"	65.0	128.0	700066 00 0 00 0090	4,565
Nococcary acco	ssories for bathtub					
	<u> </u>	h push-open valve, Chrom			790245 00 0 00 1000	365
Foldable relaxing	g deck, cushioned, Wh	ite, for # 7X0066, 7X012	7		790831 00 0 00 0000	2,335
Accessories for	bathtub					
Step, cushioned,	White				790832 00 0 00 0000	1,170
Bolster, White					790002 00 0 00 0000	245
Tub cover, for fre	eestanding version, bl	ue, for # 7X0066, 7X0127	7		790842 00 0 00 0000	895
Stereo transduce	ers (speakers) for batl	ntubs and whirltubs	-		791818 00 0 00 0000	1,750
Suitable panels	see page 501 - 502					


Infobox: No overflow hole, but overflow channel / Sundeck waste and overflow model # 790245 00 0 00 1000 is mandatory for installation / Tub only available with foldable relaxing deck



Bathtub rectangle, with support frame for panel, with two backrest slopes, incl. fixation for foldable relaxing deck, cUPC listed 1/4" sanitary acrylic








Length inch	Width inch	Depth/Height inch	Capacity gal	Weight lbs	Model-No.	USD
						White - 00
Bathtub						
74 3/4"	39 3/8"	18 1/8"	65.0	128.0	700066 00 0 00 0090	4,565
Bathtub inclusiv	e whirlsystem					
Air-System with	remote				710066 00 1 46 1090	8,230
Air-System with	remote and ozone				710066 00 1 55 1090	9,590
Air-System with	remote and light				710066 00 1 57 1090	8,690
Air-System with	remote, ozone and lig	ht			710066 00 1 59 1090	10,040
Necessary acces	sories for bath- and	whirltub				
Waste and overfl	low, Chrome trim, wit	h push-open valve, Chro	me		790245 00 0 00 1000	365
Foldable relaxing	deck, cushioned, Wh	ite, for # 7X0066, 7X01	27		790831 00 0 00 0000	2,335
Suitable panels s	see page 501 - 502					
Accessories for	bath- and whirltub					
Step, cushioned,	White				790832 00 0 00 0000	1,170
Bolster, White					790002 00 0 00 0000	245
Tub cover, for fre	estanding version, bl	ue, for # 7X0066, 7X012	27		790843 00 0 00 0000	1,020
Stereo transduce	ers (speakers) for bath	tubs and whirltubs			791818 00 0 00 0000	1,750


Infobox: No overflow hole, but overflow channel / Sundeck waste and overflow model # 790245 00 0 00 1000 is mandatory for installation / Tub only available with foldable relaxing deck / Bathtubs are cUPC listed / Bathtubs with whirlsystem are cUPC and cIAPMO®ELECTRICAL listed



Bathtub rectangle, with support frame for panel, with two backrest slopes, incl. fixation for foldable relaxing deck, cUPC listed 1/4" sanitary acrylic








Length inch	Width inch	Depth/Height inch	Capacity gal	Weight lbs	Model-No.	USD
						White - 00
Bathtub						
74 3/4"	39 3/8"	18 1/8"	65.0	128.0	700066 00 0 00 0090	4,565
Bathtub inclusiv	e whirlsystem					
Air-System with	remote				710066 00 1 46 1090	8,230
Air-System with	remote and ozone				710066 00 1 55 1090	9,590
Air-System with	remote and light				710066 00 1 57 1090	8,690
Air-System with	remote, ozone and lig	ht			710066 00 1 59 1090	10,040
Necessary acces	sories for bath- and v	whirltub				
Waste and overfl	low, Chrome trim, wit	h push-open valve, Chroi	me		790245 00 0 00 1000	365
Foldable relaxing	deck, cushioned, Wh	ite, for # 7X0066, 7X012	27		790831 00 0 00 0000	2,335
Suitable panels s	see page 501 - 502					
Accessories for	bath- and whirltub					
Step, cushioned,	White				790832 00 0 00 0000	1,170
Bolster, White					790002 00 0 00 0000	245
Tub cover, for fre	estanding version, bl	ue, for # 7X0066, 7X012	.7		790844 00 0 00 0000	1,140
Stereo transduce	ers (speakers) for bath	tubs and whirltubs			791818 00 0 00 0000	1,750


Infobox: No overflow hole, but overflow channel / Sundeck waste and overflow model # 790245 00 0 00 1000 is mandatory for installation / Tub only available with foldable relaxing deck / Bathtubs are cUPC listed / Bathtubs with whirlsystem are cUPC and cIAPMO®ELECTRICAL listed



Bathtub rectangle, with support frame for panel, with one backrest slope left, incl. fixation for foldable relaxing deck, cUPC listed 1/4" sanitary acrylic







Length inch	Width inch	Depth/Height inch	Capacity gal	Weight lbs	Model-No.	USD
						White - 00
Bathtub					· ·	
74 3/4"	35 3/8"	18 1/8"	84.0	121.0	700127 00 0 00 0090	4,565
Necessary acces	sories for bathtub					
Waste and overfl	ow, Chrome trim, wit	h push-open valve, Chrom	e		790245 00 0 00 1000	365
Foldable relaxing	deck, cushioned, Wh	ite, for # 7X0066, 7X012	7		790831 00 0 00 0000	2,335
Suitable panels s	ee page 501 - 502					
Accessories for t	pathtub					
Step, cushioned,	White				790832 00 0 00 0000	1,170
Bolster, White					790002 00 0 00 0000	245
Tub cover, for fre	estanding version, bl	ue, for # 7X0066, 7X0127	7		790842 00 0 00 0000	895
Stereo transduce	rs (speakers) for bath	ntubs and whirltubs			791818 00 0 00 0000	1,750


Infobox: No overflow hole, but overflow channel / Sundeck waste and overflow model # 790245 00 0 00 1000 is mandatory for installation / Tub only available with foldable relaxing deck




Bathtub rectangle, with support frame for panel, with one backrest slope, incl. fixation for foldable relaxing deck, cUPC listed

1/4" sanitary acrylic







Length inch	Width inch	Depth/Height inch	Capacity gal	Weight lbs	Model-No.	USD
						White - 00
Bathtub						
74 3/4"	39 3/8"	18 1/8"	84.0	121.0	700127 00 0 00 0090	4,565
Bathtub inclusiv	e whirlsystem					
Air-System with	remote				710127 00 1 46 1090	8,230
Air-System with	remote and ozone				710127 00 1 55 1090	9,590
Air-System with	remote and light				710127 00 1 57 1090	8,690
Air-System with	remote, ozone and lig	jht			710127 00 1 59 1090	10,040
Necessary acces	sories for bath- and	whirltub				
Waste and overf	low, Chrome trim, wit	h push-open valve, Chron	ne		790245 00 0 00 1000	365
Foldable relaxing	g deck, cushioned, Wh	ite, for # 7X0066, 7X012	7		790831 00 0 00 0000	2,335
Suitable panels	see page 501 - 502					
Accessories for	bath- and whirltub					
Step, cushioned,	White				790832 00 0 00 0000	1,170
Bolster, White					790002 00 0 00 0000	245
Tub cover, for fre	estanding version, bl	ue, for # 7X0066, 7X012	7		790843 00 0 00 0000	1,020
Stereo transduce	ers (speakers) for bath	ntubs and whirltubs			791818 00 0 00 0000	1,750


Infobox: No overflow hole, but overflow channel / Sundeck waste and overflow model # 790245 00 0 00 1000 is mandatory for installation / Tub only available with foldable relaxing deck / Bathtubs are cUPC listed / Bathtubs with whirlsystem are cUPC and cIAPMO®ELECTRICAL listed




Bathtub rectangle, with support frame for panel, with one backrest slope, incl. fixation for foldable relaxing deck, cUPC listed

1/4" sanitary acrylic







Length inch	Width inch	Depth/Height incl	n Capacity gal	Weight lbs	Model-No.	USD
Bathtub						White - 00
74 3/4"	39 3/8"	18 1/8"	84.0	121.0	700127 00 0 00 0090	4,565
Bathtub inclusiv	e whirlsystem					
Air-System with	remote				710127 00 1 46 1090	8,230
Air-System with	remote and ozone				710127 00 1 55 1090	9,590
Air-System with	remote and light			-	710127 00 1 57 1090	8,690
Air-System with	remote, ozone and lic	ght			710127 00 1 59 1090	10,040
Necessary acces	sories for bath- and	whirltub				
Waste and overfl	low, Chrome trim, wit	th push-open valve, Chro	me		790245 00 0 00 1000	365
Foldable relaxing	g deck, cushioned, Wh	ite, for # 7X0066, 7X01	27		790831 00 0 00 0000	2,335
Suitable panels s	see page 501 - 502					
Accessories for	bath- and whirltub					
Step, cushioned,	White				790832 00 0 00 0000	1,170
Bolster, White					790002 00 0 00 0000	245
Tub cover, for fre	estanding version, bl	ue, for # 7X0066, 7X01	27		790844 00 0 00 0000	1,140
Stereo transduce	ers (speakers) for bat	htubs and whirltubs			791818 00 0 00 0000	1,750

Infobox: No overflow hole, but overflow channel / Sundeck waste and overflow model # 790245 00 0 00 1000 is mandatory for installation / Tub only available with foldable relaxing deck / Bathtubs are cUPC listed / Bathtubs with whirlsystem are cUPC and cIAPMO®ELECTRICAL listed



# Sundeck Accessories Design by E00S

	Description	Model-No.	USD
/i==	Waste and overflow		
	Chrome trim,		
A CONTRACTOR	with push-open valve,		
	for Sundeck		
	3 1/2" outlet	790245 00 0 00 1000	365
	Bolster		
	for Sundeck		
	White	790002 00 0 00 0000	245
-	Step for Sundeck,		
100	cushioned		
	White	790832 00 0 00 0000	1,170
	Foldable relaxing deck cushioned,		
	White		
	for # 7X0065, 7X0066, 7X0125, 7X0127	790831 00 0 00 0000	2,335
	Tub cover		
	for freestanding version,		
1	for panel without pillar,		
341	blue		
	for # 7X0066, 7X0127	790842 00 0 00 0000	895
	Tub cover		
	for freestanding version,		
	for panel with short pillar,		
	blue for # 7X0066, 7X0127	790843 00 0 00 0000	1,020
	01 # 7,0000, 7,0127	770043 00 0 00 0000	1,020
	Tub cover for freestanding version,		
The	for panel with long pillar,		
Marco.	blue		
	for # 7X0066, 7X0127	790844 00 0 00 0000	1,140
	<u> </u>		



Product Information			
Panel Pillar	<b>Decor</b> Pricegroup 1	53 Chestnut Dark	<b>Basic material:</b> Compact laminated panel, with laminate (HPL) pressed on one side.
	Real wood veneer Pricegroup 2	13 American Walnut 24 Macassar	<b>Basic material:</b> Compact laminated panel, with real wood veneer pressed on one side.
			Real wood veneer is a natural material, differences in color and structure may occur.
	Real wood veneer Pricegroup 3	62 Anthracite Oak	<b>Basic material:</b> Compact laminated panel, with real wood veneer pressed on one side.
			Real wood veneer is a natural material, differences in color and structure may occur.
	Decor Outdoor Version Pricegroup 4	<b>01</b> Cherry Tree <b>02</b> Wengé	<b>Basic material:</b> Compact laminated panel, with laminate (HPL) pressed on one side. This HPL is developed for outdoor use. It is resistant to UV-radiation and has an overall weatherability.
Folding Relaxing Deck Step (cushioned) Bolster		00 White	Base board, sheathed in foamed plastic material and covered with marine-quality protective padding.



Description	inch	Model-No.	USD	USD	USD	USD
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
Danal						
Panel						
for corner left / right, back-to-wall						
version,						
without pillar						
for # 7X0066 (73" x 33 5/8"),						
for # 7X0127 (73" x 33 5/8")	35 3/8" x 74 3/4"	SU 8837	2,140	2,660	2,825	
UI # /XU12/ (/3 X 33 5/6 )	33 3/6 X /4 3/4	30 0037	2,140	2,000	2,023	
Infobox: Panels are not suitable for bat	thtubs with whirlsystem					
Panel						
for freestanding version,						
without pillar						
for # 7X0066 (73" x 33 5/8"),						
	25 2/0# 57 2/4#	CILOCIO	2 /12	2.1.0	2 / 25	
for # 7X0127 (73" x 33 5/8")	35 3/8" x 74 3/4"	SU 8840	2,410	3,160	3,405	
Infobox: Panels are not suitable for bat	thtubs with whirlsystem					
	,					
Panel						
for freestanding version,						
without pillar,						
outdoor						
for # 7X0066 (73" x 33 5/8"),						
for # 7X0127 (73" x 33 5/8")	35 3/8" x 74 3/4"	SU 8845				2,960
Infobox: Bathtub panels in price group	4 are suitable for outdoor u	se / Panels are no	t suitable for bat	htuhs with whirls	vstem	
mjeseki satirtas pariets in price group	- are surrance for suracor a	oc / Taneto are ne	A Surtuble for but	TRUBS WITH WITH IS	yotem	
Panel						
for corner left / right, back-to-wall						
version,						
with long pillar						
for # 7X0066 (73" x 33 5/8"),						
for # 7X0127 (73" x 33 5/8")	39 3/8" x 74 3/4"	SU 8855 L/R/0	3,200	4,235	4,565	
12 ///022/ (/ 0 // 00 0/ 0 /	0, 0, 0 K, 3 0, 3	22 2000 E/ N/ 0	0,200	4,200	4,300	
Intohov: 1/D/O: 1 magiting of and 1	annol loft olds D!#!	f control no == 1	abt side 0	entral panal //-	notallation - LEW	nac)
<b>Infobox:</b> $L/R/0$ : $L = position of control property of the control property$	panet teft side, R = position o	i control panel rig	jiit siae, U = no co	ontrot panet (for i	ristallation of fitti	ngs)
Panel						
for freestanding version,						
with long pillar						
for # 7X0066 (73" x 33 5/8"),						
for # 7X0127 (73" x 33 5/8")	39 3/8" x 74 3/4"	SU 8844 L/R/0	3,200	4,235	4,565	
Infobox: L/R/0: L = position of control	panel left side. R = position of	f control panel ric	ht side. 0 = no co	ontrol panel (for i	nstallation of fitti	ngs)
mission of control of		, controt puncting	, 5146, 0 - 110 00	or pariet (joi 1		,5,



Sulfueck Design by EUOS						
Description	inch	Model-No.	USD Pricegroup 1	USD Pricegroup 2	USD Pricegroup 3	USD Pricegroup 4
			Pricegroup 1	Pricegroup 2	Pricegroup 3	Pricegroup 4
Panel						
for freestanding version,						
with long pillar,						
outdoor						
for # 7X0066 (73" x 33 5/8"),						
for # 7X0127 (73" x 33 5/8")	39 3/8" x 74 3/4"	SU 8849				4,035
Infobox: Bathtub panels in price group	4 are suitable for outdoor us	se / Panels are no	t suitable for bat	htubs with whirls	ystem	
Panel						
for freestanding version,						
with short pillar						
for # 7X0066 (73" x 33 5/8"),						
for # 7X0127 (73" x 33 5/8")	39 3/8" x 74 3/4"	SU 8842 L/R/0	3,300	4,390	4,735	
Intellers I/D/Oct	anal laft aid- D '''	6 aamtuul   1	bh aide O	ntmal reserved	notelleting ( (***	in and
<b>Infobox:</b> $L/R/0$ : $L = position of control p$	anet tert side, R = position of	r control panel rig	int side, U = no co	ontrol panel (for i	nstallation of fitt	ings)
<del>_</del>						
Daniel						
Panel for freestanding version						
for freestanding version,						
with short pillar, outdoor						
for # 7X0066 (73" x 33 5/8"),						
for # 7X0127 (73" x 33 5/8")	39 3/8"x 74 3/4"	SII 8847				4 N75
for # 7X0127 (73" x 33 5/8")	39 3/8"x 74 3/4"	SU 8847				4,075
for # 7X0127 (73" x 33 5/8")  Infobox: Bathtub panels in price group			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075
			t suitable for bat	htubs with whirls	ystem	4,075