

# HOW SMART IS YOUR WC?

The Gustavsberg porcelain factory can trace its roots back to the 1600s, and we have been making WCs since 1939. In fact, for many people in Sweden, the word “toilet” or “WC” is synonymous with Gustavsberg. This is probably because we have been around for so long that we have quite simply become a natural part of people’s everyday lives. Today, Gustavsberg is at the cutting edge interna-

tionally as regards water-saving solutions for WCs. We have added even more smart functions to our latest models to make your day-to-day life even easier. Without having a negative impact on the environment, of course. You could say that we have developed our WCs from smart to eco-smart.



## ECO-SMART SOLUTIONS

All our WC models feature water-saving technology – smart eco-friendly solutions that will also benefit your wallet. With Ceramicplus surface treatment, the porcelain will be even easier to clean and the need to use strong cleaning agents will be appreciably reduced. Which is good news for the environment.



MANY OF OUR PRODUCTS ARE AVAILABLE WITH CERAMICPLUS (C+) SURFACE TREATMENT. THIS PROVIDES THE PORCELAIN WITH A DIRT-REPELLENT SURFACE THAT PREVENTS THE ACCUMULATION OF LIMESCALE AND DIRT. C+ IS ALSO GOOD FOR THE ENVIRONMENT, AS IT MEANS THAT YOU CAN USE A Milder DETERGENT – AND LESS OF IT! – WHEN CLEANING.



THE QUICK RELEASE FUNCTION MAKES IT SIMPLE TO REMOVE THE SEAT FROM THE WC WITHOUT USING TOOLS. THE SEAT AND TOILET CAN THEN BE CLEANED SEPARATELY, WHICH IS BOTH EASIER AND MORE HYGIENIC.



HARD, AUTHENTIC TOILET SEATS HAVE PREVIOUSLY BEEN ASSOCIATED WITH LOUD NOISES WHEN THEY ARE LOWERED. SOFT CLOSE FUNCTIONALITY HAS SOLVED THIS PROBLEM THROUGH THE INTRODUCTION OF A DAMPER BUILT INTO THE SEAT TO ENSURE THAT IT CAN BE LOWERED GENTLY AND QUIETLY. THE DAMPER DOES NOT MAKE DIRECT CONTACT WITH THE PORCELAIN, WHICH FACILITATES CLEANING AND MAKES THE SEAT MORE HYGIENIC.



SMARTER FLUSHING FOR IMPROVED HYGIENE AND EASIER CLEANING. THE INNOVATIVE DESIGN WITH OPEN RIM AND SMOOTH SURFACES ELIMINATES ALL POTENTIAL DIRT TRAPS. HYGIENIC FLUSH MINIMISES THE NEED TO USE STRONG CLEANING AGENTS.



YOU CAN INSTALL MOST OF THE PRODUCTS YOURSELF. HOWEVER, THIS SYMBOL MEANS THAT WE RECOMMEND THAT YOU CONSULT A SKILLED PROFESSIONAL, SUCH AS A PLUMBER, A TILER OR AN ELECTRICIAN.



## INDEPENDENT CERTIFICATION

The Nordic Quality symbol is allocated to certified sanitation products in line with established requirements controlled by INSTA-CERT. These products meet set criteria for production, guarantee period, spare parts, documentation and technical suitability for installation in the Nordic region.

## GOOD TO KNOW ...

- All Gustavsberg WCs and bidets are made of tightly vitrified sanitary porcelain – the most hygienic and durable material for bathroom fittings. This ensures a strong, durable surface. Year after year.
- We manufacture our WCs in line with stringent environmental requirements that cover the development of material and function, production, transport and delivery, for example.
- Our manufacturing process has been certified in accordance with the ISO 9000 standard.
- Both wall-mounted and floor-mounted models of WCs and bidets are available.
- Most of our WC models feature a double flush function which can help reduce water consumption by up to 50 per cent. However, a single flush involving more water may sometimes be necessary to rinse the pipes – if the drain pipes in your home are old, for example.
- Choose between several seat options. It is important to choose a seat that suits the WC model you have selected from the perspectives of both design and ergonomics.

## IMPORTANT CONCEPTS

The following pages list various installation options that may need a little explanation:

**Concealed S-trap:** built-in drain pipe for floor-based connections. The drain connection is concealed but not built-in.

**P-trap:** also known as the “universal model”. Features a horizontal outflow pipe that allows great connection flexibility: floor connection, wall connection, right-hand side and left-hand side.

**Wall mounting:** If you decide to fit your WC or bidet to the wall, you must make sure that the fittings can handle the load. The Gustavsberg range includes thoroughly tested fixtures for fitting WCs and bidets to light walls. It is possible to install a wall-mounted WC in most cases, even though you may currently have a floor-mounted model. Take a look at our flexible, easy-to-install Triomont system elsewhere in this catalogue.

**Glue fitting:** Most often, WCs are bolted to the floor, but it is also possible to fix them in place with glue or wet room silicone. This is an excellent solution if you do not want to run the risk of the bolts puncturing underfloor heating pipes, for example. Always consult your dealer about the correct type of glue/silicone for your floor surface.

# WHERE DO YOU WANT TO HANG YOUR WC?

Triomont is the smartest system on the market for wall-mounted WCs and washbasins, and it suits most bathrooms. Ugly pipes that attract dust and dirt are concealed behind a niche that also doubles as a practical shelf surface. You can decide the design of this niche yourself. For example, would you prefer glass or wood? Or even a fully tiled solution? The Gustavsberg Triomont system can be installed in corners and small spaces to maximise the floor

area of your bathroom and help you avoid costly remodelling. In addition, it is extremely easy to install. With Triomont, you can choose from a variety of high-quality WC models, washbasins, mixers and flush buttons from both Gustavsberg and Villeroy & Boch. That explains why Triomont is the smartest system for bathrooms on the market. So only one question remains: where do you want to hang your WC?

## IT'S AS SIMPLE AS THAT

The Triomont fixture suits most bathrooms and helps avoid large and costly remodelling. All you actually need is a 14 cm recess, which is the floor space that the fixture requires. As such, it takes up no more space than a floor-mounted WC.

The pictures on these pages show what the neat but powerful Triomont fixture looks like at every stage from initial installation to final result. Neat, decorative and relatively simple.

You can install most of our products yourself, but we recommend that you call on a professional fitter to help you with WC fixtures as special regulations apply to wet room environments. If you want to do the work yourself, you should still consult a professional before you start. Contact your dealer, plumber or a DIY store.

You can also watch our instruction video online at [www.gustavsberg.com](http://www.gustavsberg.com).



1. YOUR OLD BATHROOM




2. THE FIXTURE IN PLACE

TRIOMONT WASHBASIN FIXTURE.  
TRIOMONT WC FIXTURE.

### 3. YOUR NEW TRIOMONT BATHROOM



NAUTIC WASHBASIN 5556. NAUTIC WASHBASIN MIXER. WATER TRAP 3880. NAUTIC WC 5530 WITH HARD SEAT. TRIOMONT PNEUMATIC FLUSH BUTTON. G1 PAPER HOLDER. G1 HOOK.




## FLUSH NEATLY. FLUSH SMARTLY.

You can choose between wall-mounted and top-mounted flush buttons, and there is even a pneumatic model. The push button you choose determines whether you can use single or dual-flush functionality.


### 1 Wall-mounted button

Mechanical or pneumatic push button for placing in a fixed position on the wall above the bowl.




### 2 Top-mounted button

Mechanical or pneumatic push button for placing in a fixed position on top of a half-wall.



### 3 Pneumatic flush button

Air-controlled single-flush button that you can position anywhere within 1.5 m of the fixture.



## GOOD TO KNOW ABOUT TRIOMONT

Triomont is a simple and flexible system, both for the fitters and for the people who use the bathroom. The design and all the materials are of the highest quality. It meets the most stringent test requirements for load bearing: 400 kg. In other words, you need not worry about whether the construction will take your weight.

## PUSH BUTTONS

Push buttons in a variety of models and materials make it easy for you to find a style that matches your taste and bathroom layout. There are push buttons for wall or top-mounting, and for single and double flush solutions. You can even choose between buttons for mechanical or pneumatic flushing. The pneumatic solution allows you to place the button anywhere you like near your WC – as long as it is no more than 1.5 metres away.

## TOILET BOWLS

All WCs from Gustavsberg can be combined with the Triomont WC fixtures. The distance between the bolts for fixing the WC in place is 180 or 230 mm to accommodate different types. As Gustavsberg is a part of Villeroy & Boch, you can also choose from this company's range of WCs. If you set the distance between the bolts to 180 mm, you can use all WC models from Gustavsberg and Villeroy & Boch. There are models to suit everyone: children, tall people, short people, heavily built people, and people with special needs. There are large and small models. There are models for corner installations and small spaces. And all the models match the Triomont fixtures from Gustavsberg – of course.

## WASHBASIN

The adjustable washbasin fixture can be used for all washbasins with a centre-to-centre bolt distance of up to 280 mm. The advantage of this solution is that it conceals all water and drain pipes.


## WALLHUNG WC BIDETS AND WC WITH VISIBLE CISTERN

All wall hung bidets with bolt distance 180-230 mm, as well as our wall-hung toilet with visible cistern, fits with our wc/bidet fixture that provides a secure and neat installation.

## TRIOMONT FLUSH BUTTONS (EXAMPLES FROM OUR WIDE RANGE)



DUO, POLISHED CHROME,  
PLASTIC



SINGLE, WHITE, METAL,  
WITHOUT LOGO




DUO, BLACK, GLASS




DUO, WHITE, PLASTIC


## THREE VARIETIES OF TRIOMONT



Behind a half-wall



Behind a full wall



























In a corner



## FLOOR-MOUNTED WC, NAUTIC

- Easy to clean, minimalist design.
- Full-coverage, condensation-free cistern.
- Quiet filling.
- Ergonomic, raised push button.
- Can be fitted with arm rests.
- Multiple seat options.
- C+ as an option for simple and eco-friendly cleaning.
- Seat with Soft Close (SC) ensures a gentle and quiet closing and Quick release (QR) provides simpler cleaning for better hygiene.

		ART no		With C+ ART no	
		<b>5500 Nautic with concealed S-trap</b>  <b>Double flushing 2/4 litre</b> Without seat With white standard seat With hard white seat With hard white seat with SC/QR. With C+ <b>Without screw holes in the base intended for glue fitting</b> Without seat Without seat, with C+  <b>Single flush, 4 litre</b> With white standard seat With hard white seat with SC/QR. With C+  <b>Single flush, 6 litre</b> With hard white seat with stainless steel mountings.     	GB115500201201 GB115500201211 GB115500201221  GB115500201201G GB115500201211G  GB115500401211  GB1155006R122P	GB1155002R123R  GB115500201211G  GB1155004R1231  GB1155006R122P	
		<b>5510 Nautic with concealed P-trap</b>  <b>Double flushing 2/4 litre</b> Without seat With white standard seat With hard white seat with SC/QR. With C+  <b>Single flush, 4 litre</b> With white standard seat With hard white seat with SC/QR. With C+     	GB115510201201 GB115510201211  GB115510401211	GB1155102R123R  GB1155104R1231	
		<b>5591 Nautic with S-trap and large foot</b>  Primarily intended as a replacement model for renovation without replacing the stem and/or floor. When used as a replacement, the large base covers any marks left on the floor by the previous WC.  <b>Double flushing 2/4 litre</b> Without seat With white standard seat With hard white seat with SC/QR. With C+  <b>Single flush, 4 litre</b> With white standard seat With hard white seat with SC/QR. With C+     	GB115591201201 GB115591201211  GB115591401211	GB1155912R1231  GB1155914R1231	
		<b>5546 Nautic WC with concealed S-trap for floor-mounting, high model</b>  <b>Double flushing, 2/4 litre</b> Without seat With white standard seat With hard white seat with SC/QR With hard white seat with SC/QR. With C+  <b>Single flush, 4 litre</b> With white standard seat With hard white seat with SC/QR. With C+     	GB115546201201 GB115546201211 GB115546201231  GB115546401211	GB1155462R1231  GB1155464R1231	

## FLOOR-MOUNTED WC, ARTIC














- Design distinguished by straight lines and right angles.
- Ideal for fitting close to wall.
- Concealed installation to floor.
- Multiple seat options.
- C+ as an option for simple and eco-friendly cleaning.
- Seat with Soft Close (SC) ensures a gentle and quiet closing and Quick release (QR) provides simpler cleaning for better hygiene.

		ART no		With C+ ART no	
		<b>4300 Artic with concealed S-trap</b>  Double flushing 3/6 litre. Flexible hose and ball valve included for connection of incoming water to the cistern. Cut-to-size plastic connector for waste connection.  Hard white seat with SC/QR	GB114300301231	GB1143003R1231	
					
		<b>4310 Artic with concealed S-trap</b>  Double flushing 3/6 litre. Flexible hose and ball valve included for connection of incoming water to the cistern.  Hard white seat with SC/QR	GB114310301231	see 4300 above	
					





## SEATS

- Dimensioned to suit the different product ranges.
- Soft Close for quiet closing.
- Quick release for simple cleaning.

SEATS – NAUTIC			ART no			
		Nautic standard seat, white Suits all WCs in the Nautic range	9M246101			
		Nautic hard seat White with stainless steel mountings Suits all WCs in the Nautic range	9M256101			
	 	9M26 Nautic hard seat, white. With SC/QR. 9M26 Nautic hard seat, black. With SC/QR. Suits all WCs in the Nautic range	9M26S101 9M26S136			
SEATS – ARTIC / HYGIENIC FLUSH						
	 	Artic / Hygienic Flush hard seat with SC/QR. White Black	9M16S101 9M16S136			
SEATS – LOGIC						
	 	Logic hard seat with SC. White Black	9M11S101 9M11S136			







## PUSH BUTTONS, NAUTIC

For changing colour or the flushing volume in existing Nautic WCs.

		ART no				
			<b>Flush button set Duo, white</b> <b>Flush button set Duo, chrome</b>  For changing the flushing button colour or the flushing volume in existing WCs. Suits all WCs in the Nautic range	GB19299P0108 GB19299P0110		
			<b>Flush button set Single, white</b> <b>Flush button set Single, chrome</b>  For changing the flushing button colour or the flushing volume in existing WCs. Suits all WCs in the Nautic range	GB19299P0109 GB19299P0111		










## CARE PRODUCTS – WCs

To see products in our range that accommodate special needs, visit [www.gustavsberg.com](http://www.gustavsberg.com)

		ART no				
		<b>3055 Armrest for WCs in the Nautic range</b> Suitable for all models in the range except 5530.  Armrest with seat. White with dark grey handles and white seat Armrest without seat. White with dark grey handles  3018 Toilet paper holder for arm rest	GB88305501  GB88305500  GB88301801			
		<b>3051 Arm rest for Logic and Nordic WCs</b>  Arm rest with seat. White with dark grey handle. Arm rest without seat. White with dark grey handle.  3018 Toilet paper holder for arm rest	GB88305101  GB88305100  GB88301801			
		<b>3060 Care seat for arm rest 3055 and 3051</b>  Care seat, white Care seat, blue Care seat, red Caresits, black	GB88306001  GB88306015  GB88306004  GB88306036			

## TRIOMONT INSTALLATION SYSTEM

- SINTEF-certified, load-tested steel frame, 400 kg.
- Floor or wall-connected drain.
- Wall mountings included.
- Adjustable flushing volume.
- Adjustable seat height, 410–610 mm. Recommended WC fitting, 450 mm above the floor.

		ART no	
 <p>For fitting with a wall-mounted push button or a pneumatic flushing button.</p>		<p><b>Triomont XS WC fixture for wall-mounted control panel</b> High model for fitting against a straight wall or in a corner. Finish off with a wall-mounted push button or a pneumatic flushing button.</p> <p>Weight: 14 kg including packaging. Installation: the height on the sketch (1000 mm) results in a toilet seat height of around 410 mm. Adjustable up to 610 mm.</p> <p>Triomont XS for mechanical wall-mounted push button</p> <p>Triomont XS for pneumatic flushing button or pneumatic wall-mounted push button.</p> <p>Accessories: Corner fitting for corner installation Extra wall fitting (when the lower fitting supplied cannot be used).</p> <p></p>	
		GB1921102020	
		GB1921102021	
 <p>For fitting with a top-mounted push button or a pneumatic flushing button.</p>		<p><b>Triomont XT WC fixture for top-mounted control panel</b> Low model for fitting against a straight wall. Finish off with a top-mounted push button or a pneumatic flushing button.</p> <p>Weight: 12 kg including packaging. Installation: the height on the sketch (830 mm) results in a toilet seat height of around 410 mm. Adjustable up to 610 mm.</p> <p>Triomont XT for mechanical top-mounted push button*</p> <p>Triomont XT for pneumatic flushing button or pneumatic top-mounted push button*</p> <p>Accessories: Extra wall fitting (when the lower fitting supplied cannot be used).</p> <p>*) Note! For top-mounting only.</p> <p></p>	
		GB1921102024	
		GB1921102025	
 <p>For fitting with a wall-mounted push button</p>		<p><b>Triomont XS Vario WC fixture for wall-mounted control panel</b> Primarily intended for hospitals and care homes. High model for fitting against a straight wall or in a corner. With adjustable toilet bowl height after installation. Finish off with a wall-mounted push button.</p> <p>Weight: 19 kg including packaging Installation: After installation, the toilet bowl can be raised 100 mm. It can naturally also be returned to its original position.</p> <p>Triomont XS Vario for mechanical wall-mounted push button</p> <p>Accessories: Corner fitting for corner installation Extra wall fitting (when the lower fitting supplied cannot be used).</p> <p></p>	
		GB1921102022	
		GB1921102029 GB1921102027	

### Triomont WC fixture deliveries include

- WC fixture with wall-mounting set.
- Complete cistern insulated against condensation, with flushing connection and cut-off valve.
- Connection fittings for drain and water supply (pipe in pipe).
- 4 wall fittings.
- M12 threaded bars for fitting the toilet bowl.

- Blue plastic drilling template for control panel.
- Protection plugs.
- Screws and plugs for fixing.
- Insulation protection for fitting between the toilet bowl and the wall.
- Drilling template for wall material.
- Installation instructions.

### Always finish off with:

- Toilet bowl.
- Push button/control panel.

## TRIOMONT CONTROL PANELS

- Numerous models and materials to choose from.
- The push button chosen determines the flushing volume.
- Single or double flushing.

### MECHANICAL WALL-MOUNTED CONTROL PANEL

for Triomont XS, 3/6 litre double flushing



Duo, white, plastic  
ART no. GB1921102035




Duo, matt chrome, plastic  
ART no. GB1921102036



Duo, polished chrome, plastic  
ART no. GB1921102037



Duo, white, plastic  
ART no. GB1921102052




Duo, polished chrome, plastic  
ART no. GB1921102053




Duo, white metal, no logo  
ART no. GB1921102045

### MECHANICAL WALL-MOUNTED CONTROL PANEL

for Triomont XS, 6 litre single flush



Duo, polished chrome, metal, no logo  
ART no. GB1921102047



Duo, stainless  
ART no. GB1921102054



Single, white, plastic  
ART no. GB1921102030




Single, matt chrome, plastic  
ART no. GB1921102031



Single, polished chrome, plastic  
ART no. GB1921102032



Single, white, plastic  
ART no. GB1921102050



Single, polished chrome, plastic  
ART no. GB1921102051



Single, white, metal, no logo  
ART no. GB1921102040



Single, polished chrome, metal, no logo  
ART no. GB1921102042



Duo, white, plastic  
ART no. GB1921102080



Duo, polished chrome, plastic  
ART no. GB1921102081

### MECHANICAL TOP-MOUNTED CONTROL PANEL

for Triomont XT, 3/6 litre double flushing

### PNEUMATIC FLUSH BUTTON

for Triomont XS and XT  
6 litre single flush



Single, Stainless  
ART no. GB1921102092

### PNEUMATIC WALL-MOUNTED CONTROL PANEL

for Triomont XS, 3/6 litre double flushing



Duo, white, plastic  
ART no. GB1921102060



Duo, polished chrome, plastic  
ART no. GB1921102061



Duo, white, glass  
ART no. GB1921102066



Duo, black, glass  
ART no. GB1921102067



Duo, white, plastic  
ART no. GB1921102085



Duo, polished chrome, plastic  
ART no. GB1921102086

### PNEUMATIC TOP-MOUNTED CONTROL PANEL

for Triomont XT, 3/6 litre double flushing



Duo, white, plastic  
ART no. GB1921102085



Duo, polished chrome, plastic  
ART no. GB1921102086

## TOILET BOWLS/WALL-MOUNTED WCS, GUSTAVSBERG

- All toilet bowls can be combined with Triomont fixtures.
- All Gustavsberg toilet bowls are for fitting with centre to centre measurements of 180 or 230 mm.
- Load tested to 400 kg.
- Multiple seat options.
- C+ as an option for simple and eco-friendly cleaning.
- Seat with Soft Close (SC) ensures a gentle and quiet closing and Quick release (QR) provides simpler cleaning for better hygiene.

		ART no		With C+ ART no	
		<b>5530 Nautic WC bowl for wall-mounting</b> The cistern is not included in the delivery. If the walls are not so sturdy, the bowl must be mounted on a fixture, see page 72.  Without seat. With C+ With white standard seat	GB115530001010	GB1155300R1000	
		<b>5522 Nautic WC for wall-mounting.</b> If the walls are not so sturdy, the WC must be mounted on a fixture. We recommend our fixture on page 80.  Double flushing 2/4 litre With white standard seat With hard white seat with SC/QR With hard white seat with SC/QR. With C+  Single flush, 4 litre With white standard seat With hard white seat with SC/QR. With C+	GB115522201211 GB115522201231  GB115522401211	GB1155222R1231  GB1155224R1231	
		<b>4330 Artic WC bowl for wall-mounting</b> The cistern is not included in the delivery. If the walls are not so sturdy, the bowl must be mounted on a fixture, see page 72.  White with hard white seat with SC/QR Black with hard black seat with SC/QR. With C+	GB114330201231	GB1143302R1231 GB114330BLACK	
		<b>5693 Logic WC bowl for wall-mounting</b> The cistern is not included in the delivery. If the walls are not so sturdy, the bowl must be mounted on a fixture, see page 72.  Hard seat with stainless steel mountings	56939901	569399R1	

## HYGIENIC FLUSH

- Open rim provides simpler cleaning
- Made of hygienic, durable and densely sintered ceramic sanitary ware.
- Easy to clean and minimalistic design.
- Centre to centre bolt-distance 180 mm.
- Can be combined with Triomont fixtures
- Load tested to 400 kg.
- Multiple seat options.
- Seat with Soft Close (SC) ensures a gentle and quiet closing and Quick release (QR) provides simpler cleaning for better hygiene.

ART no					
		<b>5G84 Hygienic Flush WC bowl for wall-mounting, with open rim</b>		5G84HR01	
		The cistern is not included in the delivery. If the walls are not so sturdy, the bowl must be mounted on a fixture, see page 72.			
		With hard white seat with SC/QR			






## YOU CAN ALSO CHOOSE TOILET BOWLS FROM VILLEROY & BOCH

Since 2000, Gustavsberg has been owned by Villeroy & Boch – one of the leading manufacturers of bathroom products in Europe. On the following pages, we present a selection of the Villeroy & Boch toilet bowls that can be used with the Triomont fixtures. The different models are intended for different areas of use. It may well be that you find one that matches your needs exactly. All Villeroy & Boch bowls are designed for mounting with a centre to centre distance between bolts of 180 mm.







To view even more toilet bowls or the entire range of Villeroy & Boch bathroom products, contact us or visit [www.villeroy-boch.com](http://www.villeroy-boch.com).



Villeroy & Boch owns Gustavsberg, which gives you the opportunity to combine these two “bathroom worlds”. Simply put, you can choose the Triomont solution from Gustavsberg and then select a WC bowl from Villeroy & Boch. We are sure that you will find just what you are looking for.

## VILLEROY & BOCH WC BOWLS

- All WC bowls can be combined with Triomont fixtures.
- All Villeroy & Boch WC bowls are for fitting with a centre to centre measurement of 180 mm.
- Broad range that covers many special needs.
- Load tested to 400 kg.
- Multiple seat options.
- C+ as an option for simple and eco-friendly cleaning.

ART no			
		<b>Omnia Classic compact</b>  Standard bowl with traditional design and compact dimensions (490 mm).  WC bowl, white  Seat with stainless steel mountings	7667 10 01  8823 61 01
		<b>Subway</b>  This model features a neat design with a smooth exterior and a seat that is simple to remove and replace. The WC is easy to keep clean for improved hygiene.  WC bowl, white WC bowl, white with C+  Seat with Soft Close/Quick Release functions  Seat with Quick Release function  	6600 10 01 6600 10 R1  9955 S1 01  9955 Q1 01
		<b>Subway Compact</b>  Just like the model above, but with compact dimensions – only 480 mm. Ideal for small bathrooms.  WC bowl, white WC bowl, white with C+  Seat with Soft Close/Quick Release functions  Seat with Quick Release function  	6604 10 01 6604 10 R1  9966 S1 01  9966 Q1 01
		<b>Subway 2.0</b>  With “Supra fix” – an installation method in which the entire bowl is fitted via the hole for the seat. Quick and simple installation, no visible screws. The model features a neat design with a smooth exterior and a seat that is simple to remove and replace. The WC is easy to keep clean for improved hygiene.  WC bowl, white WC bowl, white with C+  Seat with Soft Close/Quick Release functions Seat with Quick Release function  	5600 10 01 5600 10 R1  9M18 S1 01 9M18 Q1 01
		<b>Subway 2.0 Compact</b>  Just like the model above, but with compact dimensions – only 480 mm. Ideal for small bathrooms.  WC bowl, white WC bowl, white with C+  Seat with Soft Close/Quick Release functions  Seat with Quick Release function  	5606 10 01 5606 10 R1  9M69 S1 01  9M69 Q1 01

		<p><b>O. Novo Vita</b></p> <p>Elevated model. With standard bolt height, this model provides an elevated sitting height. Also suitable for use in cases where the fitting for the toilet bowl is too low.</p> <p>WC bowl, white WC bowl, white with C+</p> <p>Seat with stainless steel mountings</p> <p>Seat with side-adjustment blocks</p>	<p>6695 10 01 6695 10 R1</p> <p>8823 61 01 8821 61 01</p>	
		<p><b>Omnia Architectura</b></p> <p>An extra-long model primarily intended for hospitals and care homes, to make it easier for staff to assist users. However, it is also ideal for standard residences where building regulations occasionally require bathrooms to be adapted for people with special needs.</p> <p>WC bowl, white WC bowl, white with C+</p> <p>Seat with stainless steel mountings</p>	<p>5678 10 01 5678 10 R1</p> <p>98M9 61 01</p>	
		<p><b>O.novo</b></p> <p>A small model with a low sitting height (35 cm). Primarily intended for public settings, but also ideal for homes that have room for a separate toilet for children.</p> <p>WC bowl, white WC bowl, white with C+</p> <p>Seat with stainless steel mountings</p>	<p>7602 10 01 7602 10 R1</p> <p>8820 61 01</p>	
		<p><b>Omnia Architectura combi package</b></p> <p>WC -bowl in contemporary design including seat with Soft Close/Quick release functions</p>	<p>5684 H1 01</p>	
		<p><b>Lifetime</b></p> <p>With a bowl that is 3 cm broader and 4 cm longer than normal, and with an ergonomic seat for extra sitting comfort.</p> <p>WC bowl, white WC bowl, white with C+</p> <p>Seat with Soft Close/Quick Release functions</p>	<p>5672 10 01 5672 10 R1</p> <p>9M 02 S1 01</p>	
		<p><b>Memento</b></p> <p>WC bowl white, with C+ Seat with Soft Close/Quick release functions</p>	<p>5628 10 R1 9M17 S1 R1</p>	

## BIDETS

- C+ as an option for simple and eco-friendly cleaning.
- The wall-mounted models are load tested to 400 kg.

		ART no		With C+ ART no	
		<b>5598 Nautic bidet for wall-installation</b>  If the walls are not so sturdy, the bidet must be mounted on a fixture. We recommend our fixture, which you will find on page 80  With mixerhole  	55989901	559899R1	
		<b>5599 Nautic bidet for floor-installation</b>  With mixerhole  	55999901	559999R1	
		<b>4100 Artic bidet for floor-installation</b>  With mixerhole  	GB1141000100	GB114100R100	
		<b>4130 Artic bidet for wall-intallation</b>  If the walls are not so sturdy, the bidet must be mounted on a fixture. We recommend our fixture, which you will find on page 80  With mixerhole  	GB1141300100	GB114130R100	

## TRIOMONT INSTALLATION SYSTEM FOR WALLHUNG BIDETS AND WC WITH VISIBLE WATERTANK

- Load-tested 400 kg.
- Floor or wall-connected drain.
- Neat installation, with a minimum of visible pipes
- Fits all WC bowls and bidets with a centre to centre distance between bolts of 180-230 mm.
- Adjustable seat height, 410–610 mm.

		RSK-nr	PRIS*
		<b>Triomont WC/bidet fixture</b> <b>High model for fitting against a straight wall or in a corner.</b> Weight: 11 kg including packaging.	
		Triomont fixture for wallhung bidets and WCs with visible water tank	GB19211000510
		<b>Accessories:</b> Corner fitting for corner installation Extra wall fitting (when the lower fitting supplied cannot be used).	GB1921102029 GB1921102027


### Triomont WC/bidet fixture deliverie include

- Fixture.
- 4 wall fittings.
- M12 threaded bars for fitting the toilet bowl.
- Screws and plugs for fixing.
- Installation instructions.
- Connecting components for wall alt. floor connection

## URINALS

Fits in public places as well as in the private home. Contact us for more information about installing our urinals.

		ART no			
		<b>7G50 Urinal</b>  With open water connection for mounting with visible plumbing. Trap cover as separate order.	7G50 0001		
		<b>Accessories:</b> Concealed siphon with horizontal outlet Concealed siphon with vertical outlet Water-inlet connector for urinal	93260000 93270000 99330000		
		<b>7G51 Urinal</b>  With covered water connection for mounting with concealed plumbing. Trap cover and connector nipple as separate order.	7G51 0001		
		<b>Accessories:</b> Concealed siphon with horizontal outlet Concealed siphon with vertical outlet Water-inlet connector for urinal	93260000 93270000 99330000		



"THERE IS A POSITIVE ATTITUDE TO ENVIRONMENTAL WORK HERE. WE CONSIDER IT ABSOLUTELY NATURAL"

## GUNNAR LUNDMARK ENVIRONMENTAL MANAGER

In 1973, I started work in the laboratory here at Gustavsberg. I subsequently moved on to various parts of the production process until 1992, when I found myself in the environmental department.

We were one of the first companies to introduce our own purification plant at our factory, and today we wash down the factory floor with rainwater from our own reservoir. We also utilise the surplus heat from the furnaces, using it to heat the premises. Whereas we were previously up around the maximum level regarding zinc content in the porcelain glaze – 70 kg per year – we are now at the other end of the scale, with a level of 1.5 kg.

Our environmental work permeates all areas of our business, from our factory to our end customers, and has made us an international success. Our energy and water-saving WCs and mixers have become highly regarded exports to countries where water is in short supply, such as Singapore and Australia. It is often the case that environmental work goes hand in hand with good finances. Today, Gustavsberg is an environmentally certified company, and we operate with values that are far below the limit values stipulated by the EU. We are very proud of this.

## REALLY SMART SOLUTIONS INCLUDE THE ENVIRONMENT

As a manufacturer of bathroom porcelain, mixers, bathtubs and showers, we at Gustavsberg have a major responsibility to ensure that our "alternative route" does not adversely affect the water. That is why it is really important for us to think carefully about how much water we use and about the impact we have on water quality. In recent decades, we at Gustavsberg have led the market in development and technology in the field of limiting water volumes.

We have now reduced the most economical flush in our WCs to a mere 2.4 litres of water,

without compromising on the efficiency. Compare this to the toilets from the 1960s and 1970s, which used 9 litres of water every time they were flushed.

Gustavsberg's mixers are also fitted with smart technology designed to save water and energy. This not only helps you to save large amounts of water and energy every year, but also cuts your consumption costs appreciably.

