

WHAT KIND OF BATH?

Few things in life can compare to slipping into a hot bath at the end of a long, hard day. The comforting and relaxing effect of a bath is hard to beat. Gustavsberg bathtubs are not divided into product ranges as they suit most bathroom environments – and as an added bonus this year, there are a number of fixed installation tubs to

choose from as well. Our bathtubs feature a pure, modern design and can be finished with a range of front panels, which makes it easy for you to create a variety of solutions. Our proud tub on simple feet looks best of all if you give it some space.



FIXED INSTALLATION OR MOUNTED ON FEET?

Gustavsberg supplies a variety of bathtubs. If you are interested in an exclusive look for your bathroom, our fixed installation tubs may be a good option. Or you could choose a tub mounted on feet – in white or black, with replaceable feet. We also have tubs with exchangeable front panels that are available in several great mood colours. If you tire of one colour, it's simply a matter of replacing the front panel.



WELL THOUGHT-OUT AND EASY TO MAINTAIN

All Gustavsberg bathtubs are easy to clean in all areas. A full-front bathtub conceals the drain connection but can be very difficult to clean. To deal with this problem, our neat model features a simple solution: you can slide the front panel up to access the underside.



BASIN MODELS FOR ENAMELLED BATHTUBS WITH FRONT PANEL FRAMES OR FEET



The standard tubs 1300–1700 and the frontless model 1571 have the most common basin. It has a depth of 420 mm, which means that it is comfortable and practical for both baths and showers.



Combi-tubs 1607–1707 are perfect for people who often use their bathtubs as a shower base. These tubs feature a flat area at the foot end, and the drain is located in the centre of the tub. The head end is rounded and comfortable. The tub is slightly shallower than our standard tub – 380 mm – making it easier to step into and out of it.



The Duo-tub 1603 is for two people to bath together. It has two sloping head ends and a centred drain.



Sitting tub model 1051 is designed for people who have a really small bathroom but who cannot do without a bath. It measures just 1,050 x 650 mm.



The frontless bathtubs 6316 and 6368 feature an oval basin with two sloping head ends and a centred drain.



YOU CAN ORDER BATHTUBS WITH SPECIAL SUPPORT HANDLES ON THE RIM TO IMPROVE SAFETY AND EASE OF USE.



BATHTUBS ARE AVAILABLE WITH AN ANTI-SLIP TREATMENT WHERE QUARTZ SAND HAS BEEN BURNED INTO THE ENAMEL IN AN AESTHETICALLY NEUTRAL PATTERN. THE SURFACE COUNTERACTS THE RISK OF SLIPPING WHEN ENTERING OR LEAVING THE BATHTUB. MOREOVER, IT IS LOCATED AT THE FOOT END OF THE TUB SO THAT IT DOES NOT AFFECT THE OVERALL BATHING EXPERIENCE.

BASIN MODELS FOR ENAMELLED BATHTUBS FOR TILING IN



Fixed installation bathtubs 3400, 3500, 3600, 3970 These models feature the most common basin with a head and foot end. This basin model is comfortable and practical for both baths and showers and is available in several sizes.



Fixed installation bathtubs 1220, 1380 Designed for two people to bath together; features two sloping head ends and a centred drain. The basin has an attractive ellipse shape.



Fixed installation bathtubs 3310, 3311 Perfect for people who often use their bathtubs as a shower base. The tub features a straight, almost fastidious design, along with a generous flat area in the foot end for showering and a centred drain. The head end is sloped for a very comfortable bath.



Fixed installation bathtubs 6830, 6831 Ideal for people who have plenty of space and appreciate tight design. Perfect for two people to bath together; features two sloping head ends and a centred drain.



Fixed installation bathtubs 2570 and 2580 These models are intended for bathrooms where space is limited. With its bevelled foot end, you can always find room for this bathtub – even in small bathrooms.















OUR BATHTUBS ARE AVAILABLE WITH AN EXTRA SURFACE TREATMENT – GLAZEPLUS – WHICH IS A CRYSTAL-CLEAR POLYMER FILM THAT PROTECTS THE SURFACE OF THE BATHTUB AGAINST DIRT AND LIMESCALE DEPOSITS. THIS FACILITATES CLEANING AND REDUCES THE AMOUNT OF DETERGENT YOU NEED TO USE.













GOOD TO KNOW ...

















- Gustavsberg supplies bathtubs in all shapes and sizes – most intended for installation with full or half-depth panel stands. We also supply frontless bathtubs and tubs for tiling in.
- Our tubs are made of enamelled steel sheet, which is a tough and durable material.
- The bathtubs are easy to install and simple to clean. The front panels on our full-front tubs can be lifted up to make cleaning easier. Half-front panels on the other hand, always allow full access to the floor for cleaning.
- The side and base panels can be pushed sideways from the stand to make room for wall-mounted pipe work.
- The legs of this stand are located in the corners, making it almost impossible to tip our bathtubs over. The feet are adjustable, so the tub will always stand securely – even on a sloping floor surface.
- Our range also includes acrylic whirlpool bathtubs, which you can see on page 126.

BATHTUBS IN ENAMELLED SHEET STEEL WITH FULL- OR HALF-FRONT PANEL

- Enamelled sheet steel
- Complete with front panel frame, fitted bottom valve and drain pipe
- The front panel frame can be slid sideways and back, allowing room to route pipes along the walls
- Adjustable feet, 25 mm
- Full front panel features a slidable lower section to facilitate cleaning
- Handles and anti-slip bottom surface treatment available as extras for a safer tub
- Glazeplus as an option for simple and eco-friendly cleaning
- Front panel frame in different colours on several models















		ART no	
<p>Bathwater volume: 150 litres</p> 	<p>Basin pictures: see page 113.</p>  	<p>1300 Bathtub 1300 x 700 mm, complete with full front frame White</p> <p>GB211300701301</p>	
		<p>1300 Bathtub 1300 x 700 mm, complete with half front frame White</p> <p>GB211300601301</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, or support handles. For item numbers and prices, see www.gustavsberg.com</p>  <p>Placement of anti-slip treatment</p>	
<p>Bathwater volume: 155 litres</p> 	<p>Basin pictures: see page 113.</p>  	<p>1400 Bathtub 1400 x 700 mm, complete with full front frame White</p> <p>GB211400701401</p>	
		<p>1400 Bathtub 1400 x 700 mm, complete with half front frame White</p> <p>GB211400601401</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, or support handles. For item numbers and prices, see www.gustavsberg.com</p>  <p>Placement of anti-slip treatment</p>	
<p>Bathwater volume: 165 litres</p> 	<p>Basin pictures: see page 113.</p>  	<p>1500 Bathtub 1500 x 700 mm, complete with full front frame White</p> <p>GB211500701501</p>	
		<p>1500 Bathtub 1500 x 700 mm, complete with half-front frame White</p> <p>GB211500601501</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, or support handles. For item numbers and prices, see www.gustavsberg.com</p>  <p>Placement of anti-slip treatment</p>	

<p>Bathwater volume: 178 litres</p> 	<p>Basin pictures: see page 113.</p>  	<p>1570 Bathtub 1570 x 700 mm, complete with full front frame White Moody Blue Crazy Orange Sinful Black</p> <p>1570 Bathtub 1570 x 700 mm, complete with half front frame White</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, or support handles. For item numbers and prices, see www.gustavsberg.com</p>  <p>Placement of anti-slip treatment</p>	<p>GB211570701601 GB211570701636 GB211570701638 GB211570701656</p> <p>GB211570601601</p>	
<p>Bathwater volume: 178 litres</p> 	<p>Basin pictures: see page 113.</p>  	<p>1600 Bathtub 1600 x 700 mm, complete with full front frame White Moody Blue Crazy Orange Sinful Black</p> <p>1600 Bathtub 1600 x 700 mm, complete with half front frame White</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, or support handles. For item numbers and prices, see www.gustavsberg.com</p>  <p>Placement of anti-slip treatment</p>	<p>GB211600701601 GB211600701636 GB211600701638 GB211600701656</p> <p>GB211600601601</p>	
<p>Bathwater volume: 186 litres</p> 	<p>Basin pictures: see page 113.</p>  	<p>1603 Dual bathtub 1600 x 700 mm, complete with full front frame White Moody Blue Crazy Orange Sinful Black</p> <p>1603 Dual bathtub 1600 x 700 mm, complete with half front frame White</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, or support handles. For item numbers and prices, see www.gustavsberg.com</p>  <p>Placement of anti-slip treatment</p>	<p>GB211603701601 GB211603701636 GB211603701638 GB211603701656</p> <p>GB211603601601</p>	

<p>Bathwater volume: 190 litres</p> 	<p>Basin pictures: see page 113.</p>  	<p>1607 Combi-tub 1600 x 700 mm, complete with full front frame White Moody Blue Crazy Orange Sinful Black</p> <p>1607 Combi-tub 1600 x 700 mm, complete with half front frame White</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, or support handles. For item numbers and prices, see www.gustavsberg.com</p>  <p>Placement of anti-slip treatment</p>	<p>GB211607701601 GB211607701636 GB211607701638 GB211607701656</p> <p>GB211607601601</p>	
<p>Bathwater volume: 190 litres</p> 	<p>Basin pictures: see page 113.</p>  	<p>1707 Bathtub 1700 x 700 mm, complete with full front frame White</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, or support handles. For item numbers and prices, see www.gustavsberg.com</p>  <p>Placement of anti-slip treatment</p>	<p>GB211707701701</p>	
<p>Bathwater volume: 190 litres</p> 	<p>Basin pictures: see page 113.</p>  	<p>1700 Bathtub 1700 x 700 mm, complete with full front frame White</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, or support handles. For item numbers and prices, see www.gustavsberg.com</p>  <p>Placement of anti-slip treatment</p>	<p>GB211700701701</p>	
<p>Bathwater volume: 106 litres</p> 	<p>Basin pictures: see page 113.</p>  	<p>1051 Seat-in tub 1050 x 650 mm, complete with full front frame White</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, or support handles. For item numbers and prices, see www.gustavsberg.com</p>  <p>Placement of anti-slip treatment</p>	<p>GB211051701001</p>	





















FRONTLESS BATHTUBS IN ENAMELLED SHEET STEEL

- Enamelled sheet steel
- Enamelled exterior
- Without front panel for easier cleaning
- Complete with fitted bottom valve and drain pipe
- Centred drain
- Adjustable feet, 25 mm
- Anti-slip treated bottom surface available as an option for a safer tub.
- Chromed drain pipe available as an option on models 6316 and 6368
- Feet in different colours available as options on models 6316 and 6368
- Glazeplus as an option for simple and eco-friendly cleaning

		ART no	
<p>Bathwater volume: 178 litres</p> 	<p>Basin pictures: see page 113.</p>  	<p>1571 bathtub 1570 x 700 mm, complete with support frame</p> <p>White</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, or support handles. For item numbers and prices, see www.gustavsberg.com</p>  <p>Placement of anti-slip treatment</p>	<p>GB211571101601</p>
<p>Bathwater volume: 186 litres</p> 	<p>Basin pictures: see page 113.</p>   	<p>6316 Frontless bathtub with feet, 1580 x 680 mm. Bathtub and feet in Perfect White, chromed bottom valve, white drain pipe</p> <p>6316 Frontless bathtub without feet, 1580 x 680 mm. Bathtub in Perfect White without feet*, chromed bottom valve, white drain pipe</p> <p>Bathtub in Sinful Black without feet*, chromed bottom valve, white drain pipe</p> <p>*) Choose feet in your choice of colour to complete the set-up.</p> <p>Complementary feet. NB! Remember to order two pairs per tub Perfect White, pair Sinful Black, pair Classy Chrome, pair</p> <p>Drain pipe, chromed Classy Chrome, as an option</p> <p>The bathtub can be supplied to order with Glazeplus and/or a non-slip bottom surface. For item numbers and prices, see www.gustavsberg.com</p>  <p>Placement of anti-slip treatment</p>	<p>GB2063160101</p> <p>GB2063160001</p> <p>GB2063165601</p> <p>GB2921200353 GB2921200359 GB2921200358</p> <p>GB2924300164</p>
<p>Bathwater volume: 209 litres</p> 	<p>Basin pictures: see page 113.</p>   	<p>6368 Frontless bathtub with feet, 1680 x 730 mm. Bathtub and feet in Perfect White, chromed bottom valve, white drain pipe</p> <p>6368 Frontless bathtub without feet, 1680 x 730 mm. Bathtub in Perfect White without feet*, chromed bottom valve, white drain pipe</p> <p>Bathtub in Sinful Black without feet*, chromed bottom valve, white drain pipe</p> <p>*) Choose feet in your choice of colour to complete the set-up.</p> <p>Complementary feet. NB! Remember to order two pairs per tub Perfect White, pair Sinful Black, pair Classy Chrome, pair</p> <p>Drain pipe, chrome Classy Chrome, as an option</p> <p>The bathtub can be supplied to order with Glazeplus and/or a non-slip bottom surface. For item numbers and prices, see www.gustavsberg.com</p>  <p>Placement of anti-slip treatment</p>	<p>GB2063680101</p> <p>GB2063680001</p> <p>GB2063685601</p> <p>GB2921200353 GB2921200359 GB2921200358</p> <p>GB2924300164</p>

ENAMELLED SHEET STEEL BATHTUBS FOR TILING IN




- Enamelled sheet steel
- With hole for overflow outlet fitting
- Complement with feet and overflow outlet system
- Handles and anti-slip bottom surface treatment available as options for a safer tub
- Glazeplus as an option for simple and eco-friendly cleaning
- Rim-mounted mixer with filling via spout or overflow outlet as options (page 120)
- Ventilation grille as an option (page 120)

			ART no	
<p>Bathwater volume: 155 litres</p> 	  	<p>3400 Bathtub for tiling in, 1400 x 700 mm Without adjustable feet, with hole for overflow outlet Feet for tiling in baths Overflow outlet system Plug and handle</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, holes for the mixer and/or support handles. For item numbers and prices, see www.gustavsberg.com</p>	<p>GB2083400100 GB208B231500 GB2924300155 GB2924300156</p>	
<p>Bathwater volume: 165 litres</p> 	  	<p>3500 Bathtub for tiling in, 1500 x 700 mm Without adjustable feet, with hole for overflow outlet Feet for tiling in baths Overflow outlet system Plug and handle</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, holes for the mixer and/or support handles. For item numbers and prices, see www.gustavsberg.com</p>	<p>GB2083500100 GB208B231500 GB2924300155 GB2924300156</p>	
<p>Bathwater volume: 178 litres</p> 	  	<p>3600 Bathtub for tiling in, 1600 x 700 mm Without adjustable feet, with hole for overflow outlet Feet for tiling in baths Overflow outlet system Plug and handle</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, holes for the mixer and/or support handles. For item numbers and prices, see www.gustavsberg.com</p>	<p>GB2083600100 GB208B231500 GB2924300155 GB2924300156</p>	
<p>Bathwater volume: 190 litres</p> 	  	<p>3970 Bathtub for tiling in, 1700 x 700 mm Without adjustable feet, with hole for overflow outlet Feet for tiling in baths Overflow outlet system Plug and handle</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, holes for the mixer and/or support handles. For item numbers and prices, see www.gustavsberg.com</p>	<p>GB2083970100 GB208B231500 GB2924300155 GB2924300156</p>	
<p>Bathwater volume: 176 litres</p> 	  	<p>1220 Dual bathtub for tiling in, 1600 x 700 mm Without adjustable feet, with hole for overflow outlet Feet for tiling in baths Overflow outlet system Plug and handle</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, holes for the mixer and/or support handles. For item numbers and prices, see www.gustavsberg.com</p>	<p>GB2081220100 GB208B231500 GB2924300155 GB2924300156</p>	







<p>Bathwater volume: 209 litres</p>		<p>1380 Dual bathtub for tiling in, 1700 x 750 mm Without adjustable feet, with hole for overflow outlet Feet for tiling in baths Overflow outlet system Plug and handle</p> <p>To order, the bathtub can be supplied with Glazeplus, a non-slip bottom surface, holes for the mixer and/or support handles. For item numbers and prices, see www.gustavsberg.com</p>	<p>GB2081380100 GB208B231500 GB2924300155 GB2924300156</p>	
<p>Bathwater volume: 189 litres</p>		<p>3410 Bathtub for tiling in, 1600 x 700 mm Without adjustable feet, with hole for overflow outlet Feet for tiling in baths Overflow outlet system</p>	<p>GB2083310100 GB208B231500 GB208B596901</p>	
<p>Bathwater volume: 201 litres</p>		<p>3411 Bathtub for tiling in, 1700 x 700 mm Without adjustable feet, with hole for overflow outlet Feet for tiling in baths Overflow outlet system</p>	<p>GB2083311100 GB208B231500 GB208B596901</p>	
<p>Bathwater volume: 250 litres</p>		<p>6830 Bathtub for tiling in, 1800 x 800 mm Without adjustable feet, with hole for overflow outlet Feet for tiling in baths Overflow outlet system Plug and handle</p>	<p>GB2086830100 GB208B231500 GB2924300155 GB2924300156</p>	
<p>Bathwater volume: 280 litres</p>		<p>6831 Bathtub for tiling in, 1900 x 900 mm Without adjustable feet, with hole for overflow outlet Feet for tiling in baths Overflow outlet system Plug and handle</p>	<p>GB2086831100 GB208B231500 GB2924300155 GB2924300156</p>	
<p>Bathwater volume: 174 litres</p>		<p>2570 Bathtub for tiling in, 1570 x 700 mm Without adjustable feet, with hole for overflow outlet Left Feet for tiling in baths Overflow outlet system Plug and handle</p>	<p>GB2082570100 GB208B231500 GB2924300155 GB2924300156</p>	
<p>Bathwater volume: 174 litres</p>		<p>2580 Bathtub for tiling in, 1570 x 700 mm Without adjustable feet, with hole for overflow outlet Right Feet for tiling in baths Overflow outlet system Plug and handle</p>	<p>GB2082580100 GB208B231500 GB2924300155 GB2924300156</p>	

ACCESSORIES – SKANDIC RIM-MOUNTED BATHTUB MIXER

- High quality, pure and simple design
- Automatic scald protection and hot-water block
- Choose between filling via spout or overflow outlet
- Mixer must be ordered together with the bathtub
- State positioning option desired. If no option is stated, the mixer will be placed in position 1

		ART no	
		Skandic thermostatic mixer* with extendable hand shower	GB41217143
		Spout	GB41638390
		Overflow outlet for filling**	U90600361
		<p>* Cost for making hole in bathtub for mixer charged separately</p> <p>** Replaces overflow outlet system GB2924300155 and GB2924300156</p>	

OTHER ACCESSORIES

		ART no	
		Ventilation grille	UCCOM1003
		Neck cushion	U9009063000
		Handles (state positioning on order) 1 unit 2 units	GB208B090901 GB208B080901

POSITIONING OPTIONS FOR RIM-MOUNTED MIXER

- State positioning option desired. If no option is stated, the mixer will be placed in position 1



Bathtubs 3400, 3500,
3600, 3970



Bathtubs 1220, 1380



Bathtubs 3410, 3411
Rim-mounted mixer
not possible



Bathtubs 6830, 6831
Rim-mounted mixer
not possible



Bathtubs 2570



Bathtubs 2580