

DO YOU SAVE ENERGY WHILE BRUSHING YOUR TEETH?

Gustavsberg is at the cutting edge worldwide when it comes to mixers. Design, materials and the underlying technology are all second to none. With a mixer from Gustavsberg, you receive not only a product that will keep on working perfectly year after year, but also a fitting that helps you save energy and money every time you use it.

The reason for this is that, thanks to its genius design, the mixer ensures that you never use more or hotter water than you need. Over the years, Gustavsberg's patented energy-saving solutions have won numerous prestigious international awards and prizes – and we are still working to make them even more efficient.



INDEPENDENT CERTIFICATION

The Nordic Quality symbol is allocated to certified sanitation products in line with established requirements controlled by INSTA-CERT. These products meet set criteria for production, guarantee period, spare parts, documentation and technical suitability for installation in the Nordic region.

ENERGY-SAVING



A REVOLUTIONARY ENERGY-SAVING FUNCTION THAT CAN HELP REDUCE YOUR ENERGY CONSUMPTION BY 50%. THE SIMPLE SOLUTION IS BASED ON THE FACT THAT YOU HAVE TO MOVE THE LEVER ACTIVELY ALL THE WAY TO THE LEFT TO REACH THE MAXIMUM WATER TEMPERATURE. WHEN YOU RELEASE THE LEVER, IT AUTOMATICALLY RETURNS TO THE PRESET COMFORT TEMPERATURE, APPROX. 38–40 °C. THE COMFORT TEMPERATURE IS FULLY ADJUSTABLE TO MATCH INDIVIDUAL PREFERENCES.

WATER-SAVING



THIS MIXER HELPS YOU AVOID USING MORE WATER THAN NECESSARY. THE STARTING POSITION PROVIDES A PRESET COMFORT FLOW, WHICH IS SUFFICIENT FOR WASHING UP OR WASHING YOUR HANDS. FOR EXAMPLE, TO OPEN THE FULL FLOW, YOU NEED TO LIFT THE LEVER TO ITS HIGHEST POSITION. WHEN YOU RELEASE THE LEVER, IT AUTOMATICALLY RETURNS TO THE COMFORT FLOW POSITION. THE FLOW FUNCTION IS FULLY ADJUSTABLE TO SUIT INDIVIDUAL PREFERENCES.

ECO-START



AN ENERGY-ECONOMICAL MIXER THAT STARTS AUTOMATICALLY AT A TEMPERATURE OF 17 °C FROM ITS STARTING POSITION (LEVER STRAIGHT AHEAD), HELPING YOU SAVE BOTH ENERGY AND MONEY.

SENSOR-CONTROLLED MIXER



THE SMART SENSOR TECHNOLOGY AUTOMATICALLY HELPS YOU TO SAVE ENERGY AND AVOID WASTING WATER. THE MIXER TURNS ON WHEN YOU PLACE YOUR HANDS IN THE APPROPRIATE POSITION, AND SHUTS OFF AGAIN AS SOON AS YOU REMOVE THEM. DURING CLEANING, COVER THE SENSOR EYE TO DISABLE THE MIXER TEMPORARILY. POWERED BY A STANDARD BATTERY OR TRANSFORMER.

EVEN PRESSURE & TEMPERATURE



THERMOSTATIC MIXERS FEATURE BUILT-IN AUTOMATIC SCALD PROTECTION AND HOT-WATER SAFETY STOP WITH TYPE-APPROVED NON-RETURN VALVES. THIS MEANS THAT THE MIXERS REACT QUICKLY TO THE CHANGES IN TEMPERATURE AND PRESSURE THAT CAN ARISE IN THE WATER FLOW, AND EVEN OUT THE DIFFERENCES.

ANTI-BACTERIAL COLOUR



THE MIXER'S ANTI-BACTERIAL SURFACE TREATMENT ON ALL PAINTED LEVERS AND HANDLES COUNTERACTS THE SPREAD OF BACTERIA (SUCH AS PNEUMOCOCCI AND MULTI-RESISTANT BACTERIA), VIRUSES AND FUNGI, FOR EXAMPLE. THE SURFACE TREATMENT HAS A LONG-TERM EFFECT, PROVEN TO LAST FOR AT LEAST FIVE YEARS.

AUTO-REPAIR COLOURS




THE MIXER FEATURES UNIQUE AUTO-REPAIR PROPERTIES. IN PRACTICE, THIS MEANS THAT MINOR SCRATCHES WHICH APPEAR ON PAINTED LEVERS AND HANDLES IN THE LOGIC RANGE QUITE SIMPLY DISAPPEAR ON THEIR OWN. THE PAINTED SURFACE TREATMENT MAKES THE MIXER MORE DURABLE AND REDUCES THE RISK OF BACTERIA SPREADING.



WE NEVER BOAST. WE'D RATHER TELL YOU THE FACTS.

Our energy-saving washbasin mixers from the Nautic and Logic ranges were awarded the highest possible marks in the stringent efficiency tests developed by SIS TK 519 and Kiwa. The secret of our success is our unique heat and flow functions that result in the mixer immediately returning to its energy-saving comfort position as soon as you release the lever. In this way, it helps you to save incredible amounts of energy, water and even money – automatically. If you want hotter water or to increase the flow, simply move the mixer lever to its outermost position. Nautic and Logic models can also be individually customised, which is yet another feature that makes Gustavsberg mixers stand out from the competition. However, as we say, we never boast. We'd rather tell you the facts.



GUSTAVSBERG'S ENERGY-SAVING NAUTIC AND LOGIC MIXERS WERE AWARDED THE HIGHEST POSSIBLE MARKS WHEN SIS TK 519 AND KIWA TESTED THE ENERGY EFFICIENCY OF A VARIETY OF MIXERS.

GOOD TO KNOW ...

- As standard, all our kitchen and washbasin mixers feature our patented water-saving technology that saves thousands of litres of water every year. And money, too.
- You can adjust or even deactivate all the energy and water-saving functions in our mixers to suit your individual needs.
- All the components are made of food approved materials.
- All our mixers are recyclable. Moreover, they are largely made of recycled metal. When new mixers are installed, 95% of the old ones are recycled. The brass is made into new "raw material" that the brass factory uses to make rods and bars which go into the production of mixers.
- Simple instructions make it easy for you to set up and use your mixer. For example, you can adjust the scald protection quickly and easily without any specialist tools.
- All single-lever mixers feature ceramic seals. These are tested for at least 450,000 pin movements, which is the equivalent of around 20 years of normal use.
- Kitchen mixers are available with shut-offs for dishwashers and washing machines. One of the requirements for the new installation of kitchen mixers is that the water cut-off be located above the worktop. A practical solution is therefore to integrate this cut-off into the mixer.
- Many stainless worktops are so thin that a kitchen mixer with a high spout may feel a little unstable. Therefore, we recommend fitting our mixers on worktops made of thicker material, or in the worktop itself. However, our range does include a stay to keep the mixer stable on thin worktops, too.
- Self-draining outdoor taps are a smart solution. When you turn them off, they automatically drain the water from the pipes in the wall. This eliminates the risk of costly water damage.
- Many of our washbasin mixers are available with a practical side shower for installing on the wall. The shower matches all washbasins, and if you position it close to a toilet, it makes an excellent substitute for a bidet.

IMPORTANT CONCEPTS

The following pages present a number of technical terms that may need a little explanation:

Water connections refers to the pipes that are connected to the water supply. Our mixers have flexible water connections, which are approved for the Nordic market and facilitate installation.

c-c is a measurement ("centre-centre") that refers to the distance between your incoming supply pipes for hot and cold water.

"Change-over" selectors are a feature of bathtub mixers and determine whether the water comes out of the bath spout or the shower head.

WANT TO PEEL POTATOES IN A MORE ECO-FRIENDLY WAY?

A lot of water is used in the kitchen. Far too much, in fact. Leaving the water running may not sound all that dangerous, but we harm the environment when we use more energy than we need. In addition, we pour money down the drain. Literally. Gustavsberg's

kitchen mixers automatically help to ensure that you never use more hot water than you need. In practice, this means that you can save both energy and money, even if you insist on peeling potatoes under running water.




NAUTIC KITCHEN MIXER

Our elegant Nautic mixer is environmentally certified and features functions designed to save both energy and water. It starts at a temperature of 30 °C (lever straight), which is often sufficient. On account of the built-in energy- and water-saving functions, you must actively move the lever up or to the side to increase the temperature or the flow. When you release the lever, it automatically returns to its original energy-saving position. You can adjust or even deactivate all the energy and water-saving functions in our mixers to suit your individual needs.

Nautic mixers are available with low or high spouts. In fact, there are two different versions of the high-spout model.





LOGIC KITCHEN MIXER

Our Logic mood mixer is packed with smart features, both inside and out. It is also the first mixer that can change its identity thanks to exchangeable levers in a variety of colours. The painted levers have been given an anti-bacterial, auto-repairing surface that prevents scratches. This is particularly beneficial in kitchens, where you work with foods. In addition, the Logic mixer contains the same water and energy-saving functions as the Nautic models.



LOGIC KITCHEN MIXER
Sinful Black



LOGIC KITCHEN MIXER
Moody Blue



LOGIC KITCHEN MIXER
Perfect White



LOGIC KITCHEN MIXER
Crazy Orange



LOGIC KITCHEN MIXER
Classy Chrome



COLORIC KITCHEN MIXER

The Coloric colour is made of hard-anodised aluminium, which makes the surface just as hardy as that of a chromed mixer. Coloric is available in five exclusive colours.



COLORIC KITCHEN MIXER
Passionate Red



COLORIC KITCHEN MIXER
Moody Blue



COLORIC KITCHEN MIXER
Heavenly Champagne



COLORIC KITCHEN MIXER
Rough Aluminium

GOOD TO KNOW

- As standard, all our kitchen and washbasin mixers feature our patented water-saving technology that saves thousands of litres of water every year. And money, too.
- You can adjust or even deactivate all the energy and water-saving functions in our mixers to suit your individual needs.
- Our mixers can be recycled. All the components are made of food approved materials.
- Simple instructions make it easy for you to set up and use your mixer. For example, you can adjust the scald protection quickly and easily without any specialist tools.
- Kitchen mixers are available with shut-offs for dishwashers and washing machines.
- All single-lever mixers feature ceramic seals. These are tested for at least 450,000 pin movements, which is the equivalent of around 20 years of normal use.
- One of the requirements for the new installation of kitchen mixers is that the water shut-off be located above the worktop. A practical solution is therefore to integrate this shut-off into the mixer.
- Many stainless worktops are so thin that a kitchen mixer with a high spout may feel a little unstable. Therefore, we recommend fitting our mixers on worktops made of thicker material, or in the worktop itself. However, our range does include a stay to keep the mixer stable on thin worktops, too.

LOGIC WASHBASIN MIXERS

- Energy classification A
- Adjustable comfort flow
- Adjustable comfort temperature
- Approved flexible water connection for easier installation
- Coloured levers as an option
- Possible to lock the hot water temperature for increased scald protection
- Function adaptation with optional levers (see www.gustavsberg.com)

		ART no	
		<p>Logic washbasin mixer Classy Chrome, without waste fitting</p> <p>SUPPLEMENTS Push-down valve, Classy Chrome Captive waste</p> <p>Replacement lever in the following colours: Sinful Black Perfect White Moody Blue Crazy Orange</p>	<p>GB41214951</p> <p>GB41636575 01 GB41637445</p> <p>GB41638515-23 GB41638515-25 GB41638515-36 GB41638515-38</p>
		<p>Logic washbasin mixer with hand shower and wall mounting Classy Chrome, without waste fitting</p> <p>SUPPLEMENTS Push-down valve, Classy Chrome Captive waste</p> <p>Replacement lever in the following colours: Sinful Black Perfect White Moody Blue Crazy Orange</p>	<p>GB41214961</p> <p>GB41636575 01 GB41637445</p> <p>GB41638515-23 GB41638515-25 GB41638515-36 GB41638515-38</p>
		<p>Logic washbasin mixer with hand shower, wall mounting and dishwasher shut-off Classy Chrome, without waste fitting</p> <p>SUPPLEMENTS Push-down valve, Classy Chrome Captive waste</p> <p>Replacement lever and dishwasher shut-off in the following colours: Sinful Black Perfect White Moody Blue Crazy Orange</p>	<p>GB41214991</p> <p>GB41636575 01 GB41637445</p> <p>GB41638520-23 GB41638520-25 GB41638520-36 GB41638520-38</p>

COLORIC WASHBASIN MIXERS

- Hard anodised aluminium, just as scratch resistant as chroming
- Aluminium is 100% recyclable
- Adjustable comfort flow
- Approved flexible water connection for easier installation

		ART no	
		<p>Coloric washbasin mixer without waste fitting</p> <p>Sinful Black Rough Aluminium Heavenly Champagne Moody Blue Passionate Red</p> <p>SUPPLEMENTS Push-down valve Captive waste</p>	<p>GB41219051-23 GB41219051-46 GB41219051-47 GB41219051-36 GB41219051-49</p> <p>GB41636575 01 GB41637445</p>
		<p>Coloric washbasin mixer without waste fitting with chromed hand shower and wall mounting</p> <p>Sinful Black Rough Aluminium Heavenly Champagne Moody Blue Passionate Red</p> <p>SUPPLEMENTS Push-down valve Captive waste</p>	<p>GB41219151-23 GB41219151-46 GB41219151-47 GB41219151-36 GB41219151-49</p> <p>GB41636575 01 GB41637445</p>

NAUTIC WASHBASIN MIXERS

- Energy classification A
- Adjustable comfort flow
- Adjustable comfort temperature
- Approved flexible water connection for easier installation
- Opportunity for function adaptation with optional levers (see www.gustavsberg.com)
- Possible to lock the hot water temperature for increased scald protection

		ART no	
		<p>Nautic washbasin mixer</p> <p>Waste fitting, with lifting shaft Without waste fitting</p>	<p>GB41214041 GB41214047</p>
		<p>Nautic washbasin mixer</p> <p>With combined strainer stopper waste fitting</p>	<p>GB41214043</p>

		<p>Nautic washbasin mixer with hand shower and wall mounting</p> <p>With waste fitting, with lifting shaft With waste fitting and strainer plug valve</p>	GB41214141 GB41214147	
		<p>Nautic washbasin mixer with 150 mm spout movable 80°</p> <p>Without waste fitting</p>	GB41214045	
		<p>Nautic washbasin mixer with 150 mm spout, movable 80° with chromed hand shower and wall mounting</p> <p>Without waste fitting</p>	GB41214145	
		<p>Bottom valves</p> <p>Captive waste Push-down valve</p>	GB41637445 GB41636575 01	
		<p>Extended lever for functional adaptation. Complement to already installed mixers.</p> <p>Lever for all Nautic single lever mixers, chrome Lever for all Nautic single lever mixers, chrome with red and blue mark</p>	GB41637360 01 GB41637363 01	
		<p>3880 Water trap for wall connection The unit consists of a water trap along with pipes and a cap for wall connection.</p> <p>Water trap for wall connection</p> <p>3880 Water trap for floor connection with L-pipe The unit consists of a water trap along with an L-pipe and a cap for floor connection. This water trap is particularly suitable for installations where the drain opening is positioned close to the wall.</p> <p>Water trap for floor connection</p>	GB41103880 00W GB41103880 00L	

SENSOR-CONTROLLED MIXERS FOR WASHBASINS

- Ideal for use in the home as well as in public environments
- Approved flexible water connection for easier installation
- Auto-calibrating – i.e. settings adjusted automatically according to distance to the washbasin
- Batteries included; easily accessible in the mixer
- Temperature knob or plug for fixed temperature
- The sensitivity of the sensor can be adjusted without using tools
- Cleaning mode. Cover the sensor eye for 15 seconds to deactivate the mixer for one minute

		ART no		
		<p>Logic washbasin mixer Without waste fitting, Classy Chrome</p> <p>SUPPLEMENTS Push-down valve Captive waste Transformer</p>		<p>GB41214981</p> <p>GB41636575 01 GB41637445 GB41638561</p>
		<p>Nautic washbasin mixer Without waste fitting</p> <p>SUPPLEMENTS: Push-down valve Captive waste Transformer</p>		<p>GB41214081</p> <p>GB41636575 01 GB41637445 GB41638561</p>

NAUTIC BIDET MIXER

- Adjustable comfort flow
- Adjustable comfort temperature
- Approved flexible water connection for easier installation
- Ball jointed aerator
- Possible to lock the hot water temperature for increased scald protection

		ART no		
		<p>Nautic bidet mixer With waste fitting with lifting shaft</p>		<p>GB41214071</p>

LOGIC THERMOSTATIC SHOWER MIXER

- Reacts quickly to changes in temperature and pressure that can occur in the system
- Built-in automatic scald protection and hot-water block
- Coloured knobs as an option
- Ceramic shut-off for longer service life and reduced risk of leakage

		ART no	
		<p>Logic shower mixer, thermostatic with shower connection downwards</p> <p>160 c-c, Classy Chrome 150 c-c, Classy Chrome</p> <p>For replacement with coloured part. Set of flow and temperature knobs. Sinful Black Perfect White Moody Blue Crazy Orange</p>	<p>GB41204904 GB41214904</p> <p>GB41638528-23 GB41638528-25 GB41638528-36 GB41638528-38</p>
		<p>Logic shower mixer, thermostatic with shower connection upwards</p> <p>160 c-c, Classy Chrome 150 c-c, Classy Chrome</p> <p>For replacement with coloured part. Set of flow and temperature knobs. Sinful Black Perfect White Moody Blue Crazy Orange</p>	<p>GB41204924 GB41214924</p> <p>GB41638528-23 GB41638528-25 GB41638528-36 GB41638528-38</p>

COLORIC THERMOSTATIC SHOWER MIXER

- Reacts quickly to changes in temperature and pressure that can occur in the system
- Built-in automatic scald protection and hot-water block
- Aluminium is 100% recyclable
- Hard anodised aluminium, just as scratch resistant as chroming
- Ceramic shut-off for longer service life and reduced risk of leakage

		ART no	
		<p>Coloric shower mixer thermostatic with shower connection downwards 160 c-c</p> <p>Sinful Black Rough Aluminium Heavenly Champagne Moody Blue Passionate Red</p> <p>Coloric shower mixer thermostatic with shower connection downwards 150 c-c</p> <p>Sinful Black Rough Aluminium Heavenly Champagne Moody Blue Passionate Red</p>	<p>GB41209204-23 GB41209204-46 GB41209204-47 GB41209204-36 GB41209204-49</p> <p>GB41219204-23 GB41219204-46 GB41219204-47 GB41219204-36 GB41219204-49</p>
		<p>Coloric shower mixer thermostatic with shower connection upwards connection 160 c-c</p> <p>Sinful Black Rough Aluminium Heavenly Champagne Moody Blue Passionate Red</p> <p>Coloric shower mixer thermostatic with shower connection upwards connection 150 c-c</p> <p>Sinful Black Heavenly Champagne Rough Aluminium Moody Blue Passionate Red</p>	<p>GB41209224-23 GB41209224-46 GB41209224-47 GB41209224-36 GB41209224-49</p> <p>GB41219224-23 GB41219224-47 GB41219224-46 GB41219224-36 GB41219224-49</p>

NAUTIC THERMOSTATIC SHOWER MIXER

- Reacts quickly to changes in temperature and pressure that can occur in the system
- Built-in automatic scald protection and hot-water block
- Shut-off button on the volume side for comfort flow
- Ceramic shut-off for longer service life and reduced risk of leakage

			ART no	
		Nautic thermostatic shower mixer with shower connection downwards 160 c-c 150 c-c 	GB41205304	
			GB41215304	
		Nautic Thermostatic shower mixer with shower connection upwards 160 c-c 150 c-c 	GB41205324	
			GB41215324	
		Nautic Thermostatic Combi shower mixer shower connection downwards 160 c-c The package consists of: Mixer GB41205304 Shower set GB41103250 150 c-c The package consists of: Mixer Shower set 	GB41205387	
			GB41215387	GB41216304 GB41103250

BATHTUB SPOUTS FOR NAUTIC AND LOGIC THERMOSTATIC MIXERS

- Suits Nautic & Logic showermixers (manufactured January 2013 and later)
- When the spout points forwards, the water comes out of the spout; when it is turned under the mixer, the water comes out of the hand shower
- Turnable bathtub spout improves safety for children playing in the tub
- The spout does not take up any space in the bath

			ART no	
		Turnable bathtub spout	GB41638760	






COLORIC SHOWER MIXER

- Hard anodised aluminium, just as durable as chrome
- Aluminium is 100% recyclable

			ART no	
		Coloric shower mixer 150 c-c, incl. eccentric for mounting as 160 c-c. Shower connection downwards Sinful Black Rough Aluminium Heavenly Champagne Moody Blue Passionate Red 	GB41219004-23 GB41219004-46 GB41219004-47 GB41219004-36 GB41219004-49	





NAUTIC WALL-MOUNTED MIXER

- The hot water connection can be blocked for increased scald protection.
- The adjustable water-saving function is supplied deactivated, but can be adjusted to suit your wishes or requirements.
- The mixers can be combined with all pipes for bathtubs, washbasins or kitchen sinks.

			ART no	
		Nautic shower mixer. Shower connection downwards, with extra water outtake 160 c-c 150 c-c SUPPLEMENTS Valve/extra water outtake 	GB41204004 GB41214004 FG079805705	
		Nautic shower mixer with lever down wards. Shower connection downwards 160 c-c 150 c-c 	GB41204014 GB41214014	
		Nautic shower mixer with lever downwards and shower connection upwards Plugged outlet downwards 160 c-c 150 c-c 	GB41204024 GB41214024	

LOGIC WALL-MOUNTED MIXER

- Can be combined with all spouts for kitchen, washbasin and bathtub uses
- The adjustable water-saving function is supplied deactivated, but can be adjusted to suit your wishes or requirements.
- Plugged connections for extra hot and cold water outlets
- Coloured levers as an option

		ART no	
		Logic mixer for wall mounting 160 c-c, Classy Chrome 150 c-c, Classy Chrome	GB41204934 GB41214934
		Logic spout for model GB41204934/GB41214934 with diverter 85mm spout 150mm spout	GB41636820 GB41633631 GB41633632
		Replacement lever in the following colours: Sinful Black Perfect White Moody Blue Crazy Orange	GB41638515-23 GB41638515-25 GB41638515-36 GB41638515-38
			

LOGIC THERMOSTATIC BATHTUB MIXER

- Reacts quickly to changes in temperature and pressure that can occur in the system
- Built-in automatic scald protection and hot-water block
- Safety button on temperature side at 38°C
- Push-operated selector built into the hose connector
- Ceramic shut-off for longer service life and reduced risk of leakage
- Coloured knobs as accessories
- Turnable bathtub spout improves safety for children playing in the tub

		ART no	
		Logic bathtub mixer, thermostatic 160 c-c, Classy Chrome 150 c-c, Classy Chrome For replacement with coloured part. Set of flow and temperature knobs Sinful Black Perfect White Moody Blue Crazy Orange	GB41204933 GB41214933
			GB41638528-23 GB41638528-25 GB41638528-36 GB41638528-38

COLORIC THERMOSTATIC BATHTUB MIXER

- Reacts quickly to changes in temperature and pressure that can occur in the system
- Built-in automatic scald protection and hot-water block
- Hard anodised aluminium, just as durable as chrome
- Aluminium is 100% recyclable
- Ceramic shut-off for longer service life and reduced risk of leaks
- Safety button on temperature side at 38°C
- Pull diverter
- Approved non-return valves

		ART no	
		Coloric bathtub-mixer, thermostatic 160 c-c Sinful Black Rough Aluminium Heavenly Champagne Moody Blue Passionate Red	GB41209223 -23 GB41209223 -46 GB41209223 -47 GB41209223 -36 GB41209223 -49
			GB41219223 -23 GB41219223 -46 GB41219223 -47 GB41219223 -36 GB41219223 -49

NAUTIC THERMOSTATIC BATHTUB MIXER

- Reacts quickly to changes in temperature and pressure that can occur in the system
- Built-in automatic scald protection and hot-water block
- Safety button on temperature side at 38°C
- Safety button on volume side for comfort flow (approx. 9l/min)
- Pull diverter
- Ceramic shut-off for longer service life and reduced risk of leakage

		ART no	
		Nautic bathtub mixer, thermostatic, with fixed spout 160 c-c The package consists of: Mixer GB41205304 Outlet spout GB41636820	GB41205333
			150 c-c The package consists of: Mixer GB41215304 Outlet spout GB41636820










COLORIC BATHTUB MIXER

- Hard anodised aluminium, just as durable as chrome
- Aluminium is 100% recyclable
- Pull diverter

			ART no	
		<p>Coloric bathtub mixer 150 c-c incl. eccentric for mounting as 160 c-c.</p> <p>Sinful Black Rough Aluminium Heavenly Champagne Moody Blue Passionate Red</p> 		<p>GB41219023-23 GB41219023-46 GB41219023-47 GB41219023-36 GB41219023-49</p>



NAUTIC BATHTUB MIXER

- The hot water connection can be blocked for increased scald protection
- The adjustable water-saving function is supplied deactivated, but can be adjusted to suit your wishes or requirements
- Pull diverter

			ART no	
		<p>Nautic bathtub mixer</p> <p>160 c-c 150 c-c</p> 		<p>GB41204023 GB41214023</p>
		<p>Nautic bathtub mixer</p> <p>160 c-c 150 c-c</p> 		<p>GB41204033 GB41214033</p>
		<p>Nautic bathtub mixer with swivel outlet</p> <p>160 c-c 150 c-c</p> 		<p>GB41204035 GB41214035</p>



COLORIC SHOWER SET

- Hard anodised aluminium, just as durable as chrome
- Aluminium is 100% recyclable
- 1,75 m metal interlock hose
- Hand shower with 3 functions
- Can be combined with all our bathtub and shower mixers

			ART no		
		Coloric shower set with 1.75 m hose. Sinful Black Rough Aluminium Heavenly Champagne Moody Blue Passionate Red		GB41103390-23 GB41103390-46 GB41103390-47 GB41103390-36 GB41103390-49	



SHOWER SET

- Shower hose, 1.75 m
- Hand shower with 3 functions
- Soap shelf with hooks
- Adjustable top fixation
- Wall fixations adapted for gluing or traditional screw-mounting
- Can be combined with all our bathtub and shower mixers

			ART no		
		Shower set with 1.75 meter hose. Including soap shelf with hooks		GB41103250	

NAUTIC II SHOWER SET

- 1,75 m metal interlock hose
- Hand shower with 3 functions
- Adjustable top fixation
- Can be combined with all our bathtub and shower mixers

			ART no		
		Nautic II shower set with 1.75 m hose Crome		GB41104053-00	

FIXED SHOWER SET

- Fixed ceiling shower with generous flow of water
- Hand shower on slider
- Pull diverter
- 1.75 m metallised hose
- For mixers with shower connection upwards
- Can be connected to mixers with shower connection downwards (accessory required)

		ART no		
		G1 Shower set Shower head, 200 x 200 mm		
		G1 Shower set including Nautic thermostatic mixer Mixer, 160 c-c Mixer, 150 c-c	GB41205325	GB41215325
		G1 Shower set without mixer, intended for combination with mixer with shower connection upwards		GB41103225
		Consists of: Fixed ceiling-mounted shower Hand shower on slider Pull diverter 1.75 m metallised hose		
		SUPPLEMENTS Wall mountings (ringed) for installation with shower mixer with shower connection downwards		GB41638464
		G2 Shower set Shower head, dia. 200 mm		
		G2 Shower set including Nautic thermostatic mixer Mixer, 160 c-c Mixer, 150 c-c	GB41205320	GB41215320
		G2 Shower set without mixer, intended for combination with mixer with shower connection upwards		GB41103220
		Consists of: Fixed ceiling-mounted shower Hand shower on slider Pull diverter 1.75 m metallised hose		
		SUPPLEMENTS Wall mountings (ringed) for installation with shower mixer with shower connection downwards		GB41638464

HAND SHOWER AND WALL MOUNTING

- When there is not enough space for a complete shower set with a rail, a separate hand shower with wall mounting may be the solution

		ART no		
		Hand shower		GB41636596 00
		Hose		GB41636266 00
		Wall mounting		GB41637575

LOGIC KITCHEN SINK MIXER

- Energy classification B
- Adjustable comfort flow
- Adjustable comfort temperature
- Approved flexible water connection for easier installation
- Spout swivel 110° (Limit on 0° and 60°)
- Coloured levers as option

				ART no
		<p>Logic kitchen sink mixer with high spout Classy Chrome</p> <p>Replacement lever in the following colours: Sinful Black Perfect White Moody Blue Crazy Orange</p>	<p>GB41204956</p> <p>GB41638515-23 GB41638515-25 GB41638515-36 GB41638515-38</p>	
		<p>Logic kitchen sink mixer with high spout and dishwasher shut-off Classy Chrome</p> <p>Replacement lever and dishwasher shut-off in the following colours: Sinful Black Perfect White Moody Blue Crazy Orange</p>	<p>GB41204996</p> <p>GB41638520-23 GB41638520-25 GB41638520-36 GB41638520-38</p>	

LOGIC KITCHEN SINK MIXER

- Adjustable comfort flow
- Adjustable comfort temperature
- Approved flexible water connection for easier installation
- Coloured levers as an option

			ART no
		<p>Logic kitchen sink mixer with high spout Classy Chrome</p> <p>Replacement lever in the following colours: Sinful Black Perfect White Moody Blue Crazy Orange</p>	<p>GB41204958</p> <p>GB41638515 GB41638515 GB41638515 GB41638515</p>
		<p>Logic kitchen sink mixer with high spout and dishwasher shut-off Classy Chrome</p> <p>Replacement lever and washing machine knob in the following colours: Sinful Black Perfect White Moody Blue Crazy Orange</p>	<p>GB41204998</p> <p>GB41638520 GB41638520 GB41638520 GB41638520</p>

COLORIC KITCHEN SINK MIXERS

- Hard anodised aluminium, just as scratch resistant as chroming
- Aluminium is 100% recyclable
- Approved flexible water connection for easier installation
- Spout swivel 110° or fixed
- Coloric kitchen sink mixers are also ideal for tall worktop wash-basin models

			ART no
		<p>Coloric kitchen sink mixer</p> <p>Sinful Black Rough Aluminium Heavenly Champagne Moody Blue Passionate Red</p>	<p>GB41209055-23 GB41209055-46 GB41209055-47 GB41209055-36 GB41209055-49</p>

NAUTIC KITCHEN SINK MIXERS

- Energy classification B
- Adjustable comfort flow
- Adjustable comfort temperature
- Approved flexible water connection for easier installation
- Spout swivel 110° on low models
- Spout swivel 110° (Limit on 0° and 60°)
- Possible to lock the hot water temperature for increased scald protection

		ART no	
		<p>Nautic kitchen sink mixer with high spout, without dishwasher shut-off</p>	<p>GB41204056</p>
		<p>Nautic kitchen sink mixer with high spout, with dishwasher shut-off</p> <p>SUPPLEMENTS Connection angle to bench dishwasher or coffee machine</p>	<p>GB412040 96 GB41635790-01</p>
		<p>Nautic kitchen sink mixer with high spout, without dishwasher shut-off</p>	<p>GB41204057</p>
		<p>Nautic kitchen sink mixer with high spout, with dishwasher shut-off</p> <p>SUPPLEMENTS Connection angle to worktop dishwasher or coffee machine</p>	<p>GB41204097 GB41635790 01</p>
		<p>Nautic kitchen sink mixer with low cast spout, without dishwasher shut-off</p> <p>With hand shower and counter top bushing</p>	<p>GB41204055 GB41204155</p>

		<p>Nautic kitchen sink mixer with low cast spout, with dishwasher shut-off</p> <p>With hand shower and counter top bushing</p> <p>SUPPLEMENTS Connection angle to bench dishwasher or coffee machine</p>	<p>GB41204095</p> <p>GB41204195</p> <p>GB41635790-01</p>	
		<p>Nautic kitchen sink mixer for wallmounting Moveable outlet spout mounted from above</p> <p>160 c-c</p>	<p>GB41204256</p>	
		<p>Nautic kitchen sink mixer for wallmounting Moveable outlet spout mounted from below and with extra water outlet</p> <p>160 c-c</p> <p>SUPPLEMENTS Valve/extra water outtake</p>	<p>GB41204255</p> <p>FG079805705</p>	

ND 40 KITCHEN SINK MIXERS

- Approved flexible water connection for easier installation
- Spout pivots through 110°
- Possible to lock the hot water temperature for increased scald protection

		<p>ND 40 kitchen sink mixer with high cast spout, without dishwasher shut-off</p> <p>With hand shower and counter top bushing</p>	<p>GB41209455</p> <p>GB41209451</p>	
		<p>ND 40 kitchen sink mixer with high cast spout, with dishwasher shut-off</p> <p>With hand shower and counter top bushing</p> <p>SUPPLEMENTS Connection angle to bench dishwasher or coffee machine</p>	<p>GB41209495</p> <p>GB41209491</p> <p>GB41635790-01</p>	

OUTDOOR TAP

- Simple to install and use
- Can be fitted to old, existing pipes
- Self-draining downwards, which helps protect the façade
- Frost-proof – even if a hose is connected
- For wall thicknesses of max. 400 mm or max. 1000 mm
- With removable key or knob

		ART no	
	<p>Outdoor tap with approved non-return valve and key, self-draining.</p> <p>For wall thicknesses of max. 30-400 mm</p> <p>For wall thicknesses of max. 30-1000 mm</p>		<p>FG1015062</p> <p>GB410105070</p>
	<p>Outdoor tap with approved non-return valve and knob, self-draining.</p> <p>For wall thicknesses of max. 30-400 mm</p>		<p>GB410105061</p>

