



HANSAUNITA

EVERYTHING UNDER CONTROL.




MINIMALIST DESIGN MAXIMUM SAFETY.

It ensures you are warm – but remains cool to the touch:

The **THERMO COOL** function of the new **HANSAUNITA** thermostat makes showering a real pleasure. Installation of the temperature controller on the left-hand side ensures a short flow of hot water, resulting in the metal casing staying cool to the touch.

The water remains at a pleasant temperature, just like the body of the thermostat: Preset to a temperature of 38°C, an additional safety lock prevents unwanted hot surges of water.



Conventional thermostat

HANSAUNITA

The thermal imaging camera shows: Compared to a conventional thermostat in this price segment (top image), heat development at the casing of the **HANSAUNITA** thermostat (bottom image) is reduced considerably thanks to the short flow of hot water.



Consumes up to 60% less water and energy.



Extremely quiet. Fitting complies with the strict conditions under noise protection class 1.



Thermostat is suitable for thermal disinfection. This is particularly important for public or large-scale facilities.



Our thermostats offer maximum safety with protection against scalding.



THERMO COOL. Improved safety – the housing of the fittings conducts minimal heat.



N.

The short adjustment time helps to save energy, and water consumption can also be very easily reduced via an individually adjustable stop ring. Switching to the full flow rate occurs via the water volume saving button.

The simple operation of **HANSAUNITA** is reflected in its minimalist design. Its modern, cylindrical form is perfectly complemented by the precisely defined edge radii and an extremely slim diameter of just 38 mm.

Your advantage: **HANSAUNITA** can be universally applied and wonderfully combined with various bathroom interiors – individually, with a directly connected shower system or a **HANSAVIVA** wall bar set. It is an excellent complement to our products, in particular those of the **HANSA|HOME** segment – not least due to the attractive price.



Some like it hot:

The 38°C safety lock can be deactivated quickly and easily at the push of a button.

CONTROLLABLE. COMBINABLE.

HANSAUNITA.

Its slender, universal design and cool exterior, the numerous combination options and the excellent price/performance ratio make HANSAUNITA the perfect entry-level thermostat for modern bathrooms.

HANSAUNITA

Thermostat



HANSAUNITA
**Shower thermostat mixer,
DN 15 (G 1/2)**
5813 0101 chrome

HANSAUNITA
**Shower thermostat mixer,
DN 15 (G 1/2)**
Centre distance: 120 mm,
only available in NL
5813 0301 chrome

HANSAUNITA
**Shower thermostat mixer,
DN 15 (G 1/2)**
without S-connections
5813 0001 chrome

Shower system



HANSAUNITA
**Shower thermostat
mixer, DN 15 (G 1/2)**
with directly connected
shower system
5814 9103 chrome



HANSAUNITA
Renovation set
with HANSAVIVA wall bar
set 900 mm
(4415 0130)
4813 0131 chrome



HANSAUNITA
Renovation set
with HANSAVIVA wall bar
set 600 mm
(4416 0110)
4813 0121 chrome



HANSAUNITA
Renovation set
with HANSAVIVA wall bar
set 600 mm
(4416 0110), without
S-connections
4813 0021 chrome

HANSA Head Office

Hansa Metallwerke AG
Sigmaringer Str. 107
70567 Stuttgart
Germany
Tel.: +49 711 1614 0
Fax: +49 711 1614 368
info@hansa.de

www.hansa.com

HANSA – ALWAYS THERE FOR YOU.