







ALL FOR HOME






 $V \; E \; R \; S \; A \; T \; I \; L \; I \; T \; Y$ 

INDEX

WALL TILES & FLOOR TILES

**44** 




























HOME BEIGE 20X60



DECOR ARUBA BEIGE I 20X60

DECOR ARUBA BEIGE II

20X60



HOME TORTOLA 45X45



**HOME TORTOLA** 20X60



MIRROR-FRAME TÓRTOTA 60X120



MAURICIO SHOWER SCREEN CORNER DECOR ARUBA (2) BEIGE



SHOWER TRAY ISLA BEIGE



VANITY UNIT ALEXIA DOUBLE DRAWER / SINK TORTOLA 120×50×50











#### HCME



HOME SNOW 20X60



HOME GRAPHITE 20X60



DECOR ARUBA GREY I 20X60



DECOR ARUBA GREY II 20X60



HOME GRAPHITE 45X45



MIRROR-FRAME GRAPHITE 60X120



MAURICIO SHOWER SCREEN FRONTAL DECOR ARUBA (2) GREY



SHOWER TRAY ISLA GRAPHITE




VANITY UNIT ALEXIA DOUBLE DRAWER / SINK GRAPHITE 120X50X50







#### HCME









DECOR SET (2) MOIRA BEIGE 20X60

HOME EARTH 20X60



MIRROR-FRAME BEIGE 60×120



VANITY UNIT SIBEL DOUBLE DRAWER / SINK BEIGE 120X50X50



MAURICIO SHOWER SCREEN FRONTAL DECOR MOIRA (5) BEIGE



SHOWER TRAY ISLA BEIGE

45X45















HCME







HOME SNOW 20X60



DECOR PRODIGY SLATEGREY 20X60



HOME SLATEGREY 45X45



HOME SLATEGREY 20X60



MIRROR-FRAME SLATEGREY 60X120



VANITY UNIT ALEXIA DOUBLE DRAWER / SINK SLATEGREY 120×50×50



BAHAMAS SHOWER SCREEN DECOR PRODIGY (2)



SHOWER TRAY ISLA SLATEGREY





 $V \; E \; R \; S \; A \; T \; I \; L \; I \; T \; Y$ 

S S HCME





## HOME WALL TILES

HOME SNOW 20X60	TI6/M	INCISION HOME SNOW 20X60	T35/M	INCISION SIGMA SNOW 20X60	T37/M
HOME GREY 20X60	T16/M	INCISION HOME GREY 20X60	T35/M	INCISION SIGMA GREY 20X60	T37/M
HOME SLATEGREY 20X60	TI6/M	INCISION HOME SLATEGREY 20X60	T35/M	INCISION SIGMA SLATEGREY 20X60	T37/M
HOME GRAPHITE 20X60	TI6/M	INCISION HOME GRAPHITE 20X60	T35/M	INCISION SIGMA GRAPHITE 20X60	T37/M

# **HOME**





DUNE SNOW TII/M 20X60



DUNE GRAPHITE TII/M 20X60



DUNE GREY TII/M 20X60



DUNE SLATEGREY TII/M 20X60



HOME SNOW TI0/M 10X30



HOME GREY TII/M 10X30



HOME SLATEGREY TII/M 10X30



HOME GRAPHITE TII/M 10X30

B07/M



TUBE SNOW TI0/M 10X30



TUBE GREY TII/M 10X30



TUBE SLATEGREY T11/M 10X30



TUBE GRAPHITE TII/M 10X30

#### FLOOR TILES








B07/M

45X45 PEI IV MOHS 5

HOME SNOW



HOME GREY 45X45 PEI III MOHS 4



HOME SLATEGREY 45X45 PEI III

MOHS 4



HOME GRAPHITE 45X45 B07/M PEI II MOHS 4

B07/M





## HOME WALL TILES

HOME BEIGE 20X60	TI6/M	INCISION HOME BEIGE 20X60	T35/M	INCISION SIGMA BEIGE 20X60	T37/M
HOME EARTH 20X60	TI6/M	INCISION HOME EARTH 20X60	T35/M	INCISION SIGMA EARTH 20X60	T37/M
HOME TORTOLA 20X60	TI6/M	INCISION HOMETORTOLA 20X60	T35/M	INCISION SIGMA TORTOLA 20X60	T37/M

## WALL TILES



TII/M **DUNE BEIGE** 20X60



TII/M **DUNE EARTH** 20X60



TI0/M **TUBE BEIGE** TI0/M 10X30 TUBE EARTH TII/M 10X30

**DUNE TORTOLA** 20X60

**HOMETORTOLA** TII/M 10X30

TII/M

TUBE TORTOLA TII/M 10X30

#### FLOOR TILES







PEI IV MOHS 5



HOME EARTH 45X45 PEI III

B07/M MOHS 4



45X45 PEI III

MOHS 4

B07/M

## WALL TILES







DECOR ARUBA GREY I TI2/P 20X60



DECOR ARUBA GREY II TI2/P 20X60 9






DECOR SET (2) MOIRA SNOW 20X60



**DECOR PRODIGY SNOW** 20X60



DECOR PRODIGY GRAPHITE	
20×60	

PLATINO BRILLO 2X60

8

9 S09/P

28

TI0/P



**DECOR PRODIGY GREY** 20X60





**DECOR PRODIGY SLATEGREY** 20X60

TI0/P 9





DECOR SHABBY GRAPHITE II 20X60

TI6/P 9

### HGME WALL TILES

















MOSAICO HOME GREY 5 B01/P 30X30



MOSAICO DECO GREY 30X30 5 T14/P



MOSAICO WELL GRAPHITE 30X30 II B08/P



MOSAICO LIBET II A09/P 30X30



MALLA HOME GREY 10X60



B09/P

21

C04/P



DECOR QUADRA PERLA 20X20



DECOR QUADRA GRAFITO DECOR QUADRA ROJO 20X20



20X20

21

#### FLOOR TILES





21

CENEFA NEAL SNOW 20X20 TI2/M



TACO NEAL SNOW 20X20 C08/P



SIMAT SNOW 20X20 T12/M



SONEJA SNOW 20X20 T12/M



SISAL SNOW 20X20 T12/M

### **HCME**

WALL TILES



MOSAICO HOME BEIGE 30X30 5 B01/P



MOSAICO DECO BEIGE 30X30 5 T14/P



MOSAICO WELL TORTOLA 30X30 II B08/P



TI6/P

6

MALLA HOME BEIGE 10X60



B09/P



DECOR MANY I 20X60





DECOR MANY II 20X60





DECOR MANY III 20X60



#### FLOOR TILES



CENEFA NEAL BEIGE 20X20 T12/M



TACO NEAL BEIGE 20X20 C08/P



SIMAT BEIGE 20X20 T12/M



SONEJA BEIGE 20X20 T12/M




SISAL BEIGE 20X20 T12/M













60X60

PEI IV MOHS 4 T04/M



HOME GREY PEI IV MOHS 4 60X60 T04/M



HOME GRAPHITE 60X60

PEI III MOHS 4

T04/M

RODAPIE HOME SNOW 7.5X60

**RODAPIE HOME GREY** 7,5X60

C07/P

C07/P

C07/P

**RODAPIE HOME SLATEGREY** 7,5X60

RODAPIE HOME GRAPHITE 7,5X60

C07/P









### PORCELAIN TILES







PEI IV HOME TORTOLA MOHS 4 60X60 T04/M



PEI IV HOME EARTH MOHS 4 60X60 T04/M

RODAPIE HOME BEIGE 7,5X60	C07/P
RODAPIE HOME EARTH	
7,5X60	C07/P
RODAPIE HOMETORTOLA	
7,5X60	C07/P



 $V \; E \; R \; S \; A \; T \; I \; L \; I \; T \; Y$ 

# FUR U R E



### HCME -



VANITY UNITALEXIA



### HCME -



VANITY UNIT ALEXIA SNOW H2 75X50X50



VANITY UNIT ALEXIA SNOW H3 90X50X50



VANITY UNIT ALEXIA SNOW H6 120X50X50



VANITY UNIT ALEXIA
DOUBLE DRAWER / SINK SNOW
120X50X50 H32



VANITY UNIT ALEXIA GREY H2 75X50X50



VANITY UNIT ALEXIA GREY H3 90X50X50



VANITY UNIT ALEXIA GREY H6 120X50X50



VANITY UNIT ALEXIA
DOUBLE DRAWER / SINK GREY
120X50X50 H32



VANITY UNIT ALEXIA SLATEGREY H2 75X50X50



VANITY UNIT ALEXIA SLATEGREY
H3
90X50X50



VANITY UNIT ALEXIA SLATEGREY H6 120X50X50



VANITY UNIT ALEXIA
DOUBLE DRAWER / SINK SLATEGREY
120X50X50 H3:



VANITY UNIT ALEXIA GRAPHITE H2 75X50X50



VANITY UNIT ALEXIA GRAPHITE H3 90X50X50



VANITY UNIT ALEXIA GRAPHITE H6 120X50X50



VANITY UNIT ALEXIA
DOUBLE DRAWER / SINK GRAPHITE
I 20X50X50 H32



VANITY UNIT ALEXIA BEIGE H2 75X50X50



VANITY UNIT ALEXIA BEIGE H3 90X50X50



VANITY UNIT ALEXIA BEIGE H6 120X50X50



VANITY UNIT ALEXIA
DOUBLE DRAWER / SINK BEIGE
I20X50X50



VANITY UNIT ALEXIA EARTH H2 75X50X50



VANITY UNIT ALEXIA EARTH H3 90X50X50



VANITY UNIT ALEXIA EARTH H6 120X50X50



VANITY UNIT ALEXIA
DOUBLE DRAWER / SINK EARTH
120X50X50 H32



VANITY UNIT ALEXIA TORTOLA H2 75X50X50



VANITY UNIT ALEXIA TORTOLA
H3
90X50X50




VANITY UNIT ALEXIA TORTOLA H6 120X50X50




VANITY UNIT ALEXIA
DOUBLE DRAWER / SINK TORTOLA
120X50X50 H32

#### VANITY UNIT ALEXIA






120X50X50







H68

### HCME —



VANITY*UNITSIBEL* 



### HCME -



VANITY UNIT SIBEL SNOW H34 75X50X50



VANITY UNIT SIBEL SNOW H2 90X50X50



VANITY UNIT SIBEL SNOW H3 120X50X50



VANITY UNIT SIBEL
DOUBLE DRAWER / SINK SNOW
120X50X50 H32



VANITY UNIT SIBEL GREYH34 75X50X50



VANITY UNIT SIBEL GREY H2 90X50X50



VANITY UNIT SIBEL GREY H3 120X50X50



VANITY UNIT SIBEL
DOUBLE DRAWER / SINK GREY
120X50X50 H32



VANITY UNIT SIBEL SLATEGREY H34 75X50X50



VANITY UNIT SIBEL SLATEGREY
H2
90X50X50



VANITY UNIT SIBEL SLATEGREY
H3
120X50X50



VANITY UNIT SIBEL
DOUBLE DRAWER / SINK SLATEGREY
120X50X50 H32



VANITY UNIT SIBEL GRAPHITE H34 75X50X50



VANITY UNIT SIBEL GRAPHITE H2 90X50X50



VANITY UNIT SIBEL GRAPHITE H3 120X50X50



VANITY UNIT SIBEL
DOUBLE DRAWER / SINK GRAPHITE
120X50X50 H32



VANITY UNIT SIBEL BEIGE H34 75X50X50



VANITY UNIT SIBEL EARTH H34 75X50X50



VANITY UNIT SIBEL TORTOLA H34 75X50X50



VANITY UNIT SIBEL BEIGE H2 90X50X50



VANITY UNIT SIBEL EARTH H2 90X50X50



VANITY UNIT SIBEL TORTOLA
H2
90X50X50



VANITY UNIT SIBEL BEIGE H3 120X50X50



VANITY UNIT SIBEL EARTH
H3
120X50X50



VANITY UNIT SIBEL TORTOLA H3 120X50X50



VANITY UNIT SIBEL
DOUBLE DRAWER / SINK BEIGE
120X50X50 H32




VANITY UNIT SIBEL
DOUBLE DRAWER / SINK EARTH
120X50X50 Hi





VANITY UNIT SIBEL
DOUBLE DRAWER / SINK TORTOLA
120X50X50 H32

#### VANITY UNIT SIBEL











SUPERIMPOSED

NO

NO

INCLUDED

POSITIONING OF SINK TAPS INCLUDED

ANCHORING MATERIAL

LEGS INCLUDED

H68

### HCME -



SHOWER TRAY ISLA SNOW



SHOWER TRAY ISLA BEIGE



SHOWER TRAY ISLA WHITE



SHOWER TRAY ISLA GREY



SHOWER TRAY ISLA EARTH



SHOWER TRAY ISLA NEGRO METALIZADO




SHOWER TRAY ISLA SLATEGREY



SHOWER TRAY ISLA TORTOLA



SHOWER TRAY ISLA GRAPHITE



#### SHOWERTRAYISLA

### HCME






















53

SHOWER TRAY ISLA HIS 800X1600 mm








\*Considered the Technical Building Code - CTE (applicable to buildings) in effect since the 28th of March of 2006, the floors are classified according to their resistance against slipping, in agreement with the regulation UNE ENV 12633:2003 and always completing the test in a humid environment.



#### BAHAMAS / FIXED SHOWER SCREENS / ENCLOSURES

- \*Important: Indicate where the anchoring should go. Right or left
- \* Height SHOWER SCREEN 195 cm.



#### BAHAMAS / FIXED SHOWER SCREENS / ENCLOSURES DECORS



BAHAMAS SHOWER SCREEN DECOR MOIRA (2) GREY



SHOWER SCREEN BAHAMAS DECOR MOIRA (5) GREY



SHOWER SCREEN BAHAMAS DECOR MOIRA (10) GREY

DECOR MOIRA I BAR	
90	H50
100	H51
110	H52
120	H53

DECOR MO	IRA II BARS
90	H94
100	H95
110	H96
120	H97
140	H98
160	H99

#### BAHAMAS / FIXED SHOWER SCREENS / ENCLOSURES DECORS



BAHAMAS SHOWER SCREEN DECOR PRODIGY (2)



SHOWER SCREEN BAHAMAS DECOR PRODIGY (5)



SHOWER SCREEN BAHAMAS DECOR PRODIGY (10)

DECOR PRO	DIGY I BAR
90	H50
100	H51
110	H52
120	H53

DECOR PROI	DIGY II BARS
90	H94
100	H95
110	H96
120	H97
140	H98
160	H99



BAHAMAS SHOWER SCREEN DECOR ARUBA (2) GREY



SHOWER SCREEN BAHAMAS DECOR ARUBA (5) GREY



SHOWER SCREEN BAHAMAS DECOR ARUBA (10) GREY

DECOR ARI	JBA I BAR
90	H50
100	H51
110	H52
120	H53

DECOR ARU	IBA II BARS
90	H94
100	H95
110	H96
120	H97
140	H98
160	H99

#### **AVAILABLE FOR**









SNOW

GREY


SLATEGREY GRAPHITE

#### MAURICIO / FIXED SHOWER SCREENS / ENCLOSURES


- \* Important: Indicate where the sliding door is. Right or left
- \* Height SHOWER SCREEN 195 cm.



MAURICIO SHOWER SCREEN RIGHT FRONTAL H26 120




MAURICIO SHOWER SCREEN LEFT FRONTAL 120



MAURICIO SHOWER SCREEN RIGHT FRONTAL H27 140



MAURICIO SHOWER SCREEN LEFT FRONTAL H2:



MAURICIO SHOWER SCREEN RIGHT FRONTAL H28 160



MAURICIO SHOWER SCREEN LEFT FRONTAL H28 160

#### MAURICIO / FIXED SHOWER SCREENS / ENCLOSURES DECORS



MAURICIO SHOWER SCREEN FRONTAL DECOR MOIRA (2) GREY



MAURICIO SHOWER SCREEN FRONTAL DECOR MOIRA (5) GREY



MAURICIO SHOWER SCREEN FRONTAL DECOR MOIRA (10) GREY

DECOR	MOIRA
120	H54
140	H55
160	H56

#### MAURICIO / FIXED SHOWER SCREENS / ENCLOSURES DECORS



MAURICIO SHOWER SCREEN FRONTAL DECOR PRODIGY (2)



MAURICIO SHOWER SCREEN FRONTAL DECOR PRODIGY (5)



MAURICIO SHOWER SCREEN FRONTAL DECOR PRODIGY (10)

DECOR P	RODIGY
120	H54
140	H55
160	H56

DECOR ARUBA
120 H54
140 H55
160 H56



MAURICIO SHOWER SCREEN FRONTAL DECOR ARUBA (2) GREY



MAURICIO SHOWER SCREEN FRONTAL DECOR ARUBA (5) GREY



MAURICIO SHOWER SCREEN FRONTAL DECOR ARUBA (10) GREY

#### **AVAILABLE FOR**









SNOW

GREY

SLATEGREY GRAPHITE

#### MAURICIO SHOWER SCREEN CORNER 80 / FORMATS

- \* Important: Indicate where the sliding door is. Right or left
- \* Height SHOWER SCREEN 195 cm.







#### MAURICIO SHOWER SCREEN CORNER 80 / DECORS



MAURICIO SHOWER SCREEN CORNER DECOR MOIRA (2) GREY



MAURICIO SHOWER SCREEN CORNER DECOR MOIRA (5) GREY



MAURICIO SHOWER SCREEN CORNER DECOR MOIRA (10) GREY

DECOR	MOIRA
80X120	H57
80X140	H58
80X160	H59



MAURICIO SHOWER SCREEN CORNER DECOR PRODIGY (2)



MAURICIO SHOWER SCREEN CORNER DECOR PRODIGY (5)



MAURICIO SHOWER SCREEN CORNER DECOR PRODIGY (10)

	THE PASSES	CHRESTON
	CSERPHE FINANCE	SHALL YE LOOK
	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW	
	1997/23/29/2	
	AUGUST STORY	THE MATERIAL
	THE PERSON NAMED IN	458647042500
	THE SALES OF THE SALES	
	1225-16-2303	HILL SETS HE SETS
	**************************************	
	- 3EP-4V-133	4643044411444111
	- MATTER STREET	
	SHARRAG	
	- AUGUST FREE	TENNET TO SERVE OF THE PERSON NAMED IN
	NEW YORK OF THE PARTY OF THE PA	
	216576366	
	MC19702547	VINEED 1757 N. 2006111
	SHALLS.	Street West Town
	- WELTHOUT LLICA	The Year I was
	\$17-KES2	出稿を持ちない
		NEWSTREET, 1997, 721
	- 12F1 M-40U F 151 Sec.	atem tellining to
	- HEZYSTONES	
	- GREENWILLIAMS	
	1 SEASON STATES	
	1941323MH1506	用班子作用源用
		1900 E A 1900 E E E E E E E E E E E E E E E E E E
	THEFT	3日前に7月29年6日
85.0		ARTHUR THE PARTY OF THE PARTY O
	\$124-YC3 EX	COLOR STATE
	<b>用品牌的</b>	
80.02	SCHARK SPRINGE	ALC: UNITED NO.
200		
-		

DECOR PRODIGY 80X120 80X140

DECOR ARUBA 80X120

80X140

80X160

H57

H58

H59

80X160

H58

H59

MAURICIO SHOWER SCREEN CORNER DECOR ARUBA (2) GREY



MAURICIO SHOWER SCREEN CORNER DECOR ARUBA (5) GREY



MAURICIO SHOWER SCREEN CORNER DECOR ARUBA (10) GREY

#### **AVAILABLE FOR**









SNOW

**GREY** 

SLATEGREY GRAPHITE

#### MAURICIO SHOWER SCREEN CORNER 90 / FORMATS

- $^{\star}$  Important: Indicate where the sliding door is. Right or left
- \* Height SHOWER SCREEN 195 cm.



#### MAURICIO SHOWER SCREEN CORNER 90 / DECORS



MAURICIO SHOWER SCREEN CORNER DECOR MOIRA (2) GREY



MAURICIO SHOWER SCREEN CORNER DECOR MOIRA (5) GREY



MAURICIO SHOWER SCREEN CORNER DECOR MOIRA (10) GREY

DECOR MOIRA	
90X120	H60
90X140	H61
90X160	H62



MAURICIO SHOWER SCREEN CORNER DECOR PRODIGY (2)



MAURICIO SHOWER SCREEN CORNER DECOR PRODIGY (5)



MAURICIO SHOWER SCREEN CORNER DECOR PRODIGY (10)



DECOR ARUBA 90X120 H60 90X140 H61

H62

90X160

DECOR PRODIGY 90X120

90X140

90X160

H60

H61

H62



MAURICIO SHOWER SCREEN CORNER DECOR ARUBA (2) GREY



MAURICIO SHOWER SCREEN CORNER DECOR ARUBA (5) GREY



MAURICIO SHOWER SCREEN CORNER DECOR ARUBA (10) GREY

#### **AVAILABLE FOR**










SNOW

GREY

SLATEGREY GRAPHITE

#### BAHAMAS / FIXED SHOWER SCREENS / ENCLOSURES

- \*Important: Indicate where the anchoring should go. Right or left
- \* Height SHOWER SCREEN 195 cm.



#### BAHAMAS / FIXED SHOWER SCREENS / ENCLOSURES DECORS



BAHAMAS SHOWER SCREEN DECOR MOIRA (2) BEIGE



SHOWER SCREEN BAHAMAS DECOR MOIRA (5) BEIGE



SHOWER SCREEN BAHAMAS DECOR MOIRA (10) BEIGE

DECOR MOIRA I BAR	
90	H50
100	H51
110	H52
120	H53

DECOR MOIRA II BARS	
90	H94
100	H95
110	H96
120	H97
140	H98
160	H99



BAHAMAS SHOWER SCREEN DECOR PRODIGY (2)



SHOWER SCREEN BAHAMAS DECOR PRODIGY (5)



SHOWER SCREEN BAHAMAS DECOR PRODIGY (10)

DECOR PRODIGY I BAR	
90	H50
100	H51
110	H52
120	H53

DECOR PRODIGY II BARS	
90	H94
100	H95
110	H96
120	H97
140	H98
140	Шоо



DECOR ARUBA (2) BEIGE



SHOWER SCREEN BAHAMAS DECOR ARUBA (5) BEIGE



SHOWER SCREEN BAHAMAS DECOR ARUBA (10) BEIGE

DECOR ARUBA I BAR	
90	H50
100	H51
110	H52
120	H53

DECOR ARUBA II BARS	
90	H94
100	H95
110	H96
120	H97
140	H98
160	H99

#### **AVAILABLE FOR**





BEIGE

EARTH


TORTOLA

#### MAURICIO / FIXED SHOWER SCREENS / ENCLOSURES

- \* Important: Indicate where the sliding door is. Right or left
- \* Height SHOWER SCREEN 195 cm.



MAURICIO SHOWER SCREEN RIGHT FRONTAL H26 120



MAURICIO SHOWER SCREEN LEFT FRONTAL 120




MAURICIO SHOWER SCREEN RIGHT FRONTAL H27 140



MAURICIO SHOWER SCREEN LEFT FRONTAL H



MAURICIO SHOWER SCREEN RIGHT FRONTAL H28 160



MAURICIO SHOWER SCREEN LEFT FRONTAL H28 160

#### MAURICIO / FIXED SHOWER SCREENS / ENCLOSURES DECORS



MAURICIO SHOWER SCREEN FRONTAL DECOR MOIRA (2) BEIGE



MAURICIO SHOWER SCREEN FRONTAL DECOR MOIRA (5) BEIGE



MAURICIO SHOWER SCREEN FRONTAL DECOR MOIRA (10) BEIGE

DECOR MOIRA	
120	H54
140	H55
160	H56



MAURICIO SHOWER SCREEN FRONTAL DECOR PRODIGY (2)



MAURICIO SHOWER SCREEN FRONTAL DECOR PRODIGY (5)



MAURICIO SHOWER SCREEN FRONTAL DECOR PRODIGY (10)



DECOR ARUBA H54 140 160 H56

DECOR PRODIGY

H55 H56

140

160



MAURICIO SHOWER SCREEN FRONTAL DECOR ARUBA (2) BEIGE



MAURICIO SHOWER SCREEN FRONTAL DECOR ARUBA (5) BEIGE



MAURICIO SHOWER SCREEN FRONTAL DECOR ARUBA (10) BEIGE

#### **AVAILABLE FOR**








BEIGE

EARTH

TORTOLA

#### MAURICIO SHOWER SCREEN CORNER 80 / FORMATS

- \* Important: Indicate where the sliding door is. Right or left
- \* Height SHOWER SCREEN 195 cm.



#### MAURICIO SHOWER SCREEN CORNER 80 / DECORS



MAURICIO SHOWER SCREEN CORNER DECOR MOIRA (2) BEIGE



MAURICIO SHOWER SCREEN CORNER DECOR MOIRA (5) BEIGE



MAURICIO SHOWER SCREEN CORNER DECOR MOIRA (10) BEIGE

DECOR MOIRA	
80X120	H57
80X140	H58
80X160	H59

H22

H22



MAURICIO SHOWER SCREEN CORNER DECOR PRODIGY (2)



MAURICIO SHOWER SCREEN CORNER DECOR PRODIGY (5)



MAURICIO SHOWER SCREEN CORNER DECOR PRODIGY (10)



DECOR ARUBA	
80X120	H57
80X140	H58
80X160	H59

DECOR PRODIGY 80X120 80X140

80X160

H58

H59



MAURICIO SHOWER SCREEN CORNER DECOR ARUBA (2) BEIGE



MAURICIO SHOWER SCREEN CORNER DECOR ARUBA (5) BEIGE



MAURICIO SHOWER SCREEN CORNER DECOR ARUBA (10) BEIGE

#### **AVAILABLE FOR**







BEIGE

EARTH

TORTOLA

#### MAURICIO SHOWER SCREEN CORNER 90 / FORMATS

- $^{\star}$  Important: Indicate where the sliding door is. Right or left
- \* Height SHOWER SCREEN 195 cm.



#### MAURICIO SHOWER SCREEN CORNER 90 / DECORS



MAURICIO SHOWER SCREEN CORNER DECOR MOIRA (2) BEIGE



MAURICIO SHOWER SCREEN CORNER DECOR MOIRA (5) BEIGE



MAURICIO SHOWER SCREEN CORNER DECOR MOIRA (10) BEIGE

 DECOR MOIRA

 90X120
 H60

 90X140
 H61

 90X160
 H62



MAURICIO SHOWER SCREEN CORNER DECOR PRODIGY (2)



MAURICIO SHOWER SCREEN CORNER DECOR PRODIGY (5)



DECOR PRODIGY 90X120 90X140

DECOR ARUBA 90X120 90X140

90X160

H61

H62

90X160

H61

H62

MAURICIO SHOWER SCREEN CORNER DECOR PRODIGY (10)



MAURICIO SHOWER SCREEN CORNER DECOR ARUBA (2) BEIGE



MAURICIO SHOWER SCREEN CORNER DECOR ARUBA (5) BEIGE



MAURICIO SHOWER SCREEN CORNER DECOR ARUBA (10) BEIGE

#### **AVAILABLE FOR**







BEIGE

EARTH

TORTOLA

### TECHNICAL CHARACTERISTICS/COUNTERTOP

Our products have a five year warranty for manufacture defects.

The warranty is invalid if the defects are due to the inappropriate use by the customer.

# TECHNICAL CHARACTERISTICS The countertop SOLID SURFACE is a solid non-porous surface, renewable and with easy maintenance. A routine care is sufficient to keep their appearance like new. Its seamless surfaces without pores prevent the appearance of mold and moisture, is an anti-bacterial countertop. PERIODIC CARE For care you can use any conventional cleaning agent, however we recommend to use a mild detergent (brand "CIF" or similar) andfine-grained sponge (included in this kit) to keep its wonderful aspect. MAINTENANCE RENEWAL As the SOLID SURFACE countertop has the same structure and the same color in all mass the damage can be easily repaired. In case of damage of the surface with small scratches or burns you should act as follows: sand the damaged area with a semi-fine sandpaper (320) with a circular motion until the scratch disappears. Finish with fine grit sandpaper (400/600) to match the rest of the surface. WARRANTY

## TECHNICAL CHARACTERISTICS/SHOWER SCREENS



#### **DECORATIVE SHOWER SCREENS**

- \*\*The Imagik decor tiles are certified through the ASTM D870 and ASTM D2247 regulations under the conditions of normal use.
- \*\*We guarantee a lasting design on the glass. When two glass partitions overlap, the design is repeated to avoid confusion with the images.
- \*\*If there is a shower stall with three decor glass structures and the middle one breaks, there is no need to buy a new shower stall, the one partition can be replaced and we guarantee that the design with coincide without any complications.
- \*\*Unlike traditional glazed decor shower screens, the Imagik decor design is found inside the glass, on the side that is in contact with the water, so an anti-limescale treatment can also be applied on to the designs so the overall maintenance is the same as it would be without the decor design.
- \*\*It is very important, when ordering the MOIRA shower screens, to indicate if the fixed side is to go on the right or the left and when ordering the BAHAMAS shower screens, if it is to be fixed on the left or on the right. Keep in mind this is always based on looking at the shower partition from the outside-in.
- \*\*The product has a three year guarantee.

We meet the following regulations:

ISO 9001:2008 (Quality Control)

**UNE 166002:2006** (Management of I + D + i)

**CE** (Mark in accordance with regulations)

#### TECHNICAL CHARACTERISTICS

- 6 print colours that allow for realistic combinations and tones.
- Translucent ink applied by print head injection.
- Up to 600 dpi resolution.
- Imagik technology offers an unchanging nature in time based on the **UNENE141128** normative in relation to regular use and cleanliness in domestic areas.

(Below are cleaning suggestions and additional information regarding Imagik).

# TECHNICAL CHARACTERISTICS/SHOWER SCREENS

TEKNOCLEAN was born from our love for innovation. It is an intelligent system based on nanotechnology. It is applied to the glass surface and it forms a protective film that repels liquids and minimizes the incrustations of dirt and lime scale deposits. This treatment offers our customers spotless, fast and long-lasting cleanliness.

A study made by EnduroShield certifies the effectiveness and reliability of the system TEKNOCLEAN system, after a great number of rigorous resistance testing our system obtained excellent results and certified that the application methods provide a correct adhesion. This allows shower screens to be cleaned in an easier and more comfortable way.

\*The anti-lime scale treatment is not a self-cleaning treatment. For this reason we recommend regularly cleaning your shower screen with the products recommended by the manufacturer. The durability of the treatment can reach 8 years if the adequate maintenance requirements are followed.

#### **CLEANING SUGGESTIONS**

**TEKNOCLEAN** is a system which provides shower screens with a treatment that is applied to glass and forms a protective layer that repels liquids and minimizes lime scale stains and dirt helping maintain a brand new look over time.

This innovative system allows for faster and more effective cleaning with less effort.

Even with **TEKNOCLEAN**, all shower screens need some care to maintain a clean and impeccable look over a long period of time.

Humidity is the main enemy of shower screens as it can cause the formation of bacteria and mould. A few practical ways to maintain glass shower screens in good condition are:

- Ventilate the washroom
- Dry the shower stall after each use with a cloth that does not leave fluff or a rubber squeegee. The more the stalls are cleaned, the easier it is to get rid of any accumulation of filth. This way, we can avoid staining and the lime scale accumulation on the shower screens.

Specific products used for cleaning glass shower screens

- Choose cleaners that will not harm metallic surfaces, in no way whatsoever should abrasive cloths, scrubbers or harmful materials be used.
- Only use neutral products without acidic, chemical or reactive agents (like bleach, ammonia, acids etc.), as they can scratch or harm the glass, especially if the shower stall has recently received special treatments.
- Do not use any descaling products or acids that contain sodium hypochlorite, sodium hydroxide or any other products that are unsuitable for cleaning lacquered surfaces, including abrasive detergents with a chlorine base or products that contain bleach or solvents as these can damage both the stall frames and the paint. The use of these products can cause corrosion, paint to blister and/or deteriorate the serigraph.



#### **CLEANING PROCESS**

- Rub the shower stall with the cleaning product
- Let it work for a few minutes
- Scrub with a non-abrasive sponge and let it dry well until it is clean and shiny.

This process is always the same; it is recommendable to dry the surface of the shower stall after every use, especially the lower areas, to help avoid damaging the finish where the water residuals are in contact with the metal or accessories.

#### **BRILLIANT ADVANTAGES**

- Easier Cleaning
- Longer brand new look
- Minimizes lime scale deposits and polluting substances
- Non-stick surface
- Covering is resistant to usual cleaning products
- Protection against difficult stains such as oils and fatty substances

# INSTALATION INSTRUCTIONS/SHOWER TRAY ISLA

#### PRODUCT PRESENTATION

The shower tray Isla is made of polyester resin, quartz and dolomites with a polyurethane paint cover of high quality **UNE 12720**, with the following characteristics:

- Antibacterial: JISZ 2801:2006 that prevents any microorganism from settling on its surface.
- $\bullet$  Antislip: class 3 over flat surface with an inclination of  $6^\circ$
- Hydrolysis resistant: no alteration after 7 days immersed in water
- Resistant to domestic cleaning products: superficial hardness 5 H

The results of our "resistance to cleaning products tests" have been:

BLEACH	24 hours	without visible changes
ANTIBACTERIAL DISINFECTANT	24 hours	without visible changes
ANTI LIME CLEANER	24 hours	without visible changes
VINEGAR	24 hours	without visible changes
AMMONIA	24 hours	without visible changes
CILLIT BANG	24 hours	without visible changes
INDUSTRIAL ACETONE	1 minute	without visible changes
ISOPROPANOL	5 minutes	moderate change of colour
ETHYL ALCOHOL	5 minutes	without visible changes
HAIR COLOUR	15 minutes	without visible changes
HYDROGEN PEROXIDE	24 hours	light change of colour
POVIDONE IODINE	24 hours	without visible changes
WINE	24 hours	without visible changes

This is a high-quality, design product that requires a correct and careful installation done by a qualified professional.



#### 1° BEFORE INSTALLING

Check the tray for any damage.

Check that the shower tray is the colour, size, shape and type the customer requires (all shower trays can be cut with a grinder with diamond disk)

#### 2° SELECT AN OPTION OF INSTALLATION

This depends mainly of the depth and distance where the drainpipe or siphon is placed as these factors will determine the tilt of the installation and therefore an optimal drainage capacity.

- recessed to the floor
- suspended over the floor (a base should be lifted and filled)

This decision must be taken depending on the result of a drainage test. It must be tested with the valve placed in the position where it should be once installed and determine the minimum height where the water flows correctly through the installation. This minimum height will determine the final position of the shower tray.

#### 3° PREPARATION OF THE FLOOR

As any synthetic based shower tray, the shower tray Isla is a product with some elasticity that lets it withstand temperature changes perfectly. However, it is necessary to be set on a base that is compact, level and dry (in any case there must be a maximum fall of 0.5% for drainage). If this in not done, when the grey cement mortar dries, it can pull from the shower tray and make it curve or even crack.

The base must be of mortar, at least the top side in contact with the shower tray, never of sand as the sand would eventually be pressed and not perform its function correctly.

On the base, there must only be the minimum space necessary to work with the collocation of the valve and a trench for the drain pipe.

# INSTALATION INSTRUCTIONS/SHOWER TRAY ISLA

#### 4° INSTALLATION OF DRAIN

Once the drain has been placed in its definitive position and connected to the pipe (we recommend a PVC flexible hose to make it easier), the appropriate tests must be undertaken to check that the water drains and there are no leaks in any part of the installation.

It is also important to check that any element of the installation stands out of the base level, as this would cause an irregular settlement of the shower tray that could deform it (be especially careful if the valve is over the base level).

#### 5° LAYING OF THE SHOWER TRAY

Unpack the shower tray very carefully in order to not hit or scratch it with the tools used to open the box. The plastic protector and the cardboard will be used to protect the shower tray when laying it.

When attaching the shower tray, we recommend to apply over the mortar base (previously made and dried) longitudinal strips of any kind of polyurethane sealant such as sikaflex or similar or, when that is not possible, concrete glue.

Lay the shower tray in its final position making it coincide with the drain, with space for the valve and then lay the valve following the instructions of the manufacturer.

It is necessary to use a non-siphon valve if the installation already has the waste trap since if it is not so, the capacity of evaluation of this installation can be affected (the valve of the shower tray can become siphon or non-siphon easily, following the instructions provided with the valve).

The shower tray should fit into the walls preferably between 0.5 and 1 mm to allow tiling down onto the tray surface. That guarantees a better impermeability in the joints with the walls. It is advisable to leave a little margin of 2 mm between the tile and the shower tray, as an expansion joint that will be sealed with silicone afterwards.

Adjust the shower tray checking that it is well-attached and level in both directions, so that it can drain before tiling the rest of the wall and laying the shower screen, in any case APE will not cover the cost derived from the replacement of shower screens or tiles laid on the shower tray.

Remove the plastic protector and put silicone on the entire perimeter in contact with the wall (with mould-preventing silicone) that must be left to dry at least 24 hours before using the shower tray.



#### **6°** FINISHING THE WORK

The final process is tiling and grouting the walls, the shower tray must be protected with plastic so that it is not stained with cement of fine mortar. If this occurs, these must be cleaned quickly with a damp sponge before they dry, otherwise the cleaning can be very laborious, and can even damage the shower tray since very powerful products or metallic tools and swabs must be used, which are not recommended at all.

Take special care when cleaning the excess cement in the joint of the walls since, in many occasions, many products are used, such as acids to remove cement or etching, that drain and are deposited for a long time on the shower tray and this can damage the outer layer. The shower tray is prepared to withstand this kind of products but only for a short period of time. That's why we have to rinse it off and clean it quickly.

Never use the shower tray as a garbage dump of the remains of the work, especially cement, which can stick to the shower tray or to the drain and could generate a lot of problems.

All of these damages on the polyurethane paint that covers the shower tray that are a result of not following the abovementioned instructions are not covered by the guarantee.

#### 7° CLEANING AND MAINTENANCE

The shower tray can be cleaned with any product suitable for cleaning, except for those contraindicated for derivatives of marble (read the instructions of the product) and then rinsing with water.

It is recommended to clean it with soap and water with a damp soft cloth or sponge, never with a scourer.

For disinfecting, you can use bleach or diluted ammonia and rinse it off afterwards.

Against cement stains, you can use salfuman (never mix it with bleach as it produces a very toxic gas) but very carefully as its gases can damage the chromium plating so it is recommended to use it before installing shower screens and taps.

Anti-lime products can be used but only leaving them to act for a short period of time and then rinsing it off with plenty of water.

APE will not cover any problem in any of the shower trays Isla of the Home Collection by APE that have been installed or maintained in any different way than indicated previously in these instructions.



The reproduction of the colours is approximate. APE reserves the right to alter or amend the products here stated. Price codes and product codes should be checked, since there may be typographical errors.