

# HUB

DESIGN CORE



**MIRAGE**<sup>®</sup>  
Porcelain.Design.Sustainability

# HUB

## ESSENTIAL

**MOOD ESSENZIALE, DALLA SPICCATÀ LINEARITÀ.**

**NO-FRILLS, LINEAR MOOD.**

**ELEMENTARE MOOD MIT AUSGEPRÄGTER LINEARITÄT.**

**AMBIANCE ESSENTIELLE, À LA LINÉARITÉ PRONONCÉE.**

**MOOD ESENCIAL CON LINEALIDAD MARCADA.**

风格简约，线性凸显。



**BEDROOM**  
P 6



**STORE**  
P 8



**OUTDOOR**  
P 10



**LIVING ROOM**  
P 12



**SPA**  
P 14

## CONTEMPORARY ROUGH

**MOOD CONTEMPORANEO CON ACCENTI RUSTICI.**

**CONTEMPORARY MOOD WITH A COUNTRY ACCENT.**

**ZEITGEMÄSSE MOOD MIT RUSTIKALEN AKZENTEN.**

**AMBIANCE CONTEMPORAINE AVEC DES ACCENTS RUSTIQUES.**

**MOOD CONTEMPORÁNEO CON TOQUES RÚSTICOS.**

风格时尚，仿古气息。



**LIVING ROOM**  
P 20



**BATHROOM**  
P 24

## ELEGANT

**MOOD ELEGANTE E SOBRIO.**

**ELEGANT, RIGOROUS MOOD.**

**ELEGANTE, DEZENTE MOOD.**

**AMBIANCE ÉLÉGANTE ET SOBRE.**

**MOOD ELEGANTE Y SOBRIO.**

风格优雅而简约。



**LIVING ROOM**  
P 28



**COFFEE SHOP**  
P 32




**BATHROOM**  
P 34


# HUB

DESIGN CORE

## SIZES



## THICKNESSES



## FINISHES

- NATURALE / NATURAL
- LAPPATA / SMOOTH
- STRUTTURATA / STRUCTURED
- SCALPELLATA
- BOCCIARDATA

## WARM COLOURS

- UB09 COMPACT
- UB08 CLASS
- UB07 TRAVEL
- UB10 BRIGHT

## COLD COLOURS

- UB01 FOAM
- UB02 PAGE
- UB03 STORE
- UB04 CONCEPT
- UB05 URBAN
- UB06 VOLUME





# PAGE UB 02

**BENCH**  
FOAM UB 01 SC SQ 600X600 / 24"X24"  
**FLOOR**  
PAGE UB02 NAT SQ 300x600 / 12"x24"



PAGE 02



PAGE 03

# STORE UB 03

## FLOOR


STORE UB 03 NAT SQ 1200X1200 / 48”X48”

## WALL

BRIGHT UB 10 NAT SQ 1200X2780 / 48”X110”

## BENCH

JURUPA MASTER JP 03 NAT SQ 20X1200 / 8”X48”



# URBAN UB 05

## WALL

GLOCAL CORTEN GC 21 SP 1200X2780 / 48"X110"

## OUTDOOR FLOOR

URBAN UB 05 SC SQ 600X600 / 24"X24"





# COMPACT UB 09

## FLOOR

COMPACT UB 09 NAT SQ 1200X1200 / 48"X48"

## WALL

FOAM UB 01 SC SQ 150X600 / 6"X24"

## TABLE

JEWELS, SENECA WHITE JW 13 LUC





# URBAN UB 05

## FLOOR AND STEPS

URBAN UB 05 SC SQ

600X600 / 24"X24"

## WALL

URBAN UB 05 SC SQ

150X600 / 6"X24"

## BENCH

JURUPA CAMP JP 04 NAT SQ

200X1200 / 8"X48"





**WALL**

URBAN UB05 SC 150x600 / 3"x24"

**BENCH**

JURUPA CAMP JP04 NAT SQ 200X1200 / 8"x48"

**SHELF**

URBAN UB05 NAT SQ 600X600 / 24"x24"





# CONCEPT UB 04

## FIREPLACE

FOAM UB01 NAT SQ 1200x2780 / 48"x110"

## FLOOR

CONCEPT UB04 NAT SQ 1200x1200 / 48"x48"





**WALL**  
FOAM UB01 NAT SQ 1200x2780 / 48"x110"  
**RECESS**  
FOAM UB01 SC SQ 150x600 / 3"x24"  
**FLOOR**  
CONCEPT UB04 NAT SQ 1200 x1200 / 48"x48"



# TRAVEL UB 07

## FLOOR

TRAVEL UB 07 NAT SQ 600X600 / 24"X24"

## WALL

COMPACT UB 09 NAT SQ 150X600 / 6"X24"

## SHELF

TRAVEL UB 07 NAT SQ 1200X27800 / 48"X110"

## VANITY TOP

JURUPA WILD JP 04 NAT SQ 20X120 / 8"X48"





FLOOR  
CONCEPT UB 04 NAT SQ 600X600 / 24"24"  
TABLE  
JEWELS TUSCANY WHITE JW 13 LUC

# CLASS UB 08

FLOOR  
CLASS UB 08 LAPP SQ  
600X600 / 24"X24"  
WALL  
FOAM UB 01 SC SQ  
150X600 / 6"X24"







**FLOOR**  
CLASS UB 08 LAPP SQ 600X600 / 24"X24"  
**WALL**  
FOAM UB 01 SC SQ 150X600 / 6"X24"



# STORE UB 03

## WALL

STORE UB03 ST SQ 200x1200 / 8"x48"

DIFFERENTI EFFETTI MISCELATI RANDOM ALL'INTERNO DELLE SCATOLE

SEVERAL EFFECTS MIXED RANDOMLY INSIDE THE BOXES



# VOLUME UB 06

## FLOOR

VOLUME UB 06 NAT SQ

600X600 / 24"X24"

## WALL

BRIGHT UB 10 NAT SQ

150X600 / 6"X24"

300X600 / 12"X24"

## OUTDOOR WALL

STORE UB 03 SC SQ

150X600 / 6"X24"





**FLOOR**

VOLUME UB 06 NAT SQ 600X600 / 24"X24"

**WALL**

BRIGHT UB 10 NAT SQ 150X600 / 6"X24" - 300X600 / 12"X24"



# HUB

UB01 FOAM

**e 6 mm** 1200x2780 / 48"x110"  
NAT SQ

**e 9 mm** 1200x1200 / 48"x48"  
NAT SQ

600x1200 / 24"x48"  
NAT SQ

600x600 / 24"x24"  
NAT SQ  
SC SQ  
BC SQ  
LAPP SQ

300x600 / 12"x24"  
NAT SQ

150x600 / 6"x24"  
NAT SQ  
150x600 / 6"x24"  
SC SQ

300x300 / 12"x12"  
NAT NO SQ

**e 11 mm** 300x300 / 12"x12"  
NAT NO SQ

## STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 111 Grigio Argento

KERAKOLL 02 Grigio Luce

LATICRETE 88 Silver Shadow



# HUB

UB02 PAGE

**e 6 mm** 1200x2780 / 48"x110"  
NAT SQ

**e 9 mm** 1200x1200 / 48"x48"  
NAT SQ

600x1200 / 24"x48"  
NAT SQ

600x600 / 24"x24"  
NAT SQ  
SC SQ  
BC SQ  
LAPP SQ

300x600 / 12"x24"  
NAT SQ

150x600 / 6"x24"  
NAT SQ  
150x600 / 6"x24"  
SC SQ

300x300 / 12"x12"  
NAT NO SQ

**e 11 mm** 300x300 / 12"x12"  
NAT NO SQ

## STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 282 Grigio Bardiglio

KERAKOLL 04 Grigio Ferro

LATICRETE 78 Sterling Silver



# HUB

UB03 STORE

e 6 mm

1200x2780 / 48"x110"  
NAT SQ

e 9 mm

1200x1200 / 48"x48"  
NAT SQ

600x1200 / 24"x48"  
NAT SQ

200x1200 / 8"x48"  
ST SQ - MIXED EFFECTS

600x600 / 24"x24"  
NAT SQ  
SC SQ  
BC SQ  
LAPP SQ

300x600 / 12"x24"  
NAT SQ

150x600 / 6"x24"  
NAT SQ  
150x600 / 6"x24"  
SC SQ

75x600 / 3"x24"  
NAT NO SQ - MIXED EFFECTS

300x300 / 12"x12"  
NAT NO SQ

e 11 mm

300x300 / 12"x12"  
NAT NO SQ

## STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 282 Grigio Bardiglio 

KERAKOLL 04 Grigio Ferro 

LATICRETE 78 Sterling Silver 



# HUB

UB04 CONCEPT

e 9 mm

1200x1200 / 48"x48"  
NAT SQ

600x1200 / 24"x48"  
NAT SQ

600x600 / 24"x24"  
NAT SQ  
BC SQ  
LAPP SQ

300x600 / 12"x24"  
NAT SQ

150x600 / 6"x24"  
NAT SQ

300x300 / 12"x12"  
NAT NO SQ

## STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 728 Grigio Scuro 

KERAKOLL 05 Antracite 

LATICRETE 78 Sterling Silver 



# HUB

UB05 URBAN

e 6 mm

1200x2780 / 48"x110"  
NAT SQ

e 9 mm

1200x1200 / 48"x48"  
NAT SQ

600x1200 / 24"x48"  
NAT SQ

200x1200 / 8"x48"  
ST SQ - MIXED EFFECTS

600x600 / 24"x24"  
NAT SQ  
SC SQ  
BC SQ  
LAPP SQ

300x600 / 12"x24"  
NAT SQ

150x600 / 6"x24"  
NAT SQ  
150x600 / 6"x24"  
SC SQ

75x600 / 3"x24"  
NAT NO SQ - MIXED EFFECTS

300x300 / 12"x12"  
NAT NO SQ

e 11 mm

300x300 / 12"x12"  
NAT NO SQ

## STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 119 Grigio Londra 

KERAKOLL 05 Antracite 

LATICRETE 42 Platinum 



# HUB

UB06 VOLUME

e 9 mm

1200x1200 / 48"x48"  
NAT SQ

600x1200 / 24"x48"  
NAT SQ

600x600 / 24"x24"  
NAT SQ  
BC SQ  
LAPP SQ

300x600 / 12"x24"  
NAT SQ


150x600 / 6"x24"  
NAT SQ

300x300 / 12"x12"  
NAT NO SQ

## STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 112 Grigio Medio 

KERAKOLL 44 Cemento 

LATICRETE 89 Smoke Grey 



# HUB

UB07 TRAVEL

**e 6 mm** 1200x2780 / 48"x110"  
NAT SQ

**e 9 mm** 1200x1200 / 48"x48"  
NAT SQ

600x1200 / 24"x48"  
NAT SQ

600x600 / 24"x24"  
NAT SQ  
SC SQ  
BC SQ  
LAPP SQ

300x600 / 12"x24"  
NAT SQ

150x600 / 6"x24"  
NAT SQ  
150x600 / 6"x24"  
SC SQ

300x300 / 12"x12"  
NAT NO SQ

**e 11 mm** 300x300 / 12"x12"  
NAT NO SQ

## STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 112 Grigio Medio 

KERAKOLL 44 Cemento 

LATICRETE 89 Smoke Grey 



# HUB

UB08 CLASS

**e 9 mm** 1200x1200 / 48"x48"  
NAT SQ

600x1200 / 24"x48"  
NAT SQ

600x600 / 24"x24"  
NAT SQ  
BC SQ  
LAPP SQ

300x600 / 12"x24"  
NAT SQ

150x600 / 6"x24"  
NAT SQ

300x300 / 12"x12"  
NAT NO SQ

## STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 113 Grigio Cemento 

KERAKOLL 04 Grigio Ferro 

LATICRETE 78 Sterling Silver 





# HUB

UB09 COMPACT

PAGE  
48

**e 9 mm** 1200x1200 / 48"x48"  
NAT SQ

600x1200 / 24"x48"  
NAT SQ

600x600 / 24"x24"  
NAT SQ  
BC SQ  
LAPP SQ

300x600 / 12"x24"  
NAT SQ

150x600 / 6"x24"  
NAT SQ

300x300 / 12"x12"  
NAT NO SQ

## STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 114 Antracite 

KERAKOLL 48 Moka 

LATICRETE 35 Mocha 



# HUB

UB10 BRIGHT

PAGE  
49

**e 6 mm** 1200x2780 / 48"x110"  
NAT SQ

**e 9 mm** 1200x1200 / 48"x48"  
NAT SQ

600x1200 / 24"x48"  
NAT SQ

600x600 / 24"x24"  
NAT SQ  
BC SQ  
LAPP SQ

300x600 / 12"x24"  
NAT SQ

150x600 / 6"x24"  
NAT SQ

300x300 / 12"x12"  
NAT NO SQ

## STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 111 Grigio Argento 

KERAKOLL 02 Grigio Luce 

LATICRETE 88 Silver Shadow 





STORE UB 03 NAT NO SQ 300X300X1,1

## TECHNOHUB

300X300X1,1 NAT NO SQ  
DISPONIBILE PER / AVAILABLE FOR  
UB 01 / UB 02 / UB 03 / UB 05 / UB 07

A solution for technical and industrial applications that require higher performance in terms of breaking load.

Eine Lösung für die technischen und industriellen Anwendungen, die noch höhere Leistungen in Sachen Bruchlast erfordern.

Une solution pour applications techniques et industrielles qui requièrent des performances encore plus élevées en matière de charge de rupture.

Una solución para aplicaciones técnicas e industriales que requieren prestaciones más elevadas en términos de carga de rotura.

## RIASSUNTIVO FORMATI E IMBALLI

SUMMARY OF SIZES AND PACKAGING  
ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN  
RÉCAPITULATIF FORMATS ET EMBALLAGES  
SINÓPTICO DE FORMATOS Y EMBALAJES

		300x300 12"x12"	300x300 12"x12"	150x600 6"x24"	300x600 12"x24"	600x600 24"x24"	600x1200 24"x48"	1200x1200 48"x48"	1200x2780 48"x110"	75x600*** 3"x24"	200x1200*** 8"x48"					
FORMATI - SIZES																
Spessore - Thickness		≈ 9 mm	≈ 11 mm	≈ 9 mm	≈ 9 mm	≈ 9 mm	≈ 9 mm	≈ 9 mm	≈ 6 mm	≈ 9 mm	≈ 9 mm	≈ 9 mm	≈ 9 mm	≈ 9 mm		
Superficie - Surface		NAT NO SQ	NAT NO SQ	NAT	SC	NAT	NAT	SC	BCSQ	LAPP	NAT SQ	NAT SQ	NAT SQ	NAT NO SQ	ST SQ	
FOAM UB 01		UJ02	UJ11	UG17	UJ45	UG06	UF94	UH76	A	UH80	UH88	UI53	UI98	—	—	
PAGE UB 02		UJ03	UJ12	UG18	A	UG07	A	UH77	A	UH81	UH89	UI54	UI99	—	—	
STORE UB 03		UJ04	UJ13	UG19	A	UG08	A	UB90	A	UH82	UG31	UE57	UF88	UI24	UG51	
CONCEPT UB 04		UJ05	—	UG20	—	UG09	UF98	—	A	UH83	UH90	UI55	—	—	—	
URBAN UB 05		UJ06	UJ14	UG21	A	UG10	A	UH78	A	UH84	UG45	UI56	UJ00	UI25	UG46	
VOLUME UB 06		UJ07	—	UG22	—	UG11	A	—	A	UH50	UH91	UI57	—	—	—	
TRAVEL UB 07		UJ08	UJ15	UG23	A	UG12	UF95	UH79	A	UH85	UH92	UI58	UJ01	—	—	
CLASS UB 08		UJ09	—	UG24	—	UG13	UF96	—	A	UH86	UH93	UI59	—	—	—	
COMPACT UB 09		UJ10	—	UG25	—	UG14	UF97	—	A	UH87	UH94	UI60	—	—	—	
BRIGHT UB 10		A	—	UK44	—	UK46	UK45	A	A	UK47	UK48	A	UK98	—	—	

	Peso lordo per scatola Gross weight per box Bruttogewicht pro Karton Poids brut par boîte Peso bruto por caja Вес брутто коробки	19,73	19,58	26,92	26,92	26,18	24,93	24,93	24,93	24,93	32,29	61,56	Please refer to <b>mirage.it</b>		18,00	30,71
	Pezzi per scatola Pieces for box Stück pro Karton Pièces pour boîte Piezas por caja Штук в коробке	12	10	14	14	7	3	3	3	3	2	2	22	6		
	mq. scatola mq. box mq. Karton mq. boîte mq. caja кв.м в коробке	1,08	0,9	1,26	1,26	1,26	1,08	1,08	1,08	1,08	1,44	2,88	0,99	1,44		
	Scatole / full pallet Boxes / full pallet Stück / volle Palette Pièces / palette complète Cajas / pallet completo Коробок в паллете	48	48	40	40	40	40	40	40	40	35	16	60	32		
	mq./pallet	51,84	43,90	50,40	50,40	50,40	43,20	43,20	43,20	43,20	50,40	46,08	59,40	46,08		

\* **Decoro su rete** - Mesh-backed decoration - Dekor auf Netz - Décor sur filet - Decoración en red - Декор в сети

\*\* **Finitura a becco di civetta** - One-round edge shaping - Ausführung mit Eckabrundung - Façonnage à bord rond - Acabado canto romo - Плитка с завалом

# RIASSUNTIVO FORMATI E IMBALLI

SUMMARY OF SIZES AND PACKAGING  
ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN  
RÉCAPITULATIF FORMATS ET EMBALLAGES  
SINÓPTICO DE FORMATOS Y EMBALAJES

FLOOR  
CONCEPT UB 04 NAT SQ 600X600 / 24"X24"  
WALL  
CHARME WALLY 150X150 / 6"X6"  
TOP  
TRAVEL UB 07 NAT SQ 1200X2780 / 48"X110"

Mosaico 36T <sup>**</sup> 300x300 12"x12"	Knit 300x300 12"x12"	Slash Mix 300x300 12"x12"	Layer 300x600 12"x24"	Rope 300x300 12"x12"	Battiscopa** 72x600 2 7/8"x24"	Gradino A** 300x600 12"x24"	Gradino A** 300x1200 12"x48"	Gradino G** 300x600 12"x24"	Gradino G** 300x1200 12"x24"	Gradino B 330x600 13 1/8"x24"	Gradino B 330x1200 13 1/8"x48"	Gradino B Ang 330x330 13 1/8"x13 1/8"	

DECORI - DECORS		PEZZI SPECIALI - SPECIAL PIECES												
Spessore - Thickness														
Superficie - Surface		NAT	NAT	NAT	NAT	NAT	NAT	NAT	NAT	NAT	NAT	NAT	NAT	NAT
FOAM UB 01	UG80	UG89	UH08	UH13	A	UJ57	A	A	A	A	A	A	A	A
PAGE UB 02	UG81	UG90	UH09	UH14	A	UJ58	A	A	A	A	A	A	A	A
STORE UB 03	UG82	UG91	UH10	UH15	A	UJ60	A	A	A	A	A	A	A	A
CONCEPT UB 04	UG83	UG92	—	UH16	A	UJ61	A	A	A	A	A	A	A	A
URBAN UB 05	UG84	UG93	UH11	UH17	A	UJ62	A	A	A	A	A	A	A	A
VOLUME UB 06	UG85	UG94	—	UH18	A	UJ63	A	A	A	A	A	A	A	A
TRAVEL UB 07	UG86	UG95	UH12	UH19	A	UJ64	A	A	A	A	A	A	A	A
CLASS UB 08	UG87	UG96	—	UH20	A	UJ65	A	A	A	A	A	A	A	A
COMPACT UB 09	UG88	A	—	UH21	A	UJ66	A	A	A	A	A	A	A	A
BRIGHT UB 10	A	A	A	A	A	A	A	A	A	A	A	A	A	A

Icon	Peso lordo per scatola Gross weight per box Bruttogewicht pro Karton Poids brut par boîte Peso bruto por caja Вес брутто коробки													
		-	-	-	-	-	-	-	-	-	-	-	-	-
	Pezzi per scatola Pieces for box Stück pro Karton Pièces pour boîte Piezas por caja Штук в коробке	6	6	6	4	6	10	7	2	7	2	4	2	4
	mq. scatola mq. box mq. Karton mq. boîte mq. caja кв.м в коробке	-	-	-	-	-	-	-	-	-	-	-	-	-
	Scatole / full pallet Boxes / full pallet Stück / volle Palette Cajas / pallet completo Коробок в паллете	-	-	-	-	-	-	-	-	-	-	-	-	-
	mq./pallet	-	-	-	-	-	-	-	-	-	-	-	-	-

\* Decoro su rete - Mesh-backed decoration - Dekor auf Netz - Décor sur filet - Decoración en red - Декор в сети  
\*\*\* Differenti effetti miscelati random all'interno delle scatole - Several effects mixed randomly inside the boxes  
\*\* Finitura a becco di civetta - One-round edge shaping - Ausführung mit Eckabrundung - Façonnage à bord rond - Acabado canto romo - Плитка с завалом



















## CARATTERISTICHE TECNICHE

Technical specifications | Technische Eigenschaften | Caractéristiques techniques

Características técnicas | Технические характеристики | 技术特征

### STANDARD EN 14411 - G

	CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTERÍSTICAS TÉCNICAS CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征	NORMA STANDARD NORM NORME NORMA ЗНАЧЕНИЯ 标准	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ EN 14411-G EN 14411 - G标准规定值	*VALORE MEDIO MIRAGE MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALOR MEDIO MIRAGE СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE MIRAGE平均值			
	<b>CARATTERISTICHE DIMENSIONALI</b> - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTERISTIQUES DIMENSIONNELLES - CARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征						
	<b>LATI</b> SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 側边	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING			
	<b>SPESORE</b> THICKNESS - DICKE ÉPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING			
	<b>RETTILINEITÀ DEGLI SPIGOLI</b> STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTIDUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING			
	<b>ORTOGONALITÀ</b> RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING			
	<b>PLANARITÀ</b> SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING			
	<b>ASSORBIMENTO D'ACQUA</b> WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%			
	<b>RESISTENZA ALLA FLESSIONE</b> FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm)  R ≥ 35 N/mm².	≠6 mm: S≥1100N R≥48 N/mm² ≠9 mm: S≥2400N R≥48 N/mm² ≠12 mm: S≥4.000N R≥48 N/mm²			
	<b>RESISTENZA ALL'URTO</b> IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCES - RESISTENCIA A LOS GOLPES УДАРОСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,80			
	<b>RESISTENZA ALL'ABRASIONE</b> ABRASION RESISTANCE - ABRIEBFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm³	< 150 mm³			
	<b>COEFFICIENTE DI DILATAZIONE TERMICA LINEARE</b> COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEAUSSDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	—	α=6,6x10 <sup>-6</sup> °C <sup>-1</sup>			
	<b>RESISTENZA AGLI SBALZI TERMICI</b> RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCES THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE			
	<b>RESISTENZA AL GELO</b> FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE			
	<b>RESISTENZA ALL'ATTACCO CHIMICO</b> RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学品作用	EN ISO 10545-13	B MIN.	A LA HA			
	<b>RESISTENZA ALLE MACCHIE</b> RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5			
	<b>CESSIONE DI PIOMBO E CADMIO</b> LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT			
			NAT	LAPP	ST	BC	SC
	<b>DM. 236/89 BCRA</b>	> 0,40	>0,55	-	-	-	-
	<b>ASTM C1028</b>	Wet SCOF > 0,60	>0,60	-	-	-	-
	<b>ANSI A137.1</b>	Wet DCOF > 0,42	>0,42	-	-	-	-
	<b>AS 4586:2013</b>	-	-	-	P2	-	-
	<b>DIN 51130</b>	-	R9	R10	R10	-	R11
	<b>DIN 51097</b>	-	-	-	-	-	-
	<b>ENV 12633</b>	≥ CL1	CL1	-	CL1	-	-
	<b>UNI EN 13036 - 42011</b>	≥ 36	-	-	-	-	-
	<b>SCIVOLOSITÀ</b> SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性						

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SPA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Pour les certificats spécifiques, veuillez contacter Mirage SPA

Para los certificados específicos, contactar Mirage SPA - Для сертификатов обращайтесь в компанию Mirage SpA - 关于具体的证书, 请联系Mirage Spa公司



Made in Italy

www.mirage.it



Mirage Granito Ceramico S.p.a.
41026 - Pavullo (MO) ITALY - Via Giardini Nord, 225
Tel. +39 0536 29611 - Fax +39 0536 21065
info@mirage.it - www.mirage.it

Mirage Project Point
20121 - Milano ITALY
Via Marsala, 7
Tel. +39 02 65560879

projectpoint-mi@mirage.it
www.mirageprojectpoint.com/milano

Mirage USA INC.
40 Burton Hills BLVD - Suite 200
Nashville - Tennessee (TN) - 37215
Ph. +1 615 386 7070
TAX ID: 75 2773306

info@mirageusa.net
www.mirageusa.net

Mirage Project Point Dubai
Building 5 - Suite B101
d3 Dubai Design District
United Arab Emirates
Ph. +971 4 554 3944
Licence No. 93659

projectpoint-uae@mirage.it
www.mirageprojectpoint.com/dubai