

JURUPA


WOOD COUTURE



MIRAGE[®]
Porcelain.Design.Sustainability

JURUPA

WOOD COUTURE



JURUPA

WOOD COUTURE

Jurupa presenta l'armonia perfetta fra calore ed eleganza, le superfici si arricchiscono di dettagli stuccati, campiture dall'aspetto piallato e liscio, in 5 nuance dai raffinati toni neutri.

Jurupa: a perfectly smooth blend of warmth and elegance, in which surfaces are enhanced by grouted details and smooth, planed sections, in 5 sophisticated neutral shades.

Jurupa, eine perfekte Harmonie zwischen Wärme und Eleganz, in der die Oberflächen durch Stuckdetails und gehobelt, glatt wirkende Grundierungen in 5 Nuancen raffinierter neutraler Farbtöne bereichert werden.

Jurupa, une harmonie parfaite entre la chaleur et l'élégance, où les surfaces s'enrichissent de détails jointoyés et de fonds à l'aspect raboté et lisse, dans 5 nuances aux tons neutres raffinés.

Jurupa, armonía perfecta entre calidez y elegancia, donde las superficies se enriquecen de detalles estucados, decoraciones de aspecto cepillado y liso, en 5 versiones de refinados tonos neutros.

Jurupa系列，达到温暖和优雅之间的完美和谐，表面饰有粉刷细节，外观平整光滑的表面，备有5种精美的中性色调。

200x1200

8"x48"

▼
9 mm
▲

300x2400

12"x96"

▼
9 mm
▲

WILD JP05



P 4

CAMP JP04



P 8

MASTER JP03



P 12

WILD JP05



P 16

BASIC JP01



P 18

CAMP JP04



P 20

COOL JP02



P 23

MASTER JP03



P 27



WILD JP05 FLOOR: Wild JP05 NAT SQ 300x2400 / 12"x96"



CAMP JP04 FLOOR: Camp JP04 NAT SQ 200x1200 / 8"x48"
WALL and TUB: Glocal Absolute GC 06 SP SQ 1200x2780 / 48"x110"
WALL SHOWER and TOP: Camp JP04 NAT SQ 200x1200 / 8"x48"
BANCH: Norr Grå RR 02



CAMP JP04 FLOOR: Camp JP04 NAT SQ 200x1200 / 8"x48"
TOP: Camp JP04 NAT SQ



MASTER JP03

FLOOR: Master JP03 NAT SQ 200x1200 / 8"x48"

KITCHEN WALL AND TOP: Norr Grå RR 02 NAT

KITCHEN ISLAND TOP: Jewels JW 13 Tuscany White LUC 1620x3240x12 / 63³/₄"x127¹/₂"



MASTER JP03 FLOOR: Master JP03 NAT SQ 200x1200 / 8"x48"
KITCHEN ISLAND TOP: Jewels JW 13 Tuscany White LUC 1620x3240x12 / 63³/₄"x127¹/₂"





WILD JP05 FLOOR: Wild JP05 GRIP SQ 200x1200 / 8"x48"
RAILING: Glocal Iron GC 20 SP 1600x3200 / 63"x126"





BASIC JP01


FLOOR: Basic JP01 NAT SQ 200x1200 / 8"x48"
WALL: Hub Urban UB 05 NAT SQ 150x600 / 6"x24"



CAMP JP04 FLOOR: Camp JP04 NAT SQ 200x1200 / 8"x48"
COUNTER: Glocal Iron GC 20 SQ 1600x3200 / 63"x126"



COOL JP02 FLOOR: Cool JP02 NAT SQ 200x1200 / 8"x48"
WALL: Norr Grå RR 02 NAT SQ 1600x3200 / 63"x126"





COOL JP02 FLOOR: Cool JP02 NAT SQ 200x1200 / 8"x48"



MASTER JP03 FLOOR: Master JP03 NAT SQ 200x1200 / 8"x48"
WALL: Master JP03 NAT SQ 300x2400 / 12"x96"





GRIP

NATURAL

JURUPA

BASIC JP01

9 mm

300x2400 / 12"x96"
NAT SQ


9 mm

200x1200 / 8"x48"
NAT SQ
200x1200 / 8"x48"
GP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

MAPEI 111 Grigio Argento

KERAKOLL 02 Grigio Luce



JURUPA

COOL JP02



9 mm

300x2400 / 12"x96"
NAT SQ

9 mm

200x1200 / 8"x48"
NAT SQ
200x1200 / 8"x48"
GP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

MAPEI 112 Grigio Medio

KERAKOLL 04 Sterling Silver



JURUPA

MASTER JP03



9 mm

300x2400 / 12"x96"
NAT SQ

9 mm

200x1200 / 8"x48"
NAT SQ
200x1200 / 8"x48"
GP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

MAPEI 111 Grigio Argento

KERAKOLL 02 Grigio Luce



JURUPA

CAMP JP04

9 mm

300x2400 / 12"x96"
NAT SQ


9 mm

200x1200 / 8"x48"
NAT SQ
200x1200 / 8"x48"
GP SQ

STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 134 Seta

KERAKOLL 52 Tortora



JURUPA

WILD JP05

9 mm

300x2400 / 12"x96"
NAT SQ


9 mm

200x1200 / 8"x48"
NAT SQ
200x1200 / 8"x48"
GP SQ

STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 136 Fango

















KERAKOLL 48 Moka




JURUPA

RIASSUNTIVO FORMATI E IMBALLI

SUMMARY OF SIZES AND PACKAGING
ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN
RÉCAPITULATIF FORMATS ET EMBALLAGES
SINÓPTICO DE FORMATOS Y EMBALAJES











	 V2 Slight variation	 V2 Slight variation	 V2 Slight variation
	 200x1200 8"x48"	 200x1200 8"x48"	 300x2400 12"x96"
Spessore - Thickness	9 mm	9 mm	9 mm
Superficie - Surface	NAT SQ	GP SQ	NAT SQ
 JP01 Basic	UC43	UC44	UI92
 JP02 Cool	UC45	UC46	UI93
 JP03 Master	UC47	UC48	UI94
 JP04 Camp	UC49	UC50	UG63
 JP05 Wild	UC51	UC52	UI95
 Peso lordo per scatola Gross weight per box	19,70	19,70	14,50
 Pezzi per scatola Pieces for box	4	4	1
 Mq. scatola Mq. box	0,96	0,96	0,72
 Scatole per full pallet Boxes per full pallet	40	40	72
 Mq./pallet	38,40	38,40	51,84



















JURUPA

RIASSUNTIVO FORMATI E IMBALLI

SUMMARY OF SIZES AND PACKAGING
ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN
RÉCAPITULATIF FORMATS ET EMBALLAGES
SINÓPTICO DE FORMATOS Y EMBALAJES

	 Layer 300x600 8"x24"	 Leaf 223x260 0"x0"	 Gradino A 300x1200 12"x48"	 Battiscopa 72x600 2 7/8"x96"
Decorì	NAT SQ	NAT SQ	NAT SQ	
 JP01 Basic	UG75	A	A	UJ68
 JP02 Cool	UG76	A	A	UJ69
 JP03 Master	UG77	A	A	UJ70
 JP04 Camp	UG78	A	A	UJ71
 JP05 Wild	UG79	A	A	UJ72
 Pezzi per scatola Pieces for box	4	6	4	10

STANDARD EN 14411 - G

	CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTERISTIQUES TECHNIQUES CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征	NORMA STANDARD NORM NORME NORMA НОРМА ЗНАЧЕНИЯ 标准	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ EN 14411-G EN 14411 - G标准规定值	*VALORE MEDIO MIRAGE MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALOR MEDIO MIRAGE СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE MIRAGE平均值	
	CARATTERISTICHE DIMENSIONALI - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTERISTIQUES DIMENSIONNELLES - CARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征			NAT	
	LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 側边	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING	
	SPESSORE THICKNESS - DICKE ÉPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING	
	RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTITUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING	
	ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING	
	PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING	
	ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%	
	RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 35 N/mm².	≅ 9 mm: S≥2400N R≥48 N/mm²	
	RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCS - RESISTENCIA A LOS GOLPES УДАРОСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,48	
	RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE - ABRIEBFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm³	< 150 mm³	
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEAUSSDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	—	α=6,6x10 ⁻⁶ °C ⁻¹	
	RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCS THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE	
	RESISTENZA AL GELO FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE	
	RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学品作用	EN ISO 10545-13	B MIN.	A LA HA	
	RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5	
	CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT	
				NAT	GP
		DM. 236/89 BCRA	> 0,40	> 0,40	-
		ASTM C1028	Wet SCOF > 0,60	> 0,60	-
		ANSI A137.1	Wet DCOF > 0,42	> 0,42	-
		AS 4586:2013	-	-	-
		DIN 51130	-	R9	R11
		DIN 51097	-	A	-
		ENV 12633	≥ CL1	CL1	-
		UNI EN 13036 - 4:2011	≥ 36	-	-
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性				

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SPA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Pour les certificats spécifiques, veuillez contacter Mirage SPA

Para los certificados específicos, contactar Mirage SPA - Для сертификатов обращайтесь в компанию Mirage SpA - 关于具体的证书, 请联系Mirage Spa公司



Made in Italy

www.mirage.it



Mirage Granito Ceramico S.p.a.

41026 - Pavullo (MO) ITALY - Via Giardini Nord, 225
Tel. +39 0536 29611 - Fax +39 0536 21065
info@mirage.it - www.mirage.it

Mirage Project Point

20121 - Milano ITALY
Via Marsala, 7
Tel. +39 02 65560879

projectpoint-mi@mirage.it
www.mirageprojectpoint.com/milano

Mirage USA INC.

40 Burton Hills BLVD - Suite 200
Nashville - Tennessee (TN) - 37215
Ph. +1 615 386 7070
TAX ID: 75 2773306

info@mirageusa.net
www.mirageusa.net

Mirage Project Point Dubai

Building 5 - Suite B101
d3 Dubai Design District
United Arab Emirates
Ph. +971 4 554 3944
Licence No. 93659

projectpoint-uae@mirage.it
www.mirageprojectpoint.com/dubai