



NEXTILE MARBOSYS PVT. LTD.

CORPORATE OFFICE

A-54, 1st Floor, Elite Auto House, Mathuradas Vasanji Road, Andheri - Kurla Road, Andheri (EAST). Tel.:+91 22 28389790 / 91 / 92, Fax: +91 22 28389794

WORKS

Surver No. 136/P1, 136/P2, 137, 138, 147/1P4, NH 8-A, Sartanpar Wankaner - 363622, Morbi, Gujarat (INDIA).

Tel.: +91 9099012719 www.varmora.com





Nextile – The Slab is the modern age covering solution, which Varmora believes will revolutionize the tile industry forever. Leaps & bounds ahead of its peers, leaving behind a legacy of creativity and innovation, Nextile strives to be the exclusive choice of people who appreciate artistic ingenuity.

Varmora always ensures that its products are technically superior and future-proof. The complete focus while developing Nextile was on producing a slab that showcases the future in the present era. Nextile is the initiator of next-gen décor trends, with its effective ergonomics and enhanced functionality.


Nextile opens the door to a gamut of application possibilities. The functional sizes of Nextile make it an exquisite offering that can be embellished in places like the kitchen, bathroom & facades.

The technological prowess of Varmora is clearly exhibited by the fact that Nextile is also ideal for furniture covering requirements.










	High Gloss	08
	High Gloss Super White	15
	Super Satin	16
	Rocker	19
	Full Digital with Glossy Ink	21
	Kero X	22
1200 X	Matt	23
2400 _{MM}	Metallic & Silver Granulla	24

	High Gloss	26
	Super Satin	31
	Rocker	33
800 X	Matt	35
1600 _{MM}	Double Charge	36
	High Gloss	38
	Super Satin	38
	High Gloss Super White	42
	Rocker	43
1200 X	Matt	44
1200 _{MM}	Kero X	44



FLEXIBILITY

Nextile – The Slab is a modern range of flexible body slabs. The natural texture and color of Nextile comes from the soft clay material used to manufacture it. Nextile ensures best raw materials are used to enhance the finish and beauty of the slab. Nextile's flexible body slabs are crack-free and can be given a bent to an extent as per the requirement because of its high flexibility. These slabs are also extremely lightweight and soft unlike the traditional offerings in the market.



Color body has distinct feature of the upper surface and the body of identical shade while in Normal body, in the furniture making process, during cutting tiles, the surface above is particularly matched with the color of the body and specific care is taken that the shades do not differ.

SURFACE FINISHING

With attention to detail given to every aspect of Nextile, each and every surface finish is also selected after careful deliberation with industry experts to ensure better proficiency. Nextile comes in a total of nine elegant finishes that are bound to inject an element of luxury into décors.

Full Digital With Glossy Ink



Rocker





Super Satin



High Gloss Super White



Glossy Granulla



Matt



Silver Granulla



Metallic

The new age porcelain slabs

Nextile can be called as the modern-day avatar of ceramic distinction as it has enduring pieces of class and potency. Be it a contemporary space or a classic one, it can do justice to any without any struggle. It is sure to spoil you for choice as it has a wide variety in terms of colors, sizes, and aesthetics. It can cover your walls with grace, your floor with glory and, your ambiance with excellence. Technical accuracy has always been our forte and this time around the same is very well blended by us in our architecture collection that has serene designs and subtle hues; which allows multiple applications including indoor coverings and as well as facades.



Kitchen / Bathroom



Wellness / Hospitality



Indoor / Outdoor furniture



Wall Cladding





Highly non-porous



Resistant to detergents



Easy to clean and maintain



Resistant to chemicals



Suitable for contact with food



Friction coefficient



Water resistant (water absorption 0.1% average value)



Coefficient of Linear Thermal-Expansion



Dimensional stability



Resistant to humidity



Suitable for indoor and outdoor applications



Colour resistant to light



Fire resistant



Deep abrasions resistant



Resistant to mould and fungi



Stain resistant





WALL & FLOOR

Nextile is one of the most reliant options for wall & floor applications. It has a solid and sturdy body that can handle everyday wear and tear without losing inherent charm and warmth.



BATHROOM

Nextile can do complete justice to bathroom application. The compact, non-porous, abrasion, slip and water resistant Nextile has soothing designs that can give bathrooms a tranquil look.



KITCHENS

Nextile can complement the sink application as well as it is moisture resistant and do not require heavy maintenance. It is durable and easy to clean. Since the tile is digitally printed, it can stand the test of time efficiently.



FURNITURE

Nextile can give any furniture a touch of exclusivity. It can take the shape of your décor and also last long. Tiles are easy to clean and resistant to stains and scratch as well.



FACADES

Nextile is ideal for façade application also. It can give a solid covering to the buildings and also demand minimal maintenance. It is all weather-friendly and is resistant to grime.







BRECCIA SUPERB 3 - FACE REGULAR BODY



BURBERRY BIANCO 3 - FACE COLOR BODY



BRECCIA BLUE 3 - FACE COLOR BODY





BRECCIA CREMA 3 - FACE COLOR BODY





Tell digital with glossy ink Bigloss Super White Matt Metallic Rocker Super Satin



BURBERRY BEIGE 3 - FACE COLOR BODY



BURBERRY GREY 3 - FACE COLOR BODY

1200 X 2400 MM

07





CLASSIC GREY 2 - FACE COLOR BODY



CREMA MARFIL BEIGE

CROMA ONYX NATURAL CROMA ONYX OLIVE 2 - FACE 2 - FACE REGULAR BODY REGULAR BODY



ASPEN IVORY 3 - FACE COLOR BODY



LIMESTONE BIANCO 4 - FACE COLOR BODY



MACCHIA VECCHIA - A BOOK MATCH REGULAR BODY



BOOK MATCH REGULAR BODY



D-WALL PAINT BLUE 3 - FACE REGULAR BODY



GEONA IVORY 3 - FACE COLOR BODY



PULPIS IVORY 3 - FACE COLOR BODY




PULPIS BIANCO 3 - FACE COLOR BODY

AMAZONITE


4 - FACE COLOR BODY










ALCANTRA NERO 3 - FACE COLOR BODY










CIELO GOLDEN BLACK 3 - FACE COLOR BODY



3 - FACE COLOR BODY



MARQUINA NERO 4 - FACE COLOR BODY





OCTTASTONE GREY 2 - FACE COLOR BODY

N∈×TIL∋ by VARMORA

SILVER RIVER BROWN 4 - FACE COLOR BODY

SARRANCOLIN NATURAL 3 - FACE COLOR BODY



SLAB BRIGHT X

FINISH: HIGH GLOSS LIGHT

SARRANCOLIN BEIGE 3 - FACE COLOR BODY



WILLIAM GREY 3 - FACE COLOR BODY

11

CLASSIC CHOCO 2 - FACE COLOR BODY







COLLEMADINA - A BOOK MATCH COLOR BODY



FOSSIL NERO 3 - FACE COLOR BODY



ESTRADA NERO 2 - FACE COLOR BODY

COLLEMADINA - B

MARBELLA NATURAL 3 - FACE COLOR BODY

BOOK MATCH COLOR BODY



OCEAN NERO 3 - FACE COLOR BODY



PIETRA FANTASTIC 3 - FACE COLOR BODY



LIMESTONE BLACK 4 - FACE COLOR BODY







PULPIS BRONZE 3 - FACE COLOR BODY



VINTAGE BLACK 3 - FACE COLOR BODY



SILK PULPIS BRONZE 3 - FACE COLOR BODY



NEXTILE & VARMORA

STATUARIO FOREST 3 - FACE REGULAR BODY

STATUARIO AMAZE

REGULAR BODY

4 - FACE





3 - FACE COLOR BODY

SILK AMAZONITE







SILK MARQUINA NERO 4 - FACE COLOR BODY SILK EMPERADOR CHOCO



SILK AMAZONITE 4 - FACE COLOR BODY



STATUARIO NEXA - A BOOK MATCH REGULAR BODY



STATUARIO NEXA - B BOOK MATCH REGULAR BODY



STATUARIO KRYPTON 4 - FACE REGULAR BODY



SLAB GLACIER X FINISH: HIGH GLOSS SUPER WHITE

CARRARA PEARL 4 - FACE REGULAR BODY











SILK BURBERRY BEIGE 3 - FACE COLOR BODY



SILK BURBERRY BIANCO 3 - FACE COLOR BODY

SILK PULPIS BIANCO 3 - FACE COLOR BODY



3 - FACE REGULAR BODY



SILK BRECCIA BLUE 3 - FACE COLOR BODY



SILK BRECCIA SUPERB





SILK PULPIS GREY 3 - FACE COLOR BODY

SILK STATUARIO AMAZE

REGULAR BODY

4 - FACE



SILK MACCHIA VECCHIA - A BOOK MATCH REGULAR BODY



SILK MACCHIA VECCHIA - B BOOK MATCH REGULAR BODY







SILK CROMA ONYX NATURAL

2 - FACE REGULAR BODY

SLAB SILK X FINISH: SUPER SATIN LIGHT

17





TERON BEIGE 3 - FACE COLOR BODY

TERON GREY 3 - FACE COLOR BODY





SILICA BROWN 2 - FACE COLOR BODY

SILICA BIANCO 2 - FACE COLOR BODY



SILICA NERO 2 - FACE COLOR BODY



SILICA GREY 2 - FACE COLOR BODY





IGNITE BROWN

3 - FACE COLOR BODY





IGNITE NERO 3 - FACE COLOR BODY



IGNITE IVORY 3 - FACE COLOR BODY



METALCID NATURAL 3 - FACE COLOR BODY



METALCID GREY 3 - FACE COLOR BODY



METALCID NERO 3 - FACE COLOR BODY

22







METALCID BROWN 3 - FACE COLOR BODY



IGNITE BIANCO 3 - FACE COLOR BODY



VOLCANO GREY 3 - FACE COLOR BODY

24



VOLCANO CHOCO 3 - FACE COLOR BODY



VOLCANO COPPER 3 - FACE COLOR BODY



SILVENIA BROWN 3 - FACE COLOR BODY





VINEAR NERO 2 - FACE COLOR BODY

VINEAR IVORY 2 - FACE COLOR BODY



VINEAR BIANCO 2 - FACE COLOR BODY



SILVENIA CHOCO 3 - FACE COLOR BODY









3 - FACE REGULAR BODY



BOTTOCHINO ROYAL 3 - FACE REGULAR BODY



BURBERRY BIANCO 4 - FACE REGULAR BODY




BURBERRY BROWN 4 - FACE REGULAR BODY



REALE BEIGE 3 - FACE REGULAR BODY







DOREX GREY 3 - FACE REGULAR BODY

BRECCIA CLASSIC 3 - FACE REGULAR BODY

DOREX TUSK 3 - FACE REGULAR BODY

BURBERRY UNIQUE 4 - FACE REGULAR BODY

DYNA DELICATO 3 - FACE REGULAR BODY

ONYX CREMA

SILVER RIVER

3 - FACE REGULAR BODY

3 - FACE REGULAR BODY









3 - FACE REGULAR BODY

LEVIN NATURAL 3 - FACE REGULAR BODY

STATUARIO EVA A - B



TREGON IVORY 3 - FACE REGULAR BODY



STATUARIO EVA - B BOOK MATCH REGULAR BODY

REGULAR BODY



TREGON BIANCO 3 - FACE REGULAR BODY



STATUARIO EVA - A BOOK MATCH







MARFILE TUSK 4 - FACE

REGULAR BODY

SILVER RIVER ROSE 3 - FACE REGULAR BODY

ONYX WHITE 3 - FACE REGULAR BODY



TOKYO IVORY 3 - FACE STATUARIO SERENA 4 - FACE REGULAR BODY REGULAR BODY



STATUARIO SILVER - A BOOK MATCH








NEXTILE & VARMORA

LYON IVORY 4 - FACE REGULAR BODY



27



REALE NERO

3 - FACE REGULAR BODY

FEONI BLACK 3 - FACE REGULAR BODY



BLACK ROSE 3 - FACE REGULAR BODY

ADMIRA BROWN 3 - FACE REGULAR BODY

LYON NERO 4 - FACE REGULAR BODY




































TREGON BRONZE 3 - FACE REGULAR BODY

TREGON NERO 3 - FACE REGULAR BODY

PIETRA CLASSIC 3 - FACE REGULAR BODY



SILK TREGON NERO 3 - FACE REGULAR BODY



SILK TREGON BRONZE 3 - FACE REGULAR BODY



3 - FACE REGULAR BODY

SILK TREGON BRONZE


32



SILK BURBERRY BIANCO 4 - FACE REGULAR BODY




SILK BURBERRY BROWN 4 - FACE REGULAR BODY




SILK TREGON BIANCO 3 - FACE REGULAR BODY



SILK STATUARIO SILVER B BOOK MATCH REGULAR BODY





31

REGULAR BODY







AFAN GREY 4 - FACE REGULAR BODY



AFAN BROWN 4 - FACE REGULAR BODY



AFAN CREMA 4 - FACE REGULAR BODY



SAGON BROWN 4 - FACE REGULAR BODY



SAGON CREMA 3 - FACE REGULAR BODY



SAGON BIANCO 4 - FACE REGULAR BODY



SAGON GREY 3 - FACE REGULAR BODY



SAGON GRIS 3 - FACE REGULAR BODY



SOHO BEIGE 3 - FACE REGULAR BODY



SOHO BIANCO 3 - FACE REGULAR BODY



SOHO BROWN 3 - FACE REGULAR BODY



SOHO NERO 3 - FACE REGULAR BODY



SOHO GREY 3 - FACE REGULAR BODY











KORES NERO

















ALEXA STEEL 3 - FACE REGULAR BODY

ALEXA GREY 3 - FACE REGULAR BODY



ALEXA BIANCO 3 - FACE REGULAR BODY

ALEXA NATURAL 3 - FACE REGULAR BODY

ALEXA BROWN 3 - FACE REGULAR BODY







KORES CREMA KORES BRIGHT

































NEXTILE & VARMORA









BURBERRY GREY

ALSO AVAILABLE IN SILK SATIN

CREMA MARFIL BEIGE








SILVER RIVER BROWN

PULPIS IVORY









SQUARE SHEEN X













ALSO AVAILABLE IN SILK SATIN






Nextile – The Slab is the modern age covering solution, which Varmora believes will revolutionize the tile industry forever. Leaps & bounds ahead of its peers, leaving behind a legacy of creativity and innovation, Nextile strives to be the exclusive choice of people who appreciate artistic ingenuity.

Nextile is also a new age covering option for your furniture. Nextile can be utilized to create unique ambiances by incorporating these futuristic designs. Nextile has the efficacious ability to adorn your décor elements in a gracious and enigmatic manner. These multiple application capabilities of Nextile make it an irresistible offering.

AN ASSEMBLY OF AWE-INSPIRING CREATIONS

MARBELLA NATURAL











SQUARE GLACIER
FINISH: HIGH GLOSS SUPER WHITE



ALSO AVAILABLE IN SILK SATIN CARRARA PEARL





PULPIS BRONZE ALSO AVAILABLE IN SILK SATIN PULPIS GREY



ALSO AVAILABLE IN SILK SATIN LIMESTONE BLACK






SQUARE MATIC X





























CUTTING AND HANDLING INSTRUCTIONS




Cutting Holes in Full Body Tiles

Ensure that at least 5 mm space is left between the edge of the slab and the point where the hole has to be made. The radius of the corners must be a minimum of 3 mm.





Angles cut without necessary radius length create a stress point, whereas the large radius maintains the structural resistance. Make sure to never leave the corners with 90 angle cuts.



Use a drill bit smaller than 3 mm to drill corners of the cut-out.



Use a bridge saw running to cut from one hole to the next. Ensure the bridge saw is running at minimum speed to decrease the stress on the slab.

INSTALLATION SUGGESTIONS













Processing Stages:

Step 1: Prepare the Surface

The laying process of Nextile is similar to the laying process of traditional tiles and slabs. The laying process of Nextile requires an adhesive to be applied on the back of the slab and the setting bed. The surface should be flat and clean without any dust particles, scraps or cement residue on it. Any cracks or uneven area of the surface must be filled with leveling compounds.

Step 2: Begin Your Layout

Measure all the walls in the room and find the center point of the room. Start laying a loose row of tiles on the surface, laying tiles from different batches together. Measure the space left uncovered on the edge of the wall and cut tiles accordingly to fill the space.

Step 3: Apply the Adhesive

The surface to be covered should be flat, solid and free from dust, oil or grease. Mix the adhesive as mentioned on the technical data sheet of the chosen adhesive. Use a round toothed trowel to spread the adhesive on the surface to be covered. Spread the adhesive across an area, which is 5-10 cm larger than the size of the slab. Hold the slab in a vertical position with a handling frame and apply the adhesive on the back of the slab with a square toothed trowel.

Sten 4: Cut Tile as Needed

Always start by measuring the tile and carefully marking cuts to be made on the surface. We recommend using a tile cutter to make straight or diagonal pinpoint cuts. For longer, full-length curved cuts, a rod saw should be used. After making the necessary cuts, use a carborundum stone to smooth out the sharp edges.

Sten 5: Set Your Tile

Use suction cups to horizontally lay the slab on the surface and avoid sliding the slab in its place. We recommend laying the perimeter slabs last and leave a 1/4th inch gap between the slab and wall. And keep placing spacers between each tile as you move forward. Without exceeding the breaking point, carefully insert a wedge into the support. Use of adjustable pliers is advised for easier placement of the wedges.

After laying the slabs, a non-bounce plastic mallet should be used to ensure uniform bonding. Gently tap the surface of the slab, moving from the middle to the edges to remove any air pockets.

Step 6: Grouting Joints

After the adhesive has dried, tap your foot on the protruding part of the wedge in line with the joint to remove the support. Carefully choose a joint sealant, which has a matching color shade to the slab. Pay attention to the technical sheets and check the cleaning time as some of the colored sealants contain strong pigments and additives.

Use a grout float or squeegee to force the grout mixture down the joints and remove the excess grout from the surface. Use a damp sponge to clean the grout residue from the surface and smooth out the joints.

CLEANING & MAINTENANCE

INTRODUCTION:

Varmora's Nextile is easy to clean and maintain. Regular cleaning and maintenance of the slab accentuates the aesthetics and gives the surface an appealing shine.

INITIAL CLEANING:

It is to be noted that the initial cleaning done after laying the floor is extremely important. The initial cleaning helps in removing any residue of mortar, adhesives and epoxy that may be left in the joints. We recommend using an acid-based detergent in 1:5 ratio with water. Rub this solution on the surface energetically to clean the surface properly. Next, it is equally important to rinse the surface thoroughly with water to remove traces of the detergent used.

MAINTENANCE AND CARE:

As Nextile is manufactured under high firing temperature and the use of high-quality raw materials makes it waterproof. Minimum absorption rate doesn't allow dirt to penetrate the surface, but it is necessary to clean it from the surface. We do not recommend using detergents containing waxes for cleaning the surface, as it may form an unwanted greasy layer on the surface. The appropriate choice of detergent has been mentioned in the following points. Especially after the installation of polished surfaces, we recommend covering the surface with particle board or any other suitable material to protect it from dirt and on-site processing.

GENERAL RECOMMENDATIONS:

For the slabs laid in heavy footfall areas like airports, shopping malls and public spaces, we recommend using automatic cleaning machines with suction. These machines ensure deep cleaning of the surface while removing liquids that may cause soiling and subsequently prevents the formation of any unwanted layers on the surface. Any readily available detergent can be used to clean Nextile, except Hydrofluoric acid or its compounds. Always keep the concentration of the detergent as low as possible to speed up the maintenance process and keep the costs in check. We recommend using large sized, bright or polished surfaces for raised floors. These surfaces can be easily dry cleaned or it requires fewer amounts of liquids. Once, the floor has been laid, it is essential to clean it properly with the necessary products.

MATT MATERIALS:

For Matt finishes, after following the steps in the Initial Cleaning section, the surface only needs to be cleaned with hot water mixed with an alkaline detergent in a 1:200 concentration. It is not recommended to apply a waterproofing product on Matt surfaces. As Matt finishes have zero porosity, the waterproofing agent deposits on the surface unevenly, this ruins the aesthetic appearance of the slab.

TECHNICAL SPECIFICATIONS

TECHNICAL OF ECH ICATIONS		IS 15622 :				
CHARACTERISTIC	Test Method	2017 (GROUP B I a)	Varmora Value			
Dimension & Surface Quality						
Deviation in Length & Width	IS - 13630 - 1	± 0.10%	± 0.10%			
Deviation in Thickness	IS - 13630 - 1	± 5.00%	± 3.50%			
Straightness of Sides	IS - 13630 - 1	± 0.10%	± 0.10%			
Rectangularity	IS - 13630 - 1	± 0.10%	± 0.10%			
Surface Flatness	IS - 13630 - 1	± 0.50%	± 0.20%			
Surface Quality	IS - 13630 - 1	Minimum 95 % of tiles shall be free from visible defects	95%			
Physical Properties						
Water Absorption	IS - 13630 - 2	<u>></u> 0.08%,Avg.	0.06%,Avg.			
Modulus of Rapture(N/mm²)	IS - 13630 - 6	Avg. 35 N/mm²	Avg. 40 N/mm²			
Breaking Strength (N)	IS - 13630 - 6	Thickness <7.5 mm = 700 N Thickness \geq 7.5 mm = 1300 N	Thickness <7.5 mm = 750 N Thickness \geq 7.5 mm = 1300 N			
Moisture Expansion (mm/m)	IS - 13630 - 3	0.02 Max.	0.01 Max.			
Scratch Hardness of Surface (Moh's Scale)	IS - 13630 - 13	5,Min	5*			
Resistance of Surface Abrasion (Glazed tiles)	IS - 13630 - 11	Class II, Min.	Class IV			
Co-efficient of linear thermal expansion	IS - 13630 - 4	6x10 ^{-6,} Max	6x10 ⁻⁶ Max			
Thermal Shock Resistance	IS - 13630 - 5	10 Cycles, Min	10 Cycles,Pass			
Crazing Resistance	IS - 13630 - 9	4 Cycles at 7.5 Bar ,Min	4 Cycles, Pass			
Impact Resistance-Coefficient of Restitution	IS - 13630 - 14	0.55 ,Min	0.55 ,Min			
Coefficient of Friction	-	Manufacturer Norms	Manufacturer Norms			
Frost Resistance	IS - 13630 - 10	Manufacturer Norms	No Damage			
Bulk Density (g/cc)	IS - 13630 - 2	2.2 , Min	2.3 , Min			
Chemical Properties						
Resistance of Staining	IS - 13630 - 8	Class 1,Min	Class 2,Min			
Resistance of Household Chemicals	IS - 13630 - 8	Class AA,Min	Class AA			
Resistance to Acids & Alkalis	IS - 13630 - 8	Required If agreed according to chemical resistance class indicated by manufacturer	Resistance			

^{*} Minimum 5 on unpolished tiles.

PACKAGING DETAILS

DIMENSION (mm)	NO. TILES/BOX	SQUARE METRE	SQUARE FEET	WEIGHT (APPROX)	THICKNESS
1200x2400mm	1 pcs.	2.88	31	60 kg	9mm
800x1600mm	2 pcs.	2.56	27.56	54 kg	9mm
1200x1200mm	2 pcs.	2.88	31	61 kg	9mm

OFFICE & DISPLAYS



STATES	CITY & ADDRESS	#	7
GUJARAT	Ahmedabed 344 Shakil Extol. Near Zydus Hospital. S.g. Highway, Ahemedabad. Mol. +91 98256 07722, E-mail. Cs.nextille@varmora.com	✓	1
TAMINLADU	Chennai No.51, new No.42;thirumalai Pillal Road, T.nagar.chennai 60017 Mo.: +91 9090 04714, E-mall.: Cs.nextile@varmora.com	/	1
KARNATAKA	Bengaluru #556-42/1, 2nd Floor, Above Syndicate Bank,40th Cross,2nd Main Jayanagar 8th Block,bengaluru-560 070 Moi. +91 90990 10523, E-mail.: Cs.nextile@varmora.com	1	1
KERALA	Eranakulam Door No. 33/1846, 1st Floor, samual Sons Build., sobha Road Chakaraparambu, nh. 47 By Pass, Palarivattam, Eranakulam-682 (28. Mo.: 491 90990 04714, E-mail.: Cs. nextille@varmora.com	/	1
WEST BENGAL	Kolkata Dif Galleria Room No.709 Premises No.02-124, Action Aria 1b Major Arterial Road,new Town Rajarhat, Kolkata-700 156 Mo. +91 90990 48573, E-mail. Cs.nextille@varmora.com	1	1
DELHI & NCR	Delhi & Ncr A 12, Sedtor-9, Opp. Sector-20 Police Station, Noida Up., Mo. +91 99990 10372, E-mail. Cs.nextile@varmora.com	/	1
MAHARASHTRA	Mumbai A-54, 1st Floor, Elite Auto House , Mathurdas Vasanji Road, andheri-kurla Road, Andheri (east) Mumbai Mo. +91 95120 26826, E-mail.: Cs.nextille@varmora.com	/	/



Countries we	e Export				
ARGENTINA BRAZIL BOLIVIA MEXICO COLOMBIA PANAMA ECUADOR CHILE AZERBAIJAN BAHRAIN IRAQ KUWAIT QATAR OMAN	SAUDI ARABIA ISRAEL YEMEN BRUNEI UAE DJIBOUTI EGYPT MALI MAURITIUS UGANDA CONGO SOUTH AFRICA TANZANIA ETHIOPIA	SUDAN LIBERIA SPAIN KOSOVO GREECE POLAND TURKEY U.K BELGIUM MACEDONIA KOREA RUSSIA TAIWAN VIETNAM	AUSTRALIA PERU URUGUAY PARAGUAY GUYANA VENEZUELA SURINAME COSTA RICA PORTUGAL FRANCE GERMANY ITALY ROMANIA SRI LANKA	IRELAND KENYA MOZAMBIQUE SENEGAL SEYCHELLES SIERRA LEONE GHANA CAMEROON GUINEA NIGERIA	Exclusive Varm Showrooms KUWAIT IRAQ ITAIWAN USA IETHIOPIA ISOUTH AFRICA MAURITIUS UAE

For Overseas Inquiry:

VARMORA INTERNATIONAL

8-A, National Highway, At: Dhuva, Ta: Wankaner, Dist: Morbi. (Gujarat - India.)

Contact No: +91 97277 77791 | E-mail: exports@varmora.com

