

























































product	product description	surface	article number
<p>WASCHTISCH</p> 	<p>KLUDI ZENTA single lever basin mixer DN 10 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/IA</p>	<p>chrome black/chrome white/chrome</p>	<p>382500575 382508675 382509175</p>
	<p>KLUDI ZENTA single lever basin mixer DN 10 solid lever single hole mounted flow rate 4,8 l/min PCA-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/IA WELL Reg. Nr. WA1003420101104</p>	<p>chrome</p>	<p>382500575W</p>
	<p>KLUDI ZENTA single lever basin mixer DN 10 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation centre position cold water pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	<p>chrome</p>	<p>382530575</p>
	<p>KLUDI ZENTA single lever basin mixer DN 10 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 P-IX 18634/IA</p>	<p>chrome black/chrome white/chrome</p>	<p>382510575 382518675 382519175</p>
	<p>KLUDI ZENTA XL single lever basin mixer DN 10 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/IA</p>	<p>chrome black/chrome white/chrome</p>	<p>382600575 382608675 382609175</p>
	<p>KLUDI ZENTA XL single lever basin mixer DN 10 solid lever single hole mounted flow rate 4,8 l/min PCA-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/IA WELL Reg. Nr. WA10035-20101104</p>	<p>chrome</p>	<p>382600575W</p>










KLUDI ZENTA












product	product description	surface	article number
 	<p>KLUDI ZENTA XL single lever basin mixer DN 10 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 P-IX 18634/IA</p>	 chrome 	382620575
 	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted, flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with mixing shaft optical object-detection electronic unit electric power supply via 230 V main adapter backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves</p>	 chrome  	3820205
 	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted, flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with mixing shaft optical object-detection electronic unit 9V alkaline battery backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves</p>	 chrome  	3810205
 	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted, flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with temperature control handle optical object-detection electronic unit powered by 230 V mains supply backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves</p>	 chrome  	3820005
 	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 single hole mounted, flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit with temperature control handle optical object-detection electronic unit 9V alkaline battery backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves</p>	 chrome  	3810005
 	<p>KLUDI ZENTA E electronic controlled pillar tap DN 15 single hole mounted, flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit optical object-detection electronic unit electric power supply via 230 V main adapter backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves</p>	 chrome  	3820505

product	product description	surface	article number
	<p>KLUDI ZENTA E electronic controlled pillar tap DN 15 single hole mounted, flow rate 4,8 l/min PCA cascade aerator M 24 x 1 magnet-cartridge unit optical object-detection electronic unit 9V alkaline battery backflow preventer rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves</p>	 <p>chrome</p>	<p>3810505</p>
	<p>KLUDI ZENTA single lever basin mixer DN 10 solid lever single hole mounted flow class Z PCA Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set pop-up waste G 1 1/4 flexible hoses G 3/8 noise level I</p>	 <p>chrome</p>	<p>382940575</p>
	<p>KLUDI ZENTA single lever basin mixer DN 10 solid lever single hole mounted flow class Z flow regulator s-pointer M 24 x 1 ceramic cartridge with hot water limitation swivelling spout pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	 <p>chrome</p>	<p>420250575</p>
	<p>KLUDI ZENTA single lever basin mixer DN 10 solid lever single hole mounted flow class Z flow regulator s-pointer M 24 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set flexible hoses G 3/8</p>	 <p>chrome</p>	<p>420260575</p>
	<p>KLUDI ZENTA single lever basin mixer DN 10 solid lever single hole mounted flow class Z PCA Caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18635/IA</p>	 <p>chrome</p>	<p>382550575</p>
	<p>KLUDI ZENTA single lever washbowl mixer DN 10 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge = 258 mm</p>	 <p>chrome</p>	<p>382570575</p>








product	product description	surface	article number
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set</p> <p>concealed electronic body DN 15 pre installation set</p>	<p>chrome</p> <p> </p>	<p>3840005</p> <p>38001</p> <p>38002</p>
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set</p> <p>concealed electronic body DN 15 pre installation set</p>	<p>chrome</p> <p> </p>	<p>3850005</p> <p>38001</p> <p>38002</p>
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set</p> <p>concealed electronic body DN 15 pre installation set</p>	<p>chrome</p> <p> </p>	<p>3840205</p> <p>38003</p> <p>38004</p>

KLUDI ZENTA

product	product description	surface	article number
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set</p> <p>concealed electronic body DN 15 pre installation set</p>	<p>chrome</p>  	<p>3850205</p> <p>38003</p> <p>38004</p>
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set</p> <p>concealed electronic body DN 15 pre installation set</p>	<p>chrome</p>  	<p>3840105</p> <p>38001</p> <p>38002</p>
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set</p> <p>concealed electronic body DN 15 pre installation set</p>	<p>chrome</p>  	<p>3850105</p> <p>38001</p> <p>38002</p>

product	product description	surface	article number
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 240 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set</p> <p>concealed electronic body DN 15 pre installation set</p>	<p>chrome</p> <p> </p>	<p>3840305</p> <p>38003</p> <p>38004</p>
	<p>KLUDI ZENTA E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min at 3 bar optical object-detection projection 190 mm</p> <p>required accessories: concealed electronic body DN 15 pre installation set</p> <p>concealed electronic body DN 15 pre installation set</p>	<p>chrome</p> <p> </p>	<p>3850305</p> <p>38003</p> <p>38004</p>
	<p>KLUDI pillar valve DN 15 cylindrical handle single hole mounted flow class Z Caché eco s-pointer-aerator M 18,5 x 1 ceramic headpart 90° without pop-up waste</p>	<p>chrome</p> <p> </p>	<p>381160530</p>
<p>BIDET</p> 	<p>KLUDI ZENTA single lever bidet mixer DN 10 solid lever single hole mounted flow class Z ball joint-cascade-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/IA</p>	<p>chrome black/chrome white/chrome</p> <p></p>	<p>385300575 385308675 385309175</p>

KLUDI ZENTA

product	product description	surface	article number
<p>BATH</p> 	<p>KLUDI ZENTA single lever bath- and shower mixer DN 15 solid lever wall fastening flow class CB aerator M 24 x 1 ceramic cartridge with hot water limitation protected against back flow autom. diverter shower/bathtub s-connections PA-IX 18636/ICB</p>	<p>chrome black/chrome white/chrome</p>	<p>386700575 386708675 386709175</p>
	<p>KLUDI ZENTA thermostatic bath- and shower mixer DN 15 wall fastening flow class BB aerator M 24 x 1/B temperature control handle with hot water safety device 38° C ceramic headpart 90° protected against back flow dirt catcher sieves autom. diverter shower/bathtub shower outlet G 1/2 s-connections</p>	<p> chrome black/chrome white/chrome</p>	<p>351010538 351018638 351019138</p>
	<p>KLUDI ZENTA single lever bath- and shower mixer DN 15 stand assembly three hole tiles deck mounted installation solid lever flow class DB s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow projection 220 mm for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00</p>	<p> chrome</p>	<p>384470575</p>
	<p>KLUDI ZENTA single lever bath- and shower mixer DN 15 stand assembly three hole deck mounted installation solid lever flow class DB s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow projection 140 mm for bathtub rim mounting unit 7480200-00 or mounting plate 7614946-00</p>	<p> chrome</p>	<p>384460575</p>

product	product description	surface	article number
---------	---------------------	---------	----------------



KLUDI ZENTA bath-and shower mixer DN 15
 four hole tiles deck mounted installation
 stand assembly
 cylindric handles
 flow class CB
 s-pointer aerator M 24 x 1
 ceramic headpart 90°
 autom. diverter shower/bathtub
 retractable hand shower
 protected against back flow
 flexible high pressure supply hoses
 G 1/2 x G 1/2 x 400 mm
 projection 220 mm
 noise level I



chrome

384240575

NEW



KLUDI ZENTA concealed single lever bath and shower mixer
 concealed valve with functional unit
 solid lever
 autom. diverter shower/bathtub
 ceramic cartridge with hot water limitation
 flow class DC
 PA-IX 18967/IDC

chrome
 black/chrome
 white/chrome


386500575

386508675

386509175

required accessories:
 KLUDI FLEXX.B0XX
 concealed unit DN 20

88011



KLUDI ZENTA concealed single lever bath and shower mixer
 concealed trim-set
 solid lever
 autom. diverter shower/bathtub

chrome
 black/chrome
 white/chrome

386600575

386608675

386609175

required accessories:
 concealed mixer DN 15
 pre installation set

33434



KLUDI ZENTA concealed single lever bath and shower mixer
 concealed valve with functional unit
 solid lever
 autom. diverter shower/bathtub
 ceramic cartridge with hot water limitation
 flow class DC
 protected against back flow
 according to DIN EN 1717
 P-IX 19310/ICB









chrome


















386570575

required accessories:
 KLUDI FLEXX.B0XX
 concealed unit DN 20





88011

KLUDI ZENTA

product	product description	surface	article number
	<p>KLUDI O-CEAN/KLUDI ZENTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	 chrome	<p>388300545</p> <p>88011</p>
	<p>KLUDI bath filler DN 20 wall fastening flow class B aerator M 28 x 1 with push-on rosette projection 170 mm</p>	chrome	1350005
	<p>KLUDI bath filler with diverter DN 20 wall fastening flow class B aerator M 28 x 1 autom. diverter shower/bathtub protected against back flow with push-on rosette projection 170 mm</p>	chrome	1350105
SHOWER			
	<p>KLUDI ZENTA single lever shower mixer DN 15 solid lever wall fastening flow class A s-connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 PA-IX 18637/IA</p>	chrome black/chrome white/chrome	<p>388700575 388708675 388709175</p>
	<p>KLUDI ZENTA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve protected against back flow dirt catcher sieves shower outlet G 1/2 s-connections PA-IX 18064/IB</p>	 chrome black/chrome white/chrome	<p>351000538 351008638 351009138</p>
	<p>KLUDI ZENTA concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	chrome black/chrome white/chrome	<p>386550575 386558675 386559175</p> <p>88011</p>

product	product description	surface	article number
 	<p>KLUDI ZENTA concealed single lever shower mixer concealed trim-set solid lever</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	<p>chrome black/chrome white/chrome</p>	<p>388600575 388608675 388609175</p> <p>33434</p>
 	<p>KLUDI O-CEAN/KLUDI ZENTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	 <p>chrome</p>	<p>388350545</p> <p>88011</p>
<p>ACCESSORIES</p>  	<p>concealed electronic body DN 15 pre installation set without trim set in-wall installation ceramic cartridge powered by 230 V mains supply dirt catcher sieves with back flow preventer</p>		<p>38001</p>
 	<p>concealed electronic body DN 15 pre installation set without trim set in-wall installation ceramic cartridge powered by 6 V battery dirt catcher sieves with back flow preventer</p>		<p>38002</p>
 	<p>concealed electronic body DN 15 pre installation set without trim set in-wall installation for cold or premixed water connection powered by 230 V mains supply</p>		<p>38003</p>
 	<p>concealed electronic body DN 15 pre installation set without trim set in-wall installation for cold or premixed water connection powered by 6 V battery</p>		<p>38004</p>

KLUDI ZENTA

product	product description	surface	article number
	<p>KLUDI ZENTA spacer escutcheon for base for KLUDI ZENTA for 38250, 38251, 38253, 38256, 38260, 38262, 38530, 38100, 38102, 38105, 38200, 38202, 38205</p>	chrome	7607105-00
<hr/>			
<p>SPARE PARTS</p>  	<p>KLUDI ZENTA lever for single lever mixer for 38244, 38245, 38250, 38251, 38256, 38260, 38262, 38530, 38670, 38870</p>	chrome black/chrome white/chrome	7466905-00 7466986-00 7466991-00
<hr/>			
	<p>KLUDI ZENTA lever for single lever mixer for 38446, 38447, 38650, 38655, 38657, 38660, 38667, 38860</p>	chrome black/chrome white/chrome	7470005-00 7470086-00 7470091-00