






























product	product description	surface	article number
<p>BASIN</p> 	<p>KLUDI OBJEKTA single lever basin mixer DN 10 solid lever single hole mounted ceramic cartridge with hot water limitation Eco s-pointer aerator M 24 x 1Z flow class Z pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	<p>chrome</p>  	<p>322330575</p>
	<p>KLUDI OBJEKTA single lever basin mixer DN 10 solid lever single hole mounted ceramic cartridge with hot water limitation PCA aerator M 24 x 1 flow rate 5 l/min pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p>	<p>chrome</p> 	<p>322330575</p>
	<p>KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 for use with displacement heaters</p>	<p>chrome</p>  	<p>322340575</p>
	<p>KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation Eco s-pointer aerator M 24 x 1Z flow class Z without pop-up waste rapid installation set flexible hoses G 3/8</p>	<p>chrome</p>  	<p>321260575</p>
	<p>KLUDI OBJEKTA single-lever basin mixer XL DN 10 solid lever single hole mounted ceramic cartridge with hot water limitation s-pointer eco-aerator M 24 x 1 flow class Z flexible hoses G 3/8 rapid installation set pop-up waste G 1 1/4</p>	<p>chrome</p>  	<p>322600575</p>
	<p>KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 18 x 1 ceramic cartridge swivelling spout pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I</p>	<p>chrome</p> 	<p>320230575</p>









KLUDI OBJEKTA

product	product description	surface	article number
 	<p>KLUDI OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 18 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set flexible hoses G 3/8 noise level I</p>	 chrome	320240575
 	<p>KLUDI OBJEKTA basin mixer DN 10 solid lever three hole assembling flow class A Caché-aerator M 21,5 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 noise level I</p>	chrome	323930575 <div style="background-color: black; color: white; padding: 2px; display: inline-block;">NEW</div>
<p>BIDET</p>  	<p>KLUDI OBJEKTA single lever bidet mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation ball joint caché aerator M 18,5 x 1 flow class Z rapid installation set flexible hoses G 3/8 pop-up waste G 1 1/4</p>	 chrome	324160575
<p>BATH</p>  	<p>KLUDI OBJEKTA single lever bath- and shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation s-pointer aerator M 24 x 1 flow class CB autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4</p>	 chrome	326530575
 	<p>KLUDI OBJEKTA thermostatic bath- and shower mixer DN 15 wall fastening flow class BB cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation protected against back flow dirt catcher sieves autom. diverter shower/bathtub shower outlet G 1/2</p>	 chrome	352600538
 	<p>KLUDI OBJEKTA thermostatic bath- and shower mixer DN 15 wall fastening flow class BB cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation protected against back flow dirt catcher sieves autom. diverter shower/bathtub shower outlet G 1/2</p>	 chrome	352010538 <div style="background-color: black; color: white; padding: 2px; display: inline-block;">NEW</div>


product	product description	surface	article number
	<p>KLUDI OBJEKTA bath-and shower mixer DN 15 four hole tiles deck mounted installation stand assembly solid lever flow class CB cascade aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub retractable hand shower protected against back flow flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm noise level I</p>	chrome	<p>324250575</p> <p>NEW</p>
	<p>KLUDI SPEZIAL OBJEKTA single lever bath- and shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation aerator M 24 x 1 flow class BB autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4</p>	chrome	324910575
	<p>KLUDI OBJEKTA single lever bath- and shower mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation aerator M 24 x 1 flow class DC autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow flexible hoses G 3/8 rapid installation set</p>	chrome	326850575
	<p>KLUDI OBJEKTA single lever bath- and shower mixer DN 15 vertical bath/ shower mixer solid lever wall fastening ceramic cartridge with hot water limitation aerator M 28 x 1 flow class BB autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow connection angle G 1/2 x G 3/4 x 45° distance from center to center 75 mm</p>	chrome	324890575
	<p>KLUDI OBJEKTA concealed single lever bath and shower mixer concealed valve with functional unit solid lever, wall fastening ceramic cartridge with hot water limitation flow class DC autom. diverter shower/bathtub PA-IX 18967/DC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	chrome	<p>326500575</p> <p>88011</p>

KLUDI OBJEKTA

product	product description	surface	article number
	<p>KLUDI OBJEKTA concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	<p>326150575</p> <p>33434</p>
	<p>KLUDI OBJEKTA concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class CB autom. diverter shower/bathtub protected against back flow noise level I P-IX 19310/ICB</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	326570575
	<p>KLUDI MX/KLUDI OBJEKTA concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome	<p>358300538</p> <p>88011</p>
<p>SHOWER</p> 	<p>KLUDI OBJEKTA single lever shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4</p>	chrome	327640575
	<p>KLUDI OBJEKTA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/IB DIN-DVGW-BM-0037</p>	 chrome	352000538

product	product description	surface	article number
	<p>KLUDI OBJEKTA single lever shower mixer DN 15 vertical bath/ shower mixer solid lever wall fastening ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow connection angle G 1/2 x G 1/2 x 45° distance from center to center 75 mm</p>	chrome	326510575
	<p>KLUDI OBJEKTA concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class C PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	chrome	326550575 88011
	<p>KLUDI OBJEKTA concealed single lever shower mixer concealed trim-set solid lever</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	328180575 33434
	<p>KLUDI MX/KLUDI OBJEKTA concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IIIC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	 chrome	358350538 88011
	<p>Thermostat concealed thermostatic mixer concealed trim-set hot water safety device 38 °C with shut-off valve</p> <p>required accessories: Thermostat concealed thermostatic mixer DN 15</p>	 chrome	357300538 35156
<p>SPARE PARTS</p> 	<p>KLUDI OBJEKTA lever for 32233, 32234, 32126, 32260, 32416, 32235</p>	chrome	7504705-00

KLUDI OBJEKTA

product	product description	surface	article number
	KLUDI OBJEKTA lever for 32489, 32491, 32615, 32650, 32651, 32653, 32655, 32657, 32685, 32764, 32818	chrome	7504805-00
