


















































| product | product description | surface | article number | |
|---|--|---|----------------|-----------|
| BASIN | <p>KLUDI LOGO NEO single lever basin mixer XS DN 10 solid lever single hole mounted flow class Z flow regulator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p> |  | chrome | 372850575 |
|  |  | | | |
|  | <p>KLUDI LOGO NEO single lever basin mixer DN 8 solid lever single hole mounted flow class Z eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses with nipple Ø 10 mm noise level I P-IX 19334/IZ</p> |  | chrome | 372810575 |
|  | | | | |
|  | <p>KLUDI LOGO NEO single lever basin mixer DN 10 solid lever single hole mounted flow class Z eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I P-IX 19334/IZ</p> |  | chrome | 372820575 |
|  | | | | |
|  | <p>KLUDI LOGO NEO single lever basin mixer DN 10 solid lever single hole mounted flow class Z eco-aerator M 24 x 1 ceramic cartridge with hot water limitation centre position cold water pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p> |  | chrome | 372890575 |
|  | | | | |
|  | <p>KLUDI LOGO NEO single lever basin mixer DN 10 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 for use with displacement heaters noise level I P-IX 19338/I</p> |  | chrome | 372760575 |
|  | | | | |
|  | <p>KLUDI LOGO NEO CARE single lever basin mixer DN 10 Public lever arm 120 mm single hole mounted flow class Z eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p> |  | chrome | 372840575 |
|  | | | | |

KLUDI LOGO NEO

| product | product description | surface | article number |
|--|---|---|------------------|
|  | <p>KLUDI LOGO NEO CARE single lever basin mixer DN 10 clinic-lever 180 mm single hole mounted flow class Z eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p> |  chrome | 372870575 |
|  | <p>KLUDI LOGO NEO single-lever basin mixer XL DN 10 solid lever single hole mounted flow class Z eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8</p> |  chrome | 372900575 |
|  | <p>KLUDI LOGO NEO single lever basin mixer DN 8 solid lever single hole mounted flow class Z eco-aerator M 24 x 1 ceramic cartridge with hot water limitation retractable chain rapid installation set flexible hoses with nipple Ø 10 mm noise level I P-IX 19334/IZ</p> |  chrome | 372800575 |
|  | <p>KLUDI LOGO NEO single lever basin mixer DN 10 solid lever single hole mounted flow class Z eco-aerator M 24 x 1 ceramic cartridge with hot water limitation retractable chain rapid installation set flexible hoses G 3/8 noise level I P-IX 19334/IZ</p> |  chrome | 372830575 |
|  | <p>KLUDI LOGO NEO single lever basin mixer DN 10 solid lever single hole mounted flow rate 5 l/min flow regulator M 24 x 1 ceramic cartridge with hot water limitation retractable chain rapid installation set flexible hoses G 3/8 noise level I for use with displacement heaters P-IX 19338/I</p> |   chrome | 372750575 |
|  | <p>KLUDI LOGO NEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min flow regulator M 18 x 1 ceramic cartridge swivelling spout pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I</p> |  chrome | 370230575 |

| product | product description | surface | article number |
|---|---|--|--|
| <p>BIDET</p>  |  | <p>KLUDI LOGO NEO single lever bidet mixer DN 8 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses with nipple Ø 10 mm noise level I P-IX 19334/IZ</p> | <p>chrome 375310575</p>   |
|  |  | <p>KLUDI LOGO NEO single lever bidet mixer DN 10 solid lever single hole mounted flow class Z s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I P-IX 19334/IZ</p> | <p>chrome 375330575</p>   |
| <p>BATH</p>  |  | <p>KLUDI LOGO NEO single lever bath- and shower mixer DN 15 solid lever wall fastening flow class CB aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections noise level I PA-IX 19339/ICA</p> | <p>chrome 376810575</p> |
|  |  | <p>KLUDI LOGO NEO single lever bath- and shower mixer DN 15 solid lever wall fastening distance from center to center 45 mm flow class BA aerator M 22 x 1/B ceramic cartridge with hot water limitation swivelling spout 250 mm s-connections G 1/2 x G 1/2 protected against back flow Tele-hand shower DN 15 chrome-plated Universal hose G 1/2 x G 1/2 x 1250 mm Tele-wall holder transparent noise-level II P-IX 3967/IIBA</p> | <p>chrome 375920575</p> |
|  |  | <p>KLUDI LOGO NEO single lever bath- and shower mixer DN 15 solid lever wall fastening distance from center to center 45 mm flow class BA aerator M 22 x 1/B ceramic cartridge with hot water limitation swivelling spout 250 mm s-connections G 1/2 x G 1/2 protected against back flow noise-level II PA-IX 3967/IIBA</p> | <p>chrome 375910575</p> |

KLUDI LOGO NEO

| product | product description | surface | article number |
|---|---|---------|------------------------|
|  | <p>KLUDI LOGO NEO concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub for concealed-device 38625</p> <p>required accessories: concealed mixer DN 15 pre installation set</p> | chrome | 374190575 38625 |
| <p>SHOWER</p>  | <p>KLUDI LOGO NEO single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections PA-IX 19340/IA</p> | chrome | 378410575 |
|  | <p>KLUDI LOGO NEO concealed single lever shower mixer concealed trim-set solid lever for concealed-device 38625</p> <p>required accessories: concealed mixer DN 15 pre installation set</p> | chrome | 374200575 38625 |
| <p>SPARE PARTS</p>  | <p>KLUDI LOGO NEO lever for single lever mixer 37281, 37282, 37276, 37280, 37283, 37275, 37531, 37533, 37681, 37592, 37591, 37719, 37841, 37920, 37913, 37914, 37919, 37924, 37285, 37290</p> | chrome | 7495005-00 |