


KLUDI A-QA

product	product description	surface	article number
---------	---------------------	---------	----------------

SHOWER SYSTEMS




**KLUDI A-QA
Thermostat Dual Shower-System DN 15**
 wall fastening
 with horizontally and vertically adjustable tube
 flow class BB
 temperature control handle
 with hot water safety device 38° C
 with ceramic shut-off valve
 as rotary valve 90°/90°
 shower outlet G 1/2
 KLUDI A-QA handshower rotate the handle
 to the rear
 shower outlet G 3/4
 KLUDI A-QA head shower rotary valve
 dirt catcher sieves
 protected against back flow
 KLUDI SUPARAFLEX SILVER
 G 1/2 x G 1/2 x 1600 mm
 with KLUDI A-QA headshower
 G 1/2 x 140 x 245 mm
 with KLUDI A-QA hand shower
 with one spray mode
 with mounting material



chrome


4909505-00



**KLUDI A-QA
Dual-Shower-System DN 15**
 wall fastening
 with horizontally and vertically adjustable tube
 flow class AA
 two-way ceramic diverter
 water supply with
 flexible hose G 1/2 x G 1/2 x 800 mm
 horizontal and vertical adjustable slider
 KLUDI SUPARAFLEX SILVER
 G 1/2 x G 1/2 x 1600 mm
 with KLUDI A-QA headshower
 G 1/2 x 140 x 245 mm
 with KLUDI A-QA hand shower
 with one spray mode
 with mounting material

chrome

4919105-00




**KLUDI A-QA
Thermostat Dual Shower-System DN 15**
 wall fastening
 with horizontally and vertically adjustable tube
 flow class BB
 temperature control handle
 with hot water safety device 38° C
 with ceramic shut-off valve as rotary
 valve 90°/90°
 shower outlet G 1/2
 hand shower rotary valve
 shower outlet
 Head shower rotary valve
 dirt catcher sieves
 protected against back flow
 head shower Ø 200 mm
 hand shower KLUDI A-QA s
 with 3 spray patterns
 with mounting material



chrome

6609505-00

product	product description	surface	article number
---------	---------------------	---------	----------------




**KLUDI A-QA s
Thermostat Dual Shower-System DN 15**
with horizontally and vertically adjustable tube
wall fastening
temperature control handle
with hot water safety device 38° C
with ceramic shut-off valve as rotary
valve 90°/90°
shower outlet G 1/2
KLUDI A-QA handshower rotate the handle
to the rear
shower outlet G 3/4
KLUDI A-QA head shower rotary valve
protected against back flow
with horizontal and vertical adjustable slider
KLUDI SUPARAFLEX Hose DN 15
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 250 mm,
swiveling
with three spray patterns
with mounting material
with dirt catcher sieves

chrome

6619505-00

NEW




**KLUDI A-QA s
Dual Shower-System**
wall fastening
with horizontally and vertically adjustable tube
flow class AA
two-way ceramic diverter
water supply with flexible hose
G 1/2 x G 1/2 x 800 mm
horizontal and vertical adjustable slider
KLUDI SUPARAFLEX Hose DN 15
G 1/2 x G 1/2 x 1600 mm
head shower Ø 200 mm
hand shower KLUDI A-QA s
adjustable to three spray patterns:
booster, smooth, volume
with mounting material
without shower mixer



chrome

6609105-00






**KLUDI A-QA
Dual-Shower-System DN 15**
with horizontally and vertically adjustable tube
wall fastening
two-way ceramic diverter
water supply with flexible hose
G 1/2 x G 1/2 x 800 mm
with horizontal and vertical adjustable slider
KLUDI SUPARAFLEX Hose DN 15
G 1/2 x G 1/2 x 1600 mm
with KLUDI A-QA headshower Ø 250 mm,
swiveling
KLUDI A-QA s hand shower DN 15
with three spray patterns
with mounting material
without shower mixer





chrome



6619205-00



NEW







KLUDI A-QA

product	product description	surface	article number
 	<p>KLUDI A-QA Thermostat-Mono-Shower-System DN 15 wall fastening with horizontally and vertically adjustable tube flow class B temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation dirt catcher sieves s-connections head shower Ø 200 mm with mounting material</p>	 chrome	6608105-00

 	<p>KLUDIA-QA v shower duo thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C with shut-off valve 50 % water consumption regulation protected against back flow dirt catcher sieves shower outlet G 1/2 P-IX 8049/B DIN-DVGW-BM-0037 flexible wall rail with slider L = 1100 mm bracket adjustment to existing drill holes up to 1020 mm KLUDI A-QA s hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm</p>	  chrome	6209705-00
--	--	--	-------------------

HEAD AND SIDE SHOWERS		surface	article number
 	<p>KLUDI A-QA head shower DN 15 Ø 200 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	chrome	6432005-00 <div style="background-color: black; color: white; padding: 2px; display: inline-block;">NEW</div>

 	<p>KLUDI A-QA head shower DN 15 Ø 250 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	chrome	6432505-00 <div style="background-color: black; color: white; padding: 2px; display: inline-block;">NEW</div>
---	---	--------	---








product	product description	surface	article number
	<p>KLUDI A-QA head shower DN 15 Ø 300 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	chrome	<p>6433005-00 NEW</p>
	<p>KLUDI A-QA head shower DN 15 200 x 200 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	chrome	<p>6442005-00 NEW</p>
	<p>KLUDI A-QA head shower DN 15 250 x 250 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	chrome	<p>6442505-00 NEW</p>
	<p>KLUDI A-QA head shower DN 15 300 x 300 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	chrome	<p>6443005-00 NEW</p>
	<p>KLUDI A-QA head shower DN 15 200 x 200 mm Soft-edge quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	chrome	<p>6452005-00 NEW</p>
	<p>KLUDI A-QA head shower DN 15 300 x 300 mm Soft-edge quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	chrome	<p>6453005-00 NEW</p>

















KLUDI A-QA

product	product description	surface	article number
 	<p>KLUDI A-QA head shower DN 15 Ø 245 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm noise level I</p>	chrome	6651105-00
 	<p>KLUDI A-QA eco-head shower DN 15 Ø 245 mm quick and easy cleaning system with ball joint connection G 1/2 water flow regulator 9.0 l/min without shower arm noise level I</p>	 chrome	6652105-00
 	<p>KLUDI A-QA head shower DN 15 Ø 200 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm noise level I</p>	chrome	6651005-00
 	<p>KLUDI A-QA eco-head shower DN 15 Ø 200 mm quick and easy cleaning system with ball joint connection G 1/2 water flow regulator 9.0 l/min without shower arm noise level I</p>	 chrome	6652005-00
 	<p>KLUDI A-QA head shower DN 15 140 x 245 mm flow class B quick and easy cleaning system with ball joint pre-installed dirt cleaner sieve connection G 1/2 without shower arm</p>	chrome	4940205-00
 	<p>KLUDI A-QA head shower DN 15 250 x 250 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm noise level I</p>	chrome	6653105-00










product	product description	surface	article number
	<p>KLUDI A-QA head shower DN 15 250 x 250 mm quick and easy cleaning system with ball joint connection G 1/2 water flow regulator 9.0 l/min without shower arm noise level I</p>	 chrome	<p>6654105-00</p>
	<p>KLUDI A-QA head shower DN 15 200 x 200 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm noise level I</p>	chrome	<p>6653005-00</p>
	<p>KLUDI A-QA head shower DN 15 200 x 200 mm quick and easy cleaning system with ball joint connection G 1/2 water flow regulator 9.0 l/min without shower arm noise level I</p>	 chrome	<p>6654005-00</p>
	<p>KLUDI A-QA head shower DN 15 quick and easy cleaning system shower spray smooth spray massage-spray without shower arm with ball joint suitable for water heater with a flow capacity for a minimum of 13 l/min</p>	chrome	<p>6239105-00</p>
	<p>KLUDI A-QA head shower DN 15 quick and easy cleaning system shower spray without shower arm with ball joint suitable for water heater with a flow capacity for a minimum of 13 l/min</p>	chrome	<p>6219105-00</p>
	<p>KLUDI A-QA drench shower DN 15 heavy casted version with ball joint and escutcheon</p>	chrome	<p>6051005-00</p>
















KLUDI A-QA

product	product description	surface	article number
	<p>KLUDI A-QA drench shower DN 20 heavy casted version with ball joint and escutcheon</p>	chrome	6051105-00
	<p>KLUDI A-QA side shower DN 15 swivelling normal spray with ball joint and escutcheon suitable for water heater with a flow capacity for a minimum of 13 l/min</p>	chrome	6108305-00
<p>SHOWER SETS</p> 	<p>KLUDI A-QA shower set L = 900 mm wall rail with glider hand shower DN 15 quick and easy cleaning system shower hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	3914005-00
	<p>KLUDI A-QA i shower set 1S L = 900 mm wall rail right and left swiveling horizontal and vertical adjustable slider KLUDI A-QA i 1S hand shower DN 15 Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts noise level I P-IX 19052/IB</p>	chrome	6614005-00
	<p>KLUDI A-QA s shower set 3S L = 900 mm wall rail KLUDI A-QA s 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	 chrome	6574005-00
	<p>KLUDI A-QA s shower set 3S L = 600 mm wall rail KLUDI A-QA s 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	 chrome	6573005-00










product	product description	surface	article number
 	<p>KLUDI A-QA v shower set 3S L = 1100 mm flexible wall rail with slider bracket adjustment to existing drill holes up to 1020 mm KLUDI A-QA s hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	 chrome	6209605-00
 	<p>KLUDI A-QA b shower set 1S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts noise level I</p>	 chrome	6564005-00
 	<p>KLUDI A-QA b shower set 1S L = 600 mm wall rail horizontal and vertical adjustable slider KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts noise level I</p>	 chrome	6563005-00
 	<p>KLUDI A-QA b shower set 1S L = 955 mm metal wall rail horizontal and vertical adjustable slider KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts noise level I</p>	 chrome	6564205-00
<p>WALL RAILS</p>  	<p>KLUDI A-QA s wall rail L = 900 mm horizontal and vertical adjustable slider SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6572005-00
 	<p>KLUDI A-QA s wall rail L = 600 mm horizontal and vertical adjustable slider SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6571005-00



KLUDI A-QA

product	product description	surface	article number
	<p>KLUDI A-QA v flexible wall rail L = 1100 mm bracket adjustment to existing drill holes up to 1020 mm horizontal and vertical adjustable slider Suparflex shower hose anti twist G 1/2 x G 1/2 x 1600 mm with conical nuts</p>	chrome	6209505-00
	<p>KLUDI A-QA wall rail L = 955 mm metal wall rail horizontal and vertical adjustable slider</p>	 chrome	6564105-00
<p>HANSHOWER</p> 	<p>KLUDI A-QA hand shower DN 15 quick and easy cleaning system</p>	chrome	3910005-00
	<p>KLUDI A-QA i hand shower DN 15 big size shower spray Ø 137 mm incline in 5° - steps adjustable (max. inclination 30°) voluminous shower spray 90 flash nozzels flow rate 18,7 l/min at 3 bar quick and easy cleaning system noise level I P-IX 19052/IB</p>	chrome	6610005-00
	<p>KLUDI A-QA s hand shower DN 15 quick and easy cleaning system adjustable to three spray patterns: booster, smooth, volume noise level I</p>	 chrome	6570005-00
	<p>KLUDI A-QA b hand shower DN 15 with 50 % Eco function quick and easy cleaning system flow class B/Z with shower spray with 60 flash nozzels connection G 1/2 flow rate 18,0 l/min at 3 bar flow rate 9,0 l/min at 3 bar eco eco function not applicable for hydraulic DEH according to DIN EN 1112 noise level I</p>	 chrome	6560005-00

product	product description	surface	article number
BATH SETS			
 	<p>KLUDI A-QA i bath-shower set KLUDI A-QA i 1S hand shower DN 15 SIRENAFLEX-hose G 1/2 x G 1/2 x 1250 mm with conical nuts fixed wall shower hook with screws and dowels noise level I P-IX 19052/IB</p>	chrome	6615005-00
 	<p>KLUDI A-QA s bath-shower set KLUDI A-QA s 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume SIRENAFLEX-hose G 1/2 x G 1/2 x 1250 mm with conical nuts fixed wall shower hook with screws and dowels</p>	 chrome	6575005-00
 	<p>KLUDI A-QA b bath-shower set KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function with shower spray with 60 flash nozzels SIRENAFLEX-hose G 1/2 x G 1/2 x 1250 mm with conical nuts fixed wall shower hook with screws and dowels noise level I</p>	 chrome	6556005-00
 	<p>KLUDI A-QA b bath-shower set KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function with shower spray with 60 flash nozzels KLUDI SUPARAFLEX SILVER-hose 6107105-00 G 1/2 x G 1/2 x 1250 mm with conical nuts wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G 1/2, noise level I</p>	 chrome	6567005-00
 	<p>KLUDI A-QA shower set stand assembly consisting of: hand shower DN 15 quick and easy cleaning system shaft for shower hose shower hose 1500 mm high pressure supply hose 500 mm</p>	chrome	3905105
ACCESSORIES			
 	<p>KLUDI A-QA wall supply with shower holder DN 15 with wall-compensation ring for hoses with conical nut with screws and dowels shower outlet G 1/2 protected against back flow according to DIN EN 1717</p>	chrome white	6556005-00 6556043-00 <div style="background-color: black; color: white; padding: 2px; display: inline-block;">NEW</div>

KLUDI A-QA

product	product description	surface	article number
	<p>KLUDI A-QA wall supply with shower holder DN 15 with flow control wall fastening for hoses with conical nut shower outlet G 1/2 continuously regulable ceramic flow regulator from 3 l/min. to 20 l/min. approx. protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material not lockable</p>	 chrome	6556105-00 <div style="background-color: black; color: white; padding: 2px; text-align: center; width: fit-content; margin: 5px auto;">NEW</div>
	<p>KLUDI A-QA wall supply with shower holder DN 15 with ceramic shut-off valve wall fastening for hoses with conical nut shower outlet G 1/2 protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material Not suitable for permanent water shut off</p>	 chrome	6556205-00 <div style="background-color: black; color: white; padding: 2px; text-align: center; width: fit-content; margin: 5px auto;">NEW</div>
	<p>KLUDI A-QA wall supply DN 15 with flow control wall fastening shower outlet G 1/2 continuously regulable ceramic flow regulator from 3 l/min. to 20 l/min. approx. protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material not lockable</p>	 chrome	6554405-00 <div style="background-color: black; color: white; padding: 2px; text-align: center; width: fit-content; margin: 5px auto;">NEW</div>
	<p>KLUDI A-QA wall supply DN 15 with ceramic shut-off valve wall fastening shower outlet G 1/2 protected against back flow with wall-compensation ring with mounting material Not suitable for permanent water shut off</p>	 chrome	6554505-00 <div style="background-color: black; color: white; padding: 2px; text-align: center; width: fit-content; margin: 5px auto;">NEW</div>
	<p>KLUDI A-QA i tile compensation washer for wall rail</p>	chrome	93098905-00
	<p>KLUDI A-QA s tile compensation washer for wall rail</p>	chrome	93099005-00

product	product description	surface	article number
	<p>KLUDI A-QA v extension set for wall rail 62095.. for shower sets 62096.. und 62097..</p>	chrome	7042005-00
	<p>KLUDI A-QA v shortening set for wall rail 62095.. for shower sets 62096.. und 62097..</p>	chrome	7043005-00