


product	product description	surface	article number
---------	---------------------	---------	----------------

BASIN



KLUDI BALANCE
single lever basin mixer DN 10
 solid lever
 single hole mounted
 flow class Z
 caché s-pointer-Laminar-flow-regulator M 24 x 1
 water flow regulator 8.0 l/min
 ceramic cartridge with hot water limitation
 pop-up waste G 1 1/4
 rapid installation set
 flexible hoses G 3/8
 noise level I




chrome
 white/chrome

520230575
 520239175



product
 design award

2012 ■



KLUDI BALANCE
single lever basin mixer DN 10
 solid lever
 single hole mounted
 flow class Z
 caché s-pointer-Laminar-flow-regulator M 24 x 1
 ceramic cartridge with hot water limitation
 without pop-up waste
 rapid installation set
 flexible hoses G 3/8
 noise level I
 water flow regulator 8.0 l/min




chrome
 white/chrome

520260575
 520269175



product
 design award

2012 ■




KLUDI BALANCE E
electronic controlled basin mixer DN 10
 single hole mounted
 flow class Z
 flow rate 8 l/min
 PCA cascade aerator M 24 x 1 with
 anti-theft device
 magnet-cartridge unit
 with presetable temperature control handle
 optical object-detection
 electronic unit with control device
 electric power supply via 230 V main adapter
 backflow preventer
 without pop-up waste
 rapid installation set
 flexible high pressure supply tubes G 3/8
 with dirt catcher sieves
 noise level I
 protected against vandalism



chrome
 white/chrome

5220005
 5220091

NEW



KLUDI BALANCE E
electronic controlled basin mixer DN 10
 single hole mounted
 flow class Z
 flow rate 8 l/min
 PCA cascade aerator M 24 x 1 with
 anti-theft device
 magnet-cartridge unit
 with presetable temperature control handle
 optical object-detection
 electronic unit with battery control device
 6 V lithium battery CR-P2, anti theft
 backflow preventer
 without pop-up waste
 rapid installation set
 flexible high pressure supply tubes G 3/8
 with dirt catcher sieves
 noise level I
 protected against vandalism





















chrome
 white/chrome

5210005
 5210091










NEW














product	product description	surface	article number
	<p>KLUDI BALANCE E electronic controlled pillar tap DN 10 single hole mounted flow class Z flow rate 8 l/min thief-proof Cascade-aerator M 24 x 1 magnet-cartridge unit optical object-detection electronic unit with battery control device 6 V lithium battery CR-P2, anti theft backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism</p>	<p>chrome</p> 	<p>5210505</p>
	<p>KLUDI BALANCE single lever washbowl mixer DN 10 solid lever single hole mounted flow class Z caché s-pointer-Laminar-flow-regulator M 24 x 1 water flow regulator 8.0 l/min ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height lower edge = 272 mm</p>	<p>chrome white/chrome</p> 	<p>522980575 522989175</p>
	<p>KLUDI BALANCE single lever washbowl mixer DN 10 solid lever single hole mounted flow class Z caché s-pointer-Laminar-flow-regulator M 24 x 1 water flow regulator 8.0 l/min ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height lower edge = 212 mm</p>	<p>chrome white/chrome</p> 	<p>522960575 522969175</p>
	<p>KLUDI BALANCE concealed two hole wall mounted basin mixer trim set, solid lever flow class Z s-pointer eco-aerator M 24 x 1 rosette diameter 70 mm projection wall spout 220 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	<p>chrome</p> 	<p>522450575</p> <p>38243</p>
	<p>KLUDI BALANCE concealed two hole wall mounted basin mixer trim set, solid lever flow class Z s-pointer eco-aerator M 24 x 1 rosette diameter 70 mm projection wall spout 180 mm</p> <p>required accessories: installation set DN 15 for concealed two hole wall mounted basin mixer</p>	<p>chrome</p> 	<p>522440575</p> <p>38243</p>

product	product description	surface	article number
	<p>KLUDI BALANCE single lever bath- and shower mixer DN 15 stand assembly, solid lever three hole tiles deck mounted installation ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower high pressure supply hoses G 1/2 x G 1/2 x 600 mm without bath filler for bathtub rim mounting unit 7580200-00 or mounting plate 7614946-00</p>	chrome	524480575
	<p>KLUDI BALANCE concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome white/chrome	526500575 526509175 88011
	<p>KLUDI BALANCE concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	525150575 33434
	<p>KLUDI BALANCE concealed single lever bath and shower mixer concealed valve with functional unit wall fastening, solid lever ceramic cartridge with hot water limitation flow class CB autom. diverter shower/bathtub protected against back flow</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	chrome	526570575 88011
	<p>KLUDI BALANCE concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	 chrome white/chrome	528300575 528309175 88011
	<p>KLUDI BALANCE bath filler DN 20 wall fastening projection 160 mm s-pointer aerator M 24 x 1D flow class D with push-on rosette noise level I</p>	 chrome	5250505

KLUDI BALANCE

product	product description	surface	article number
<p>SHOWER</p> 	<p>KLUDI BALANCE single lever shower mixer DN 15 solid lever wall fastening flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections noise level I</p>	<p>chrome white/chrome</p>	<p>527100575 527109175</p>
	<p>KLUDI BALANCE thermostatic shower mixer DN 15 wall fastening, flow class B temperature control handle with hot water safety device 38° C ceramic shut-off valve 180° 50 % water consumption regulation shower outlet G 1/2 protected against back flow pre-installed dirt cleaner sieve s-connections noise level I noise test applied</p>	<p> chrome</p>	<p>352500575</p>
	<p>KLUDI BALANCE concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	<p>chrome white/chrome</p>	<p>526550575 526559175</p> <p>88011</p>
	<p>KLUDI BALANCE concealed single lever shower mixer concealed trim-set solid lever</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	<p>chrome</p>	<p>527180575</p> <p>33434</p>
	<p>KLUDI BALANCE concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/IIC</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	<p> chrome white/chrome</p>	<p>528350575 528359175</p> <p>88011</p>
	<p>KLUDI BALANCE concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve hot water safety device 38 °C flow rate 30 l/min at 3 bar</p> <p>required accessories: KLUDI FLEXX.BOXX concealed unit DN 20</p>	<p> chrome</p>	<p>527290575</p> <p>NEW</p> <p>88011</p>

KLUDI BALANCE

product	product description	surface	article number
 	<p>KLUDI BALANCE three-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette</p> <p>required accessories: KLUDI three-way diverter DN 15</p>	chrome	<p>528460575</p> <p>NEW</p> <p>29757</p>
 	<p>KLUDI BALANCE two way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette</p> <p>required accessories: KLUDI two way diverter DN 15</p>	chrome	<p>528470575</p> <p>29747</p>
 	<p>KLUDI BALANCE concealed valve concealed trim-set consisting of: handle, sleeve, rosette adjustable extension</p> <p>required accessories: KLUDI concealed valve DN 20</p>	chrome	<p>528150575</p> <p>NEW</p> <p>53811</p>
 	<p>KLUDI BALANCE shower hook for hoses with conical nut with screws and dowels</p>	chrome	5205005-00
 	<p>KLUDI BALANCE wall supply DN 15 with wall-compensation ring protected against back flow according to DIN EN 1717</p>	chrome	5206105-00
<p>SPARE PARTS</p> 	<p>KLUDI BALANCE lever for single lever mixer 52023, 52026, 52216, 52296, 52298, 52445, 52710</p>	chrome white	<p>7498905-00</p> <p>7498943-00</p>