











































KLUDI Q-BEO

product	product description	surface	article number
BASIN 		KLUDI Q-BEO single lever basin mixer DN 15 solid lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set P-IX 18510/IA	 chrome 500230565 NEW
		KLUDI Q-BEO single lever basin mixer DN 15 solid lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8 rapid installation set P-IX 18510/IA	 chrome 500260565 NEW
		KLUDI Q-BEO handwash basin single lever mixer DN 15 solid lever single hole mounted flow class A s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set P-IX 18510/IA	 chrome 501290565 NEW
		KLUDI Q-BEO basin mixer DN 15 cubic-handles three hole assembling flow class A s-pointer aerator M 24 x 1 ceramic headpart 90° pop-up waste G 1 1/4 flexible hoses G 3/8 P-IX 18513/IA	 chrome 501430565 NEW
BIDET 		KLUDI Q-BEO single lever bidet mixer DN 15 solid lever single hole mounted flow class Z ball joint-cascade-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set P-IX 18510/IA	 chrome 502160565 NEW
BATH 		KLUDI Q-BEO single lever bath- and shower mixer DN 15 solid lever wall fastening flow class CB s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 covered eccentric-wall connections PA-IX 18512/ICB	 chrome 504430565 NEW

product	product description	surface	article number
	<p>KLUDI Q-BEO bath-and shower mixer DN 15 stand assembly four hole tiles deck mounted installation cubic-handles flow class DB s-pointer aerator M 24 x 1 ceramic headpart 90° autom. diverter shower/bathtub retractable KLUDI Q-BEO-hand shower high pressure supply hoses G 1/2 x G 1/2 x 400 mm protected against back flow projection 220 mm P-IX 18514/IDB for bathtub rim mounting unit 7466200-00 or mounting plate 7614846-00</p>	 chrome	<p>504240565 NEW</p>
	<p>KLUDI Q-BEO concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC PA-IX 18967/IDC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	chrome	<p>506500565 NEW</p> <p>88011</p>
	<p>KLUDI Q-BEO concealed single lever bath and shower mixer concealed trim-set solid lever autom. diverter shower/bathtub for concealed body 33434</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	<p>505140565 NEW</p> <p>33434</p>
	<p>KLUDI Q-BEO concealed single lever bath and shower mixer concealed valve with functional unit solid lever, autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC protected against back flow according to DIN EN 1717</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	chrome	<p>506570565 NEW</p> <p>88011</p>
	<p>KLUDI Q-BEO concealed thermostatic bath- and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C P-IX 18444/IICC</p> <p>required accessories: KLUDI FLEXX.BOX concealed unit DN 20</p>	 chrome	<p>508300565 NEW</p> <p>88011</p>

KLUDI Q-BEO

product	product description	surface	article number
 	<p>KLUDI Q-BEO bath filler DN 20 wall fastening projection 220 mm s-pointer aerator M 24 x 1 flow class D separate connector G 3/4 for pre-assembly G 3/4</p>	 chrome	<p>5050405 NEW</p>
<p>SHOWER</p>  	<p>KLUDI Q-BEO single lever shower mixer DN 15 solid lever wall fastening flow class B covered eccentric-wall connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 PA-IX 18511/1B</p>	chrome	<p>507140565 NEW</p>
 	<p>KLUDI Q-BEO thermostatic shower mixer DN 15 cubic-handles, wall fastening flow class B temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation dirt catcher sieves protected against back flow covered eccentric-wall connections connection G 1/2 PA-IX 18515/1B</p>	 chrome	<p>504000565 NEW</p>
 	<p>KLUDI Q-BEO concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class DC PA-IX 18967/1DC</p> <p>required accessories: KLUDI FLEXX.B0XX concealed unit DN 20</p>	chrome	<p>506550565 NEW 88011</p>
 	<p>KLUDI Q-BEO concealed single lever shower mixer concealed trim-set solid lever for concealed body 33434</p> <p>required accessories: concealed mixer DN 15 pre installation set</p>	chrome	<p>507170565 NEW 33434</p>
 	<p>KLUDI Q-BEO concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C P-IX 18444/1ICC</p> <p>required accessories: KLUDI FLEXX.B0XX concealed unit DN 20</p>	 chrome	<p>508350565 NEW 88011</p>

product	product description	surface	article number
 	<p>KLUDI Q-BEO concealed valve, trim set Cubic-handle existing of: handle, sleeve, flange without marking</p> <p>required accessories: concealed valve DN 15 connection G 1/2</p> <p>concealed valve DN 20 connection G 3/4</p> <p>concealed valve DN 12 soldered connection 15 mm</p> <p>concealed valve DN 20 soldered connection 22 mm</p> <p>concealed valve DN 15 soldered connection 18 mm</p>	<p>chrome</p>	<p>508150565</p> <p>NEW</p> <p>29809</p> <p>29811</p> <p>29909</p> <p>29911</p> <p>29927</p>