

# STAINLESS STEEL PRODUCTS LEHNEN CONCEPT

Article No.





### Straight handrail

Diameter: 32 mm

Length: 30 cm

Length: 45 cm

Length: 60 cm



Material: stainless steel, smooth, polished.

Mount with holes for 3 mounting screws each flange.

Additional cover caps in polished stainless steel for the mounting screws.

Includes an assembly kit for hard walls (full brick, concrete).

**L40003000**

**L40004000**

**L40006000**

	A
L40003000	300
L40004000	450
L40006000	600



### 90° angled rail

Diameter: 32 mm

30 x 60 cm

right

left (in the picture)

Material: stainless steel, smooth, polished


Mount with 8 holes for mounting screws.

Additional cover caps in polished stainless steel for the mounting screws.

Includes an assembly kit for hard walls (full brick, concrete).

**L40121100**

**L40121200**



BATHROOM  
WITHOUT  
BARRIERS

# STAINLESS STEEL PRODUCTS LEHNEN CONCEPT

Article No.



## Wall-mounted U-shaped fixed support handle

Diameter: 32 mm

Length: 60 cm

Length: 70 cm


Material: stainless steel, smooth, polished  
Fastened with a 100 x 245 x 4 mm mounting plate with holes for 6 mounting screws.  
Additional plastic cover caps in grey colour (RAL7037) for the mounting screws.

Includes an assembly kit for hard walls (full brick, concrete).

**L40301000**

**L40302000**

	A
L40301000	600
L40302000	700



## Wall-mounted U-shaped hinged support handle

Diameter: 32 mm

Length: 60 cm

Length: 70 cm

Length: 85 cm


Material: stainless steel, smooth, polished  
Fastened with a 100 x 245 x 3 mm mounting plate with holes for 6 mounting screws.  
Additional plastic cover caps in grey colour (RAL7037) for the mounting screws.  
Includes an assembly kit for hard walls (full brick, concrete).

**L40401000**

**L40402000**

**L40403000**

	A	A1
L40401000	600	616
L40402000	700	716
L40403000	850	866



BATHROOM  
WITHOUT  
BARRIERS

# STAINLESS STEEL PRODUCTS LEHNEN CONCEPT

Article No.

**L42001000**

## Tilting shower seat with drain hole

40 x 40 cm

Colour: white

Material: stainless steel, smooth, polished


Maximum permissible load: 200 kg



Wall-mounted with two 100 x 165 x 3 mm plates with holes for 4 mounting screws; the removable seat bottom is made of PP.

Additional plastic cover caps for the mounting screws and plastic covers on hinges in grey (RAL7037).

Includes an assembly kit for hard walls (full brick, concrete).



## Shower curtain rail, straight

90 cm

120 cm

150 cm

Material: stainless steel, smooth, polished

Diameter: 22mm

Includes 12 shower curtain rings and an assembly kit for hard walls (full brick, concrete).

New construction allows to shorten the shower curtain rail.




**L43001000**

**L43002000**

**L43003000**

	A
L43001000	900
L43002000	1200
L43003000	1500



BATHROOM  
WITHOUT  
BARRIERS

# STAINLESS STEEL PRODUCTS LEHNEN CONCEPT

Article No.





## Shower curtain rail for corner mounting

90 x 90 cm  
(18 pcs. of shower curtain rings)

120 x 120  
(24 pcs. of shower curtain rings)

150 x 150 cm  
(36 pcs. of shower curtain rings)

Material: stainless steel, smooth, polished  
Diameter: 22 mm  
Corner-mounting with an additional 500 x 4 mm ceiling mount.  
Includes shower curtain rings and an assembly kit for hard walls (full brick, concrete).



	A
L43101000	900
L43102000	1200
L43103000	1500

**L43101000**

**L43102000**

**L43103000**



## Shower curtain rail

90 x 90 x 90 cm  
(30 pcs. of shower curtain rings)

120 x 120 x 120 cm  
(30 pcs. of shower curtain rings)

150 x 150 x 150 cm  
(42 pcs. of shower curtain rings)

Material: stainless steel, smooth, polished  
Diameter: 22 mm  
2 additional 500 x 4 mm ceiling mountings.  
Includes shower curtain rings and an assembly kit for hard walls (full brick, concrete).

**L43201000**

**L43202000**

**L43203000**



## Shower curtain

90 x 90 x 90 cm  
(30 pcs. of shower curtain rings)

Dimensions: 1800 x 2000 mm (without shower curtain rings - included in shower curtain rail)  
Material: 100% synthetic  
Can be washed to 60° C.  
Water resistance  
It has 12 plastic eyelets at a distance of 150 mm.

**L33333000**

BATHROOM  
WITHOUT  
BARRIERS

# POWDER COATED STEEL PRODUCTS LEHNEN NOVUS

Article No.

## Straight handrail

Diameter: 32 mm

Length: 30 cm

Length: 60 cm



Material: powder coated steel, white

Maximum permissible load: 150 kg

Mount with 77 mm cover caps and with 6 holes for mounting screws.

Additional plastic cover caps in grey colour (RAL7037).

Includes an assembly kit for hard walls (full brick, concrete).



	A
L50003000	300
L50006000	600

PRODUCT AVAILABLE  
TILL THE END  
OF STOCK

**L50003000**

**L50006000**



## 90° angled rail

Diameter: 32 mm

30 x 60 cm

right

left (in the picture)




Material: powder coated steel, white

Maximum permissible load: 150 kg

Mount with 77 mm cover caps and with 8 holes for mounting screws.

Additional plastic cover caps in grey colour (RAL7037).

Includes an assembly kit for hard walls (full brick, concrete).



PRODUCT AVAILABLE  
TILL THE END  
OF STOCK

**L50121100**

**L50121200**

BATHROOM  
WITHOUT  
BARRIERS

# POWDER COATED STEEL PRODUCTS LEHNEN NOVUS

Article No.



## Wall-mounted U-shaped support handle

Diameter: 32 mm

Length: 60 cm

Length: 70 cm

Material: powder coated steel, white  
 Maximum permissible load: 120 kg  
 Fastened with a 100 x 245 x 4 mm mounting plate with holes for 6 mounting screws.  
 Additional plastic cover caps in grey colour (RAL7037) for the mounting screws.


Includes an assembly kit for hard walls (full brick, concrete).

**L50301000**

**L50302000**

	A
L50301000	600
L50302000	700

PRODUCT AVAILABLE  
TILL THE END  
OF STOCK



## Wall-mounted U-shaped hinged support handle

Diameter: 32 mm

Length: 60 cm

Length: 70 cm

Material: powder coated steel, white  
 Maximum permissible load: 150 kg  
 Fastened with a 100 x 245 x 3 mm mounting plate with holes for 6 mounting screws.  
 Additional plastic cover caps in grey (RAL7037) for the mounting screws.


Includes an assembly kit for hard walls (full brick, concrete).

**L50401000**

**L50402000**

	A	A1
L50401000	600	616
L50402000	700	716

PRODUCT AVAILABLE  
TILL THE END  
OF STOCK



BATHROOM  
WITHOUT  
BARRIERS

# POWDER COATED STEEL PRODUCTS LEHNEN NOVUS

Article No.

**L52001000**



## Tilting shower seat with drain hole

40 x 40 cm,

Colour: white

Material: powder coated steel, white


Maximum permissible load: 200 kg

PRODUCT AVAILABLE  
TILL THE END  
OF STOCK

Wall-mounted with two 100 x 165 x 3 mm mounting plates with holes for 4 mounting screws; the removable seat bottom is made of PP.

Additional plastic cover caps for the mounting screws and plastic covers on hinges in grey (RAL7037).

Includes an assembly kit for hard walls (full brick, concrete).



# STAINLESS STEEL PRODUCTS LEHNEN EVOLUTION

Article No.



## Handrail

diameter:  $\varnothing$  30 mm

length: 300 mm

length: 400 mm

length: 600 mm

length: 800 mm

mat stainless steel, white

Mounting set for hard wall (full brick, concrete) included in the set.

\*


**L30003071**

**L30004071**

**L30006071**

**L30008071**

	A
L30003071	300
L30004071	400
L30006071	600
L30008071	800




## Angled handrail

300 x 300 mm  
diameter:  $\varnothing$  30 mm

mat stainless steel, white

Mounting set for hard wall (full brick, concrete) included in the set.

**L30111071**



BATHROOM  
WITHOUT  
BARRIERS



# STAINLESS STEEL PRODUCTS LEHNEN EVOLUTION

Article No.




**Angled handrail**  
300 x 600 mm  
diameter: Ø 30 mm

- right
- left (in the picture)

mat stainless steel, white

Mounting set for hard wall (full brick, concrete)  
included in the set.



**L30121171**  
**L30121271**



**Shower handrail**  
762 x 762 mm  
diameter: Ø 30 mm

mat stainless steel, white

Can be combined with hanging seat L32001001.

Mounting set for hard wall (full brick, concrete)  
included in the set.



**L30201071**



**Shower handrail with shower head rail**  
762 x 762 x 1100 mm


shower hand rail diameter: Ø 30 mm  
shower head holder diameter: Ø 30 mm

mat stainless steel, white

- right
- left (in the picture)

Can be combined with hanging seat L32001001.

Mounting set for hard wall (full brick, concrete)  
included in the set.



**L30231171**  
**L30231271**

# STAINLESS STEEL PRODUCTS LEHNEN EVOLUTION

Article No.




### Support handle with towel holder

length: 600 mm  
diameter: Ø 32 mm

mat stainless steel, with white elements

Mounting set for hard wall (full brick, concrete) included in the set.



**L30301001**




### Upholstered hinged handle

diameter: Ø 38 mm  
length: 600 mm  
length: 700 mm  
length: 850 mm

mat stainless steel, with white elements

Mounting set for hard wall (full brick, concrete) included in the set.

	A
L30401001	600
L30402001	700
L30403001	850



**L30401001  
L30402001  
L30403001**




### Bow-type folding handrail with toilet paper holder

diameter: Ø 38 mm  
length: 600 mm  
length: 700 mm  
length: 850 mm

mat stainless steel, with white elements

Mounting set for hard wall (full brick, concrete) included in the set.

	A
L30411001	600
L30412001	700
L30413001	850









\*  
\*  
\*

**L30411001  
L30412001  
L30413001**

BATHROOM  
WITHOUT  
BARRIERS

# STAINLESS STEEL PRODUCTS LEHNEN EVOLUTION

		Article No.
	<p><b>Toilet paper roll holder</b>            Wall assemble 142 x 190 mm</p> <p>mat stainless steel, with white elements</p> <p>Mounting set for hard wall (full brick, concrete) included in the set.</p>	* <b>L31001001</b>
		
	<p><b>Toilet brush holder with toilet brush</b>            height: 372 mm            diameter: Ø 90 mm</p> <p>Mounting set for hard wall (full brick, concrete) included in the set.</p>	* <b>L31031001</b>
		
	<p><b>Wall hook, white</b></p> <p>mat stainless steel, with white elements</p> <p>Mounting set for hard wall (full brick, concrete) included in the set.</p>	* <b>L31151001</b>
	<p><b>Tiltable mirror with operating lever</b>            600 x 450 x 5 mm            Smoothly adjustable from 0° to 22°</p> <p>Mounting set for hard wall (full brick, concrete) included in the set.</p>	<b>L31201100</b>

# STAINLESS STEEL PRODUCTS LEHNEN EVOLUTION


Article No.



## Shower seat

mat stainless steel, seat white, smooth made from PUR foam

Mounting set for hard wall (full brick, concrete) included in the set.




**L32001001**



## Shower seat

mat stainless steel, seat white, smooth made from PUR foam

Mounting set for hard wall (full brick, concrete) included in the set.




**L32005001**



## Hang-mounted shower seat

mat stainless steel, seat white, smooth made from PUR foam  
mounting on rail

Price of seat without rail.



**L32010101**

# STAINLESS STEEL PRODUCTS LEHNEN EVOLUTION


Article No.



**Curtain rail**  
**900 x 900 mm**  
mat stainless steel, white

Diameter: Ø 25 mm, corner assembly with additional mounting elements 500 x 4 mm

12 white handles for curtain and mounting instruction for hard wall (full brick, concrete) included in the set.



**L33101001**



**Aqualon shower curtain**  
Material: polystyrene  
Dimensions: 1800 x 2000 mm

**L33313000**

# STAINLESS STEEL PRODUCTS LEHNEN FUNKTION

Article No.




## Handrail

length: 300 mm  
wavy  
smooth  
mat  
polished

length: 600 mm  
wavy  
smooth  
mat  
polished

diameter: Ø 32 mm

Mounting set for hard wall (full brick, concrete) included in the set.



	A
L100010...	300
L100060...	600

2 1 4 0

**L1000102**  
**L1000101**  
**L1000104**  
**L1000100**

**L1000602**  
**L1000601**  
**L1000604**  
**L1000600**




## Angled rail 90°

306 x 610 mm  
diameter: Ø 32 mm

- right  
wavy  
smooth  
mat  
polished

- left (in the picture)  
wavy  
smooth  
mat  
polished

Mounting set for hard wall (full brick, concrete) included in the set.



2 1 4 0

**L1012112**  
**L1012111**  
**L1012114**  
**L1012110**

**L1012122**  
**L1012121**  
**L1012124**  
**L1012120**

# STAINLESS STEEL PRODUCTS

## LEHNEN FUNKTION

Article No.



### Short shower handrail with angled shower head rail


600 x 1100 mm  
diameter: Ø 32 mm

- right (in the picture)
  - wavy
  - smooth
  - mat
  - polished
- left
  - wavy
  - smooth
  - mat
  - polished

**L1023112**  
**L1023111**  
**L1023114**  
**L1023110**

**L1023122**  
**L1023121**  
**L1023124**  
**L1023120**

Mounting set for hard wall (full brick, concrete) included in the set.



### Floor-to-wall support rail


Dimensions: 850 x 850 mm  
diameter: Ø 32 mm

- right (in the picture)
  - wavy
  - smooth
  - mat
  - polished
- left
  - wavy
  - smooth
  - mat
  - polished

**L1052112**  
**L1052111**  
**L1052114**  
**L1052110**

**L1052122**  
**L1052121**  
**L1052124**  
**L1052120**

Mounting set for hard wall (full brick, concrete) included in the set.



BATHROOM  
WITHOUT  
BARRIERS

# STAINLESS STEEL PRODUCTS LEHNEN FUNKTION

Article No.



## Washbasin support handle

length: 500 mm  
diameter: Ø 32 mm


- right (in the picture)  
wavy  
smooth  
mat  
polished

- left  
wavy  
smooth  
mat  
polished

**L1040112**  
**L1040111**  
**L1040114**  
**L1040110**

**L1040122**  
**L1040121**  
**L1040124**  
**L1040120**

Mounting set for hard wall (full brick, concrete) included in the set.



2 1 4 0




## U-shaped support handle

wavy  
smooth  
mat  
polished

- length: 850 mm  
- diameter: Ø 32 mm

**L1054502**  
**L1054501**  
**L1054504**  
**L1054500**

Mounting set for hard wall (full brick, concrete) included in the set.



2 1 4 0




## U-shaped support handle

wavy  
smooth  
mat  
polished

- length: 600 mm  
- diameter: Ø 32 mm

**L1054602**  
**L1054601**  
**L1054604**  
**L1054600**

Mounting set for hard wall (full brick, concrete) included in the set.



Term of delivery for handrails with smooth and mat surface is 4 weeks.

Produced by:

Lehnen



# STAINLESS STEEL PRODUCTS

## LEHNEN FUNKTION

Article No.




### U-shaped support handle

wavy  
smooth  
mat  
polished

- length: 850 mm
- diameter: Ø 32 mm

Mounting set for hard wall (full brick, concrete) included in the set.

**L1061102**  
**L1061101**  
**L1061104**  
**L1061100**




### Folding rail Foldable, bow-shaped

wavy  
smooth  
mat  
polished

- length: 600 mm
- diameter: Ø 32 mm

Mounting set for hard wall (full brick, concrete) included in the set.

**L1061202**  
**L1061201**  
**L1061204**  
**L1061200**



BATHROOM  
WITHOUT  
BARRIERS

# STAINLESS STEEL PRODUCTS

## LEHNEN FUNKTION

Article No.




### U-shaped hinged handle floor mounted

wavy  
smooth  
mat  
polished

- length: 550 mm
- diameter: Ø 32 mm

Mounting set included in the set.



2 1 4 0

**L1061402**  
**L1061401**  
**L1061404**  
**L1061400**




### Shower seat

Dimensions: 405 x 350 mm

wavy  
smooth  
mat  
polished

For wall mounting, seat surface with holes made of PVC.

Mounting set for hard wall (full brick, concrete) included in the set.



2 1 4 0

**L1200102**  
**L1200101**  
**L1200104**  
**L1200100**

# STAINLESS STEEL PRODUCTS

## LEHNEN FUNKTION

Article No.



### Shower seat with back rest


Dimensions: 482 x 530 mm

wavy  
smooth  
mat  
polished

For wall mounting, seat surface made of PVC modules.

Mounting set for hard wall (full brick, concrete) included in the set.

**L1221102**  
**L1221101**  
**L1221104**  
**L1221100**




### Hang-mounted shower seat with back rest

Dimensions: 482 x 530 mm

wavy  
smooth  
mat  
polished

For insertion into round tube, seat surface made of PVC modules.

**L1223102**  
**L1223101**  
**L1223104**  
**L1223100**




BATHROOM  
WITHOUT  
BARRIERS

# STAINLESS STEEL PRODUCTS

## LEHNEN FUNKTION

Article No.




**Shower tub**  
900 x 900 mm

Made of stainless steel, with anti-slippery surface, for built-in into floor, complete with outflow siphon.

Outflow siphon Viega V102326 and strainer V117429 included in the set.

**L1550200**




**Curtain rail**  
900 x 900 mm

wavy  
smooth  
mat  
polished

For corner mounting, with ceiling support (500 mm) in corner.

**L1410102**  
**L1410101**  
**L1410104**  
**L1410100**



2 1 4 0



**WC paper roll holder**  
with clamp fastening

wavy  
smooth  
mat  
polished

**L1103102**  
**L1103101**  
**L1103104**  
**L1103100**

2 1 4 0

BATHROOM  
WITHOUT  
BARRIERS

# STAINLESS STEEL PRODUCTS

## LEHNEN FUNKTION

Article No.



### Shower head holder

wavy  
smooth  
mat  
polished

For mounting on shower handrail, with smooth vertical support (L1023111, L1023121).

2 1 4 0

**L1120202**  
**L1120201**  
**L1120204**  
**L1120200**



### Tilting mirror fixture (without mirror)

wavy  
smooth  
mat  
polished

2 elements (mirror not included), for crystal mirror 6 mm (dimensions: 600 x 400 mm), with control levers.

2 1 4 0

**L1600512**  
**L1600511**  
**L1600514**  
**L1600510**

BATHROOM  
WITHOUT  
BARRIERS



# SHOWER ENCLOSURES AND TRAYS

---



SHOWER  
ENCLOSURES  
AND TRAYS