



FIRST

**Sliding doors three-parts 80 cm*, 90 cm* and 100 cm*.
Can be mounted to the niche or combined with First side wall.**



	A *
ZDRS80	750 - 775
ZDRS90	850 - 875
ZDRS100	950 - 975

Article No.	Description		A Adjustment range [mm]*	C Entrance width [mm]	H Height [mm]	Weight kg	Number of pcs. per pallet
	Glass type	Profile colour					
ZDRS80222003	transparent glass	silver glossy	770-800 750-775**	380	1900	19.0	12
ZDRS80214003	satin glass	silver glossy	770-800 750-775**	380	1900	19.0	12
ZDRS90222003	transparent glass	silver glossy	870-900 850-875**	445	1900	20.5	12
ZDRS90214003	satin glass	silver glossy	870-900 850-875**	445	1900	20.5	12
ZDRS10222003	transparent glass	silver glossy	970-1000 950-975**	514	1900	22.0	12
ZDRS10214003	satin glass	silver glossy	970-1000 950-975**	514	1900	22.0	12

** In case of assembling the door with the wall.
Can be mounted as a left or right side entrance.

Recommended with the following shower trays:

ZDRS80:

PACYFIK XBK0780

ZDRS90:

PACYFIK XBK0790

ZDRS10:

PACYFIK 100/100 XBK0710

PACYFIK 100/80 XBPO718

PACYFIK 100/90 XBPO719


ATTENTION! The real dimension of the shower enclosure is defined by the adjustment range.

*The maximum possible width of the shower enclosure.

In case of mounting the shower enclosure directly on the floor, boundaries required for installation are given on the first page of the manual.

FIRST

Side wall 80 cm*, 90 cm*. Can be combined with pivot or sliding doors First.



Side wall and pivot door on the photo.

Article No.	Description		A Adjustment range [mm]*	C Entrance width [mm]	H Height [mm]	Weight kg	Number of pcs. per pallet
	Glass type	Profile colour					
ZSKX80222003	transparent glass	silver glossy	775-795	-	1900	19.0	12
ZSKX80214003	satin glass	silver glossy	775-795	-	1900	19.0	12
ZSKX90222003	transparent glass	silver glossy	875-895**	-	1900	21.0	12
ZSKX90214003	satin glass	silver glossy	875-895**	-	1900	21.0	12

Can be mounted as a left or right side entrance.

**In case of assembling the door with the wall.

Recommended with the following shower trays:

ZSKX80:

PACYFIK	XBK0780
STANDARD PLUS	XBK1480
STANDARD PLUS	XBK1580
DEEP	XBK0380
SIMPLO	XBK0681
FIRST	XBK1680

ZSKX90:

PACYFIK	XBK0790
STANDARD PLUS	XBK1490
STANDARD PLUS	XBK1590
DEEP	XBK0390
SIMPLO	XBK0691
FIRST	XBK1690
ABELE	XBK1290
XENO	XBK1390

ATTENTION! The real dimension of the shower enclosure is defined by the adjustment range.

*The maximum possible width of the shower enclosure.
In case of mounting the shower enclosure directly on the floor, boundaries required for installation are given on the first page of the manual.

FIRST

Shower enclosure set: First half-round shower enclosure with First half-round shower tray 80 x 80 cm*, 90 x 90 cm* with integrated panel and installed legs. Sliding doors.



Article No.	Description		A Adjustment range [mm]*	C Entrance width [mm]	H Height [mm]	Weight kg	Number of pcs. per pallet
	Glass type	Profile colour					
ZKPG80222003Z1	transparent glass	silver glossy	775–795	440	1900	39.5	4
ZKPG80214003Z1	satin glass	silver glossy	775–795	440	1900	39.5	4
ZKPG90222003Z1	transparent glass	silver glossy	875–895	570	1900	43.0	4
ZKPG90214003Z1	satin glass	silver glossy	875–895	570	1900	43.0	4

ATTENTION! The real dimension of the shower enclosure is defined by the adjustment range.

*The maximum possible width of the shower enclosure.

In case of mounting the shower enclosure directly on the floor, boundaries required for installation are given on the first page of the manual.

FIRST

Shower enclosure set: First square-corner shower enclosure with First square shower tray 80 x 80 cm*, 90 x 90 cm* with integrated panel and installed legs. Sliding doors.



Article No.	Description		Adjustment range [mm]*	Entrance width [mm]	Height [mm]	Weight kg	Number of pcs. per pallet
	Glass type	Profile colour					
ZKDK80222003Z1	transparent glass	silver glossy	775-795	420	1900	43.0	4
ZKDK80214003Z1	satin glass	silver glossy	775-795	420	1900	43.0	4
ZKDK90222003Z1	transparent glass	silver glossy	875-895	490	1900	47.5	4
ZKDK90214003Z1	satin glass	silver glossy	875-895	490	1900	47.5	4

ATTENTION! The real dimension of the shower enclosure is defined by the adjustment range.

*The maximum possible width of the shower enclosure.
In case of mounting the shower enclosure directly on the floor, boundaries required for installation are given on the first page of the manual.