


# Lime-Rock



## GRES PORCELLANATO A TUTTO SPESSORE


FULL BODY PORCELAIN TILE / GRÈS CÉRAME PLEINE MASSE / DURCHGEFÄRBTES FEINSTEINZEUG  
GRES PORCELÁNICO A TODA MASA / ПОЛНОТЕЛЫЙ КЕРАМОГРАНИТ / 通体瓷质砖

ISO 13006 - G - Bla UGL (E ≤ 0,5%) UNI EN 14411 - G



## FORMATI

SIZES / FORMATS / FORMATE / FORMATOS / ФОРМАТЫ / 规格



75x150  
30"x59"

75x75  
30"x30"

37,5x75  
15"x30"

## SUPERFICI

SURFACES / SURFACES / OBERFLÄCHEN / SUPERFICIES / ПОВЕРХНОСТИ / 表面




ST N ○

ST N ○ ✕

## COLORI

COLOURS / COULEURS / FARBEN / COLORES / ЦВЕТА / 颜色





# Lime-Rock



LMRCK 150W RM - LMRCK 75W RM




LMRCK 150G RM



# Lime-Rock




LMRCK 150N RM



MK.LMRCK A - LMRCK 150A RM





A


W



MK.LMRCK A  
28,5x32-11"x12,8"



MK.LMRCK W  
28,5x32-11"x12,8"




75x150-30"x59"



75x75-30"x30"



37,5x75-15"x30"



75x150-30"x59"



75x75-30"x30"



37,5x75-15"x30"



LMRCK 150A RM

LMRCK 75A RM

LMRCK 377A RM



LMRCK RB377A RM



LMRCK 150W RM



LMRCK 75W RM

LMRCK 377W RM



LMRCK RB377W RM





G


N



MK.LMRCK G  
28,5x32-11"X12,8"



MK.LMRCK N  
28,5x32-11"X12,8"




75x150-30"X59"



75x75-30"X30"



37,5x75-15"X30"



75x150-30"X59"



75x75-30"X30"



37,5x75-15"X30"



LMRCK 150G RM

LMRCK 75G RM

LMRCK 377G RM



LMRCK RB377G RM



LMRCK 150N RM

LMRCK 75N RM

LMRCK 377N RM



LMRCK RB377N RM




# Lime-Rock

## PEZZI SPECIALI

SPECIAL PIECES / PIÈCES SPÉCIALES / SONDERPREISE / PIEZAS ESPECIALES / СПЕЦИАЛЬНЫЕ ЭЛЕМЕНТЫ / 特制件


ST N ○



6X75-2.4\"/>



6X150-2.4\"/>



150X32,5-59\"/>

A	LMRCK BT75A	LMRCK BT150A	LMRCK G150A
W	LMRCK BT75W	LMRCK BT150W	LMRCK G150W
G	LMRCK BT75G	LMRCK BT150G	LMRCK G150G
N	LMRCK BT75N	LMRCK BT150N	LMRCK G150N

## CARATTERISTICHE TECNICHE SPECIFICHE

TECHNICAL FEATURES SPECIFICATIONS / CARACTÉRISTIQUES TECHNIQUES SPÉCIFIQUE / TECHNISCHE EIGENSCHAFTEN  
CARACTERÍSTICAS TÉCNICAS ESPECÍFICAS / ТРЕБУЕМЫЕ ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ / 特殊技术规格

	DIN 51130 (R)	DIN 51097 (A+B+C)	BCR REP. CEC 6/81		DM 14/6/89 N. 236		PENDULUM TEST BS (INGLESE)	PENDULUM TEST AS/NZS 4856:2004 (AUSTRALIANO)	PENDULUM TEST UNE ENV 12633:2003 (SPAGNOLO)	BOT 3000 (DCOF)
			G.A.	G.B.	C.A.	G.B.				
LMRCK	R10	A+B	>0.4	>0.4	>0.4	>0.4	>36	>35	2	>0,42
LMRCK RB	R11	B+C	>0.4	>0.4	>0.4	>0.4	>36	>35	3	>0,42

