

PIEDRA
STONE

MASIA

45 x 45 cm · 18" x 18"

MATT FINISH · FROST PROOF / ACABADO MATE · ANTI-HIELO
RED BODY PORCELAIN



DK Masia Beige
45 x 45 CM
C3 (R11)

GT3A



DK Masia Greystone
45 x 45 CM
C3 (R11)

GT3A

DIFFERENT DESIGNS IN EACH BOX



DK Masia Sand
45 x 45 CM
C3 (R11)

GT3A



DK Masia Grey
45 x 45 CM
C3 (R11)

GT3A

PACKING	BOXES PALLET	SQM BOX	SQM PALLET	KGS PIECE	KGS BOX	KGS PALLET	PIECES BOX	PALLETS CONTAINER	SQM CONTAINER	WEIGHT CONTAINER	THICKNESS	ABSORPTION
DK- 45 x 45 CM	44	1,42	62,48	3,880	27,26	1.214	7	20	1.249,60	24.283	0,90	E<0,5




MERCHANDISING



BEL17_001 · PANEL MASIA

TECHNICAL SHEET CARACTERÍSTICAS TÉCNICAS

UNE-EN.14411:2016 Norma/Norm		Gres porcelánico Porcelain Tiles	 DUALKER
UNE-EN-ISO 10545		ANEXO / ANNEX G	ANEXO / ANEX G
		GRUPO / GROUP Bla	GRUPO / GROUP Bla
		N≥15cm	N≥15cm
Absorción de agua /Water absorption	E≤0,50%	E≤0,30%	
Fuerza de Rotura en N /Breaking Strenght, in N	≥ 1300N	≥ 2000N	
Resistencia a la Flexion N/mm₂ /Modulus of rapture, in N/mm ₂	Media / Average ≥ 35	Media/Average ≥ 43	

RESISTENCIA AL DESLIZAMIENTO /SLIP RESISTANCE	TEST METHOD	STANDARD	 DUALKER
	UNE-ENVE-12633	CTE	C2
	BS 7976-2: 2002	PTV	LOW (40)
	AS/NZS 4586: 2013	Pendulum SRV	P3
	DIN 51130: 2014	Inclined Plane	R10
	ANSI A137.1: 2012 (DCOF)	≥ 0,42W	0,72W



CONTACT US:

Ctra. de Viver al Puerto de Burriana, km 56,9
ONDA (CASTELLÓN) · SPAIN

Tel: (+34) 964 77 11 66

www.dualgres.com export@dualgres.com

