

Prestigio



The new classic



Arcadia Matt 75x150/30"x60" R





Prestigio


The new classic

✂ 10 mm

75x150/30"x60" R
75x75/30"x30" R

✂ 9,5 mm

60x60/24"x24" R





Stone materials are back in the spotlight once again in the Prestigio collection: top – class natural marble from the most renowned quarries in Italy and Europe whose typical nuances of colour and original veining patterns – sometimes delicate, others more marked – are enhanced by the beautifully polished finish. The painstaking research behind the collection allows Prestigio to enhance the beauty of the finest marble, transmitting all the emotion awakened by stone architectural material. The collection is thus the expression of classic style given an elegant modern twist thanks also to the large sizes.

Floor

Carrara Matt 75x150/30"x60" R

Wall

Travertino Lucido 75x150/30"x60" R

Prestigio
4/5



V2 Slight V3 Moderate * V4 Substantial **



Carrara 75x150/30"x60" R Lucido **LU52**
 75x150/30"x60" R Matt **LU56**
 75x75/30"x30" R Lucido **LU90**
 75x75/30"x30" R Matt **LU99**
 60x60/24"x24" R Lucido **LU93**
 60x60/24"x24" R Matt **LV03**



Statuario ** 75x150/30"x60" R Lucido **LJ24**
 75x75/30"x30" R Lucido **LJ26**
 60x60/24"x24" R Lucido **LJ98**



Silver * 75x150/30"x60" R Lucido **LY05**
 75x75/30"x30" R Lucido **LJ27**
 60x60/24"x24" R Lucido **LJ97**



Tracia * 75x150/30"x60" R Lucido **LW45**
 75x150/30"x60" R Matt **LW46**
 75x75/30"x30" R Lucido **LW48**
 75x75/30"x30" R Matt **LW47**
 60x60/24"x24" R Lucido **LW49**
 60x60/24"x24" R Matt **LW50**



Wall

Carrara Lucido 75x150/30"x60" R
Carrara Lucido Mosaico 30x30/12"x12" R

Floor
Silver Matt 75x75/30"x30" R



Prestigio
8/9



Floor


Tracia Matt 75x75/30"x30" R

Wall

Tracia Lucido 75x150/30"x60" R

Prestigio
10/11





Botticino 75x150/30"x60" R Lucido **LX59**
 75x150/30"x60" R Matt **LX56**
 75x75/30"x30" R Lucido **LX60**
 75x75/30"x30" R Matt **LX55**
 60x60/24"x24" R Lucido **LX58**
 60x60/24"x24" R Matt **LX54**



Travertino 75x150/30"x60" R Lucido **LU54**
 75x150/30"x60" R Matt **LU58**
 75x75/30"x30" R Lucido **LU89**
 75x75/30"x30" R Matt **LV00**
 60x60/24"x24" R Lucido **LU94**
 60x60/24"x24" R Matt **LV04**



Arcadia 75x150/30"x60" R Lucido **LU55**
 75x150/30"x60" R Matt **LU59**
 75x75/30"x30" R Lucido **LU87**
 75x75/30"x30" R Matt **LU97**
 60x60/24"x24" R Lucido **LU91**
 60x60/24"x24" R Matt **LV01**



Pulpis* 75x150/30"x60" R Lucido **LJ22**
 75x75/30"x30" R Lucido **LJ25**
 60x60/24"x24" R Lucido **LJ96**











V2 Slight * V3 Moderate V4 Substantial **



Carrara* Lucido Mosaico 30x30/12"x12" R LX39



Statuario Lucido Mosaico 30x30/12"x12" R LK05



Silver Lucido Mosaico 30x30/12"x12" R LK06



Tracia Lucido Mosaico 30x30/12"x12" R LX40




Botticino Lucido Mosaico 30x30/12"x12" R LX42



Travertino Lucido Mosaico 30x30/12"x12" R LX41



Arcadia Lucido Mosaico 30x30/12"x12" R LX38



Pulpis Lucido Mosaico** 30x30/12"x12" R LK04



Carrara Fascia Classic 15x30/6"x12" Lucido R LY99



Statuario Fascia Classic 15x30/6"x12" Lucido R LK23



Tracia Fascia Classic 15x30/6"x12" Lucido R LZ00



Botticino Fascia Classic 15x30/6"x12" Lucido R LY98



Arcadia Fascia Classic 15x30/6"x12" Lucido R LY97



Pulpis Fascia Classic 15x30/6"x12" Lucido R LK22



Fascia Classic Angolo Dx

- Carrara** 15x15/6"x6" Lucido R LZ03
- Statuario** 15x15/6"x6" Lucido R LK25
- Tracia** 15x15/6"x6" Lucido R LZ04
- Botticino** 15x15/6"x6" Lucido R LZ02
- Arcadia** 15x15/6"x6" Lucido R LZ01
- Pulpis** 15x15/6"x6" Lucido R LK24



Fascia Classic Angolo Sx


- Carrara** 15x15/6"x6" Lucido R LZ07
- Statuario** 15x15/6"x6" Lucido R LK27
- Tracia** 15x15/6"x6" Lucido R LZ08
- Botticino** 15x15/6"x6" Lucido R LZ06
- Arcadia** 15x15/6"x6" Lucido R LZ05
- Pulpis** 15x15/6"x6" Lucido R LK26



Carrara Fascia Minimal 15x30/6"x12" Lucido R LZ11



Statuario Fascia Minimal 15x30/6"x12" Lucido R LK29



Tracia Fascia Minimal 15x30/6"x12" Lucido R LZ12



Botticino Fascia Minimal 15x30/6"x12" Lucido R LZ10



Arcadia Fascia Minimal 15x30/6"x12" Lucido R LZ09



Pulpis Fascia Minimal 15x30/6"x12" Lucido R LK28



Fascia Minimal Angolo

- Carrara** 15x15/6"x6" Lucido R LZ15
- Statuario** 15x15/6"x6" Lucido R LK31
- Tracia** 15x15/6"x6" Lucido R LZ16
- Botticino** 15x15/6"x6" Lucido R LZ14
- Arcadia** 15x15/6"x6" Lucido R LZ13
- Pulpis** 15x15/6"x6" Lucido R LK30

Floor

Wall

- Statuario Matt 75x150/30"x60" R
- Statuario Matt 75x75/30"x30" R
- Statuario Matt 60x60/24"x24" R
- Statuario Matt Fascia Classic 15x30/6"x12"
- Statuario Matt Fascia Classic Ang. Dx 15x15/6"x6"
- Statuario Matt Fascia Classic Ang. Sx 15x15/6"x6"

Statuario Lucido 75x150/30"x60" R






Trim tiles



Battiscopa



7x75/2^{7/8}"x30"

Arcadia Lucido
Botticino Lucido
Carrara Lucido
Pulpis Lucido
Silver Lucido
Statuario Lucido
Tracia Lucido
Travertino Lucido
Arcadia Matt
Botticino Matt
Carrara Matt
Tracia Matt
Travertino Matt

LU65
LX66
LU62
LK07
LK09
LK08
LW02
LU64
LU69
LX68
LU66
LW03
LU68

7x60/2^{7/8}"x24"

Arcadia Lucido
Botticino Lucido
Carrara Lucido
Pulpis Lucido
Silver Lucido
Statuario Lucido
Tracia Lucido
Travertino Lucido
Arcadia Matt
Botticino Matt
Carrara Matt
Tracia Matt
Travertino Matt

LV08
LX67
LV05
LK10
LK12
LK11
LW04
LV07
LV12
LX69
LV09
LW05
LV11

Packing

	pcs x box	m ² / m x box	kg x box	box x pallet	m ² x pallet	kg x pallet
75x150/30"x60" Lucido R	1	1,1250	26,20	25	28,13	655,50
75x150/30"x60" Matt R	1	1,1250	25,50	25	28,13	637,50
75x75/30"x30" R	2	1,1250	25,50	42	47,25	1071,00
60x60/24"x24" Lucido R	3	1,0800	24,80	36	38,88	892,80
60x60/24"x24" Matt R	3	1,0800	23,40	40	43,20	936,00
30x30/12"x12" Mosaico R	11	0,9900	19,00	18	17,82	342,00
15x30/6"x12" Fascia Classic Lucido R	4	0,18	4,00	48	8,64	192,00
15x30/6"x12" Fascia Minimal Lucido R	4	0,18	4,00	48	8,64	192,00
15x15/6"x6" Fascia Classic Lucido Angolo Dx R	4	0,09	2,00	48	4,32	96,00
15x15/6"x6" Fascia Classic Lucido Angolo Sx R	4	0,09	2,00	48	4,32	96,00
15x15/6"x6" Fascia Minimal Lucido Angolo R	4	0,09	2,00	48	4,32	96,00
7x75/2 ^{7/8} "x30" Battiscopa R	10	7,5000	11,00	54	405,00	594,00
7x60/2 ^{7/8} "x24" Battiscopa R	10	6,0000	9,00	70	420,00	630,00

MATT Features

UNI EN ISO 10545/2	UNI EN ISO 10545/3	UNI EN ISO 10545/4	UNI EN ISO 10545/6	UNI EN ISO 10545/9	UNI EN ISO 10545/12	UNI EN ISO 10545/13	UNI EN ISO 10545/14 UGL	BCRA BOT3000
Compliant	0,2%	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Dry 0,66 / Wet 0,68 0,67

LUCIDO Features


UNI EN ISO 10545/2	UNI EN ISO 10545/3	UNI EN ISO 10545/4	UNI EN ISO 10545/7	UNI EN ISO 10545/9	UNI EN ISO 10545/12	UNI EN ISO 10545/13	UNI EN ISO 10545/14 GL	BCRA BOT3000
Compliant	0,2%	Compliant	Arcadia: PEI IV Carrara: PEI V Pulpis: PEI II Silver: PEI IV Statuario: PEI IV Tracia: PEI IV Travertino: PEI IV	Compliant	Compliant	Compliant	Compliant	Failed Failed

The products with the Matt and Lucido (glossy) finishes have different work sizes, and therefore cannot be used together: the company may take specific combination requests into consideration.

Polished surface (Lucido) does not meet the minimum coefficient of friction, according to ASTM 1028, or BOT 3000. Therefore we recommend polished finish for wall application only. Matt (natural) surface is suitable for flooring covering.


WARNING: THE POLISHED SURFACE DOES NOT MEET AMERICAN NATIONAL STANDARD CONCERNING ANTISLIP RESISTANCE OF CERAMIC TILE FLOORS. THEREFORE WE RECOMMEND POLISHED FINISH FOR WALL APPLICATION ONLY. SLIP AND FALL ACCIDENTS MAY HAPPEN IF POLISHED TILES HAVE BEEN LAID ON THE FLOOR. THESE ACCIDENTS MAY CAUSE SEVERE PERSONAL INJURIES!

Color shading




The slight chromatic variation and the veining of the product is an intrinsic feature to re-create the randomness and richness of the colour shading of natural stones to which the collection is inspired. For these reasons, we recommend installing the product choosing tiles from different boxes in order to guarantee a variable and natural random effect of the finished surface. Due to these intrinsic features of the product, the colours represented in this catalogue must only be considered an example of the many possible colour shades.

Color shading



The moderate chromatic variation and the veining of the product is an intrinsic feature to re-create the randomness and richness of the colour shading of natural stones to which the collection is inspired. For these reasons, we recommend installing the product choosing tiles from different boxes in order to guarantee a variable and natural random effect of the finished surface. Due to these intrinsic features of the product, the colours represented in this catalogue must only be considered an example of the many possible colour shades.

Color shading



The marked chromatic variation and the veining of the product is an intrinsic feature to re-create the randomness and richness of the colour shading of natural stones to which the collection is inspired. For these reasons, we recommend installing the product choosing tiles from different boxes in order to guarantee a variable and natural random effect of the finished surface. Due to these intrinsic features of the product, the colours represented in this catalogue must only be considered an example of the many possible colour shades.



Floor

Carrara Matt 75x150/30"x60" R

Certified quality

Ceramiche Refin SpA is ISO 9001 certified.

The entire production process is subject to strict controls for guaranteed high-quality materials.

Ceramiche Refin reserves the right to change the products presented in this catalogue at any time.

All the intellectual property rights of this catalogue are reserved in all countries.

Translation, reproduction in print or electronic form, and adaptation, in whole or in part, using any means (including microfilm and photocopy formats) of the contents of the said catalogue constitute a violation of REFIN SpA 's copyright.

The products featured in the photographs in this catalogue are protected by current industrial property legislation.

The information contained in this catalogue is correct to the best of our knowledge, but is not to be construed as legally binding.












We reserve the right to make change as and when production requirement under them necessary.

Weight, colours and Size are subject to the usual variation expected in fi red ceramic products.

Colours shown are as close to the real colour as the limitation of the printing process will allow. While being the result of carefully effected studies and tests, these suggestions and instructions should be considered purely indicative.

The technical characteristics given in this catalogue cancel and replace all previous characteristics in the general catalogue and in the range catalogues.

Legend EN 14411 ISO 13006

	Regulation	Required standards
 Sizes	UNI EN ISO 10545/2	→ Length and width → Thickness → Linearity → Wedging → Warpage ± 0,6 % max ± 5 % max ± 0,5 % max ± 0,5 % max ± 0,5 % max
 Water absorption	UNI EN ISO 10545/3	≤ 0,5 %
 Flexual Strenght	UNI EN ISO 10545/4	≥ 35 N/mm ²
 Deep abrasion resistance	UNI EN ISO 10545/6	≤ 175 mm ³
 Abrasion resistance	UNI EN ISO 10545/7	PEI
 Thermal shock resistance	UNI EN ISO 10545/9	No sample must show visible defects
 Frost resistance	UNI EN ISO 10545/12	Resistant
 Chemical resistance	UNI EN ISO 10545/13	
 Stain resistance	UNI EN ISO 10545/14	GL ≥ 3 UGL Tests method available
 Assessment of slip resistance	DIN 51130	R
	DIN 51097	A + B + C
 Measurement of dynamic friction coefficient	BCRA	> 0,40
	BOT3000	> 0,42

Ceramiche Refin
SpA

Sede legale
Via I Maggio, 22
Salvaterra
42013 Casalgrande RE
Italia

Showroom aziendale
Via G. Ambrosoli, 5
Salvaterra
42013 Casalgrande RE
Italia

t +39 0522 990 499
f_{ITA} +39 0522 849 270
f_{ESP} +39 0522 990 578
e info@refin.it

refin.it

