

PROVENZA

Q - S T O N E M I N I M A L



minimalis**day**.and **night**.

minimal
is **love.**
but not **hate.**



Night mosaico 30x30
I30399P

Day Opus Maxi lappato | Day 45x90 lappato
M94390P | 94390P



Day Mosaico 30x30
I30390P

minimalit's **me.**
and **you.**






minimal
is **milk.** and **coffee.**

Day Opus strutturato
M63390S



minimal
is **rock.**
and
classic.



Night 45x90 naturale
94399R





Night 45x90 strutturato
94399SR

minimal
is **work.** and **play.**



Day 45x90 strutturato
94390SR

OPUS




5 formati differenti
nella stessa scatola
*different sizes
blended in each box*

OPUS MAXI



Day 45x90 naturale
94390R


Day opus maxi naturale
M94390R



9 formati differenti
nella stessa scatola
*different sizes
blended in each box*

OPUS

minimal is **body**. and **soul**.



ISTRUZIONI DI POSA DENTRO OGNI SCATOLA

LAYING INSTRUCTIONS IN EACH BOX

FULL HD DIGITAL PRINTING TECHNOLOGY

Grazie al sistema digitale Ink Jet ad alta definizione (360 dpi) è possibile realizzare una gamma di grafiche con infinite variazioni.


Thanks to the High definition Ink jet digital system (360 dpi) a wide range of graphics with innumerable variations can be obtained.

Grace au système ink jet haute définition (360 dpi) il est possible d'obtenir une gamme infinie de graphismes.

Dank dem Ink Jet Hochauflösungsdigitalsystem mit 360 dpi kann man eine unzählreiche Reihe grafischer Effekte realisieren.

Gracias al sistema digital Ink Jet a alta definición (360 dpi), es posible realizar una gama infinita de variaciones gráficas.

Благодаря цифровой струйной системе печати высокого разрешения (360 точек на дюйм) можно получать гамму графических изображений с неисчислимыми вариациями.



IMBALLO SPECIALE SPECIAL PACKAGING

COLORI *Colours/Couleurs/Farben/Colores/Цвета*



DAY Shade variation V3



NIGHT Shade variation V3

FORMATI *Sizes/Formats/Formate/Tamaños/ФОРМАТЫ*



45x90 - *18"x36"

naturale

DAY 94390R
NIGHT 94399R

lappato

DAY 94390P
NIGHT 94399P

strutturato

DAY 94390SR
NIGHT 94399SR



30x60 - *12"x24"

naturale

DAY 63390R
NIGHT 63399R

lappato


DAY 63390P
NIGHT 63399P

strutturato

DAY 63390SR
NIGHT 63399SR

DECORI

*Decors/Décors/
Dekore/Decorados/Декоры*



MOSAICO 30x30 - *12"x12"

lappato

DAY I30390P
NIGHT I30399P

OPUS

naturale
DAY M63390R
NIGHT M63399R

lappato
DAY M63390P
NIGHT M63399P

strutturato
DAY M63390S
NIGHT M63399S

FORMATI

Sizes/Formats/Formate/
Tamaños/ФОРМАТЫ

3 pz./pcs 30x60 - *12"x24"
2 pz./pcs 20x60 - *8"x24"
2 pz./pcs 20x30 - *8"x12"
2 pz./pcs 10x60 - *4"x24"
2 pz./pcs 10x30 - *4"x12"

OPUS M A X I

naturale
DAY M94390R
NIGHT M94399R

lappato
DAY M94390P
NIGHT M94399P

strutturato
DAY M94390S
NIGHT M94399S


FORMATI

Sizes/Formats/Formate/
Tamaños/ФОРМАТЫ

1 pz./pcs 30x90 - *12"x36"
1 pz./pcs 30x60 - *12"x24"
1 pz./pcs 30x30 - *12"x12"
1 pz./pcs 22,5x90 - *9"x36"
1 pz./pcs 22,5x60 - *9"x24"

1 pz./pcs 22,5x30 - *9"x12"
1 pz./pcs 15x90 - *6"x36"
1 pz./pcs 15x60 - *6"x24"
1 pz./pcs 15x30 - *6"x12"

MODULO OPUS MAXI + 45x90



POSA CONSIGLIATA
Laying pattern suggest

40% 45x90

60% OPUS MAXI

PEZZI SPECIALI Trims/ Pieces Speciales/Formteile/Piezas Especiales/СПЕЦИАЛЬНЫЕ ИЗДЕЛИЯ

GRADONE STEP
30x60x4,5x3,5
*12"x24"x2"x1"

naturale
DAY 63390RG
NIGHT 63399RG

lappato
DAY 63390PG
NIGHT 63399PG

strutturato
DAY 63390SG
NIGHT 63399SG

ANGOLARE CORNER TILE
30x30x4,5x3,5
*12"x12"x2"x1"

naturale RIGHT LEFT
DAY 30390RD 30390RS
NIGHT 30399RD 30399RS

lappato
DAY 30390PD 30390PS
NIGHT 30399PD 30399PS

strutturato
DAY 30390SD 30390SS
NIGHT 30399SD 30399SS

ELEMENTO A "L" L-SHAPED PIECE
15x60x4,5
*6"x24"x2"

strutturato
DAY 99390SR
NIGHT 99399SR

BATTISCOPA SKIRTING
8,5x60
*3"x24"

naturale
DAY 88390R
NIGHT 88399R

lappato
DAY 88390P
NIGHT 88399P

strutturato
DAY 88390S
NIGHT 88399S

BATT. x GRADONE TREAD SKIRTING
8,5x60x60
*3"x24"x24"

RIGHT LEFT
naturale naturale
DAY 85390RD DAY 85390RS
NIGHT 85399RD NIGHT 85399RS

lappato lappato
DAY 85390PD DAY 85390PS
NIGHT 85399PD NIGHT 85399PS

strutturato strutturato
DAY 85390SD DAY 85390SS
NIGHT 85399SD NIGHT 85399SS

CARATTERISTICHE TECNICHE Technical Features - Caracteristiques Techniques Technische Eigenschaften - Caracteristicas Tecnicas - Технические Характеристики	NORMA Standard - Norme Norm - Norma - Норма	VALORI Value - Valeur Vorgabe - Valor - Средние
	UNI EN ISO 10545/2	± 0,26% / ± 1,5mm

PLANARITÀ
Flatness - Planéité - Ebenflächigkeit - Planiyud - Плоскостность

ASSORBIMENTO D'ACQUA - Valore medio in %
Water absorption - Average value expressed in %
Absorption d'eau - Valeur moyenne en %
Wasseraufnahme - Durchschnittswert in %
Absorción de agua - Valor medio en % - Поглощение воды

UNI EN ISO 10545/3 ≤ 0,5 %	Conforme
ASTM C373	Compliant

RESISTENZA ALLA FLESSIONE
Modulus of ropture - Resistance a la flexion
Biegefestigkeit - Resistencia a la flexion - Прочность на изгиб

UNI EN ISO 10545/4	≥ 50 N/mm ²
--------------------	------------------------

FORZA DI ROTTURA
Breaking strength - Résistance à la rupture
Bruchlast - Resistencia a la rotura - Разрывное усилие

UNI EN ISO 10545/4 ASTM C648	≥ 2000 N 700 LBS
---------------------------------	---------------------

RESISTENZA AL GELO
Frost resistance - Résistance au gel - Frostbeständigkeit
Resistencia a las heladas - Морозостойкость

UNI EN ISO 10545/12	Conforme
ASTM C1026	Unaffected

RESISTENZA CHIMICA ad alte e basse concentrazioni di acidi e basi
Chemical resistance to high and low acid and basic concentrations
Résistance chimique aux hautes et basses concentrations d'acides et de bases
Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen
Resistencia química con concentraciones altas y bajas de ácidos y bases
Химическая стойкость к высоким и низким концентрациям кислот и щелочей

UNI EN ISO 10545/13	GA - GLA - GHA
ASTM C-650	Unaffected

RESISTENZA ALLE MACCHIE
Stain resistance - Résistance aux taches - Fleckenbeständigkeit
Resistencia a las manchas - Стойкость к образованию пятен

UNI EN ISO 10545/14	5
CTI 81-7D	No Evident Variation

COEFFICIENTE DI ATTRITO
Slip resistance - Coefficient de glissement - Rutschfestigkeit Barfußbereich
Coeficiente de atrito medio - Коэффициент трения

DIN 51130	Naturale R10	Lappato R10	Strutturato R11
DWIN 51097	C (A+B+C)	B (A+B)	C (A+B+C)
ANSI A 137.1- 2012 DCOF (Section 9.6)	Dry ≥ 0,42 Wet ≥ 0,42	Dry ≥ 0,42 Wet ≥ 0,42	Dry ≥ 0,42 Wet ≥ 0,42
B.C.R.A.	≥ 0,40	≥ 0,40	≥ 0,40

Per maggiori chiarimenti sui dati tecnici e sulla garanzia consultare il catalogo generale in vigore. - For further information on technical specifications, please consult our up-dated general catalogue. - Pour toutes informations supplémentaires sur les données techniques et sur les garanties, veuillez consulter le catalogue general en vigueur. - Für weitere Informationen über technische Daten und Garantie beziehen sie sich bitte auf den aktuellen Gesamtkatalog. - Para ultiores informaciones sobre los datos tecnicos y la garantia, vease el catalogo general en vigor. - Более подробную информацию о технических данных и гарантии смотрите в действующем сводном катал.



IMBALLI E PESI. PACKING AND WEIGHT. EMBALLAGES ET POIDS. VERPACKUNG UND GEWICHT. EMBALAJES Y PESOS. УПАКОВКА И ВЕС

ARTICOLO ITEM REFERENCIA ARTIKEL ARTICULO АРТИКУЛА	FORMATO SIZE FORMAT TAMAÑO ФОРМАТ cm.	SPESSORE THICKNESS ÉPAISSEUR STÄRKE ESPESOR ТОЛЩИНА mm.	PZ. X MQ. PIECES X SQM PCS X M2 STK. X OM PZS X MC. ШТ. X KB.M.	PZ. X SCAT. PIECES X BOX PCS / BTE STK. X KRT. PZS X CAJA ШТ. X KOP.	MQ. X SCAT. SQM X BOX M2 / BTE QM X KRT. MC. X CAJA KB.M. X KOP.	PESO X SCAT. WEIGHT X BOX POIDS / BTE(KG) GEWICHT X KRT.(KG) PESO X CAJA(KG) BES X KOP.	SCAT. X PAL. BOXES X PAL. BTE / PAL. KRT. X PAL. CAJAS X PAL. KOP. X PODD.	MQ. X PAL. SQM X PAL. M2 / PAL. QM X PAL. MC. X PAL. KB.M X PODD.	PESO X PAL. WEIGHT X PAL. POIDS / PAL.(KG) GEWICHT X PAL.(KG) PESO X PAL.(KG) BES X PODD.
9439_R	45x90	10,5	2,47	3	1,215	28,13	30	36,45	843,90
9439_P	45x90	10,5	2,47	3	1,215	28,13	30	36,45	843,90
9439_SR	45x90	10,5	2,47	3	1,215	28,13	30	36,45	843,90
6339_R	30x60	10,5	5,56	6	1,080	25,50	40	43,20	1020
6339_P	30x60	10,5	5,56	6	1,080	25,50	40	43,20	1020
6339_SR	30x60	10,5	5,56	6	1,080	25,50	40	43,20	1020
OPUS M6339_R/P/S	-	10,5	-	11	1,080	21,50	24	25,92	516
OPUS MAXI M9439_R/P/S	-	10,5	-	9	1,215	28,70	18	21,87	516,70
MOSAICO I3039_P	30x30	10,5	11,11	5	0,45	10,30	66	29,70	679,80

PROVENZA
a brand of EMILCERAMICA S.p.A.



PROVENZA

a brand of EMILCERAMICA S.p.A.
Via Ghiarola Nuova, 29 - 41042 Fiorano Modenese (MO) - Italia
Tel +39 0536 927611 - Fax Italia +39 0536 927626 - Fax Export +39 0536 927627
info@emilceramicagroup.it - www.ceramicheprovenza.com