


## Rainjoy

The steady drumming of rain. The hypnotic rhythm of falling waterdrops. The Rainjoy shower spa blends material science, hydro-flow design, and the best aqua-pressure therapy to create a 360° water massage that envelops you in pleasure. So that when you step into the shower, you discover a spa.





Chromotherapy

Let healing light flood your senses.

Careful selected hues of light add a choice of calming waves and invigorating energy to help every shower work wonders with not just your mind and mood, but heal your body as well. Whether you need to relax or be energised, set an appropriate colour for your shower to inspire the body and the mind with a choice of chromatic lights.

Remote

Luxury is chromotherapy that you control.

Light & Easy



Each Rainjoy shower comes with the convenience of a cordless, waterproof remote control which lets you customise your chromotherapy experience. With a simple press of a button, you can choose a relaxing colour to shower in. Or switch to an energising, pulsating, multiple colour experience. The colours also change at a speed that you control.

OSA-70001SH

Rainjoy Shower 370 x 250mm AISI 304 stainless steel in chrome finish, without installation kit for false ceiling  
2-functions: Rain, 2X Mist

OSA-70001BR

False ceiling installation kit for rainjoy Shower 370X250mm consisting of 1 Bracket, 4 Anchors, 4 Stud bolts, 12 Hex nuts (Compatible with OSA-70001SH)  
flow rate: Rain-17.72 & Mist-1.03 l/min\*



OSA-70003SH


Rainjoy Shower 480 X 330mm AISI 304 stainless steel in chrome finish, without installation kit for false ceiling 2-functions: Rain, 4X Mist

OSA-70003BR

False ceiling installation kit for rainjoy Shower 480X330mm consisting of 1 Bracket, 4 Anchors, 4 Stud bolts, 12 Hex nuts (Compatible with OSA-70003SH & OSA-70013SH)

OSA-70003SHiV6

Best fit with ShowerTronic  
flow rate: Rain-17.36 & Mist- 2.11 l/min\*





**OSA-70005SH**

Rainjoy Shower 600 X 472mm AISI 304 stainless steel in chrome finish with RGB LED lights, remote control and without installation kit for false ceiling Chromotherapy (RGB): LED x 0.23W with 12V Power Supply (SMPS) Including Controller; connecting to AC 100-240V, 50-60Hz  
3-functions: Rain, Intense, 4X Mist


**OSA-70005BR**

False ceiling installation kit for rainjoy Shower 600X472mm consisting of 1 Bracket, 4 Anchors, 4 Stud bolts, 12 Hex nuts (Compatible with **OSA-70005SH**, **OSA-70007SH** & **OSA-70009SH**)

**OSA-70005SHiV6**

Best fit with ShowerTronic iV6

flow rate: Rain-31.38, Intense-9.44 & Mist-2.16 l/min\*




**OSA-70007SH**

Rainjoy Shower 600 X 472mm AISI 304 stainless steel in chrome finish with RGB LED lights, remote control and without installation kit for false ceiling Chromotherapy (RGB): LED x 0.23W with 12V Power Supply (SMPS) Including Controller; connecting to AC 100-240V, 50-60Hz  
3-functions: Rain, Intense, Water Column  
flow rate: Rain-32.86, Intense-10.36 & Water Column-19.68 l/min\*

**OSA-70005BR**

False ceiling installation kit for rainjoy Shower 600X472mm consisting of 1 Bracket, 4 Anchors, 4 Stud bolts, 12 Hex nuts (Compatible with **OSA-70005SH**, **OSA-70007SH** & **OSA-70009SH**)




**OSA-70009SH**

Rainjoy Shower 600 X 472mm AISI 304 stainless steel in chrome finish with RGB LED lights, remote control and without installation kit for false ceiling Chromotherapy (RGB): LED x 0.23W with 12V Power Supply (SMPS) Including Controller; connecting to AC 100-240V, 50-60Hz  
3-functions: Rain, Intense, 2X Water Fall  
flow rate: Rain-32.32, Intense-10.39 & Water Fall-38.10 l/min\*

**OSA-70005BR**

False ceiling installation kit for rainjoy Shower 600X472mm consisting of 1 Bracket, 4 Anchors, 4 Stud bolts, 12 Hex nuts (Compatible with OSA-70005SH, OSA-70007SH & OSA-70009SH)




**OSA-70013SH**

Rainjoy Shower 480X330mm AISI 304 stainless steel in chrome finish without installation kit for false ceiling  
2-functions: Rain, Waterfall  
flow rate: Rain-16.10 & Water Fall-33.36 l/min\*

**OSA-70003BR**

False ceiling installation kit for rainjoy Shower 480X330mm consisting of 1 Bracket, 4 Anchors, 4 Stud bolts, 12 Hex nuts (Compatible with OSA-70003SH & OSA-70013SH)




**OSA-STL-70011SH**

Rainjoy Shower 1000 X 750mm AISI 304 stainless steel in polished finish with RGB LED lights, remote control and without installation kit for false ceiling Chromotherapy (RGB): LED x 0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz  
4-functions: • Rain • Intense •Water Fall • Water Col

**OSA-STL-70011SH**

False ceiling installation kit for rainjoy Shower  
1000X750mm consisting of 1 Bracket, 4 Anchors,  
4 Stud bolts, 12 Hex nuts  
(Compatible with **OSA-70011SH & OSA-70015SH**)  
flow rate: Rain-21.93, Intense-12.29, Water Column-23.82 & Water Fall-36.82 l/min\*



NOTE: OSA-STL-70011 & OSA-STL-70015 available in STL, BLM & WHM colour options

**OSA-STL-70015SH**


Rainjoy Shower 1000X750mm AISI 304 stainless steel in polished finish with RGB LED lights remote control & without installation kit for false ceiling. Chromotherapy (RGB): LED x 0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz  
4-functions : •Rain • Intense • Waterfall • 6X Mist

**OSA-STL-70011BR**

False ceiling installation kit for rainjoy Shower 1000X750mm consisting of 1 Bracket, 4 Anchors, 4 Stud bolts, 12 Hex nuts (Compatible with **OSA-70011SH & OSA-70015SH**)


**OSA-STL-70015SHiV6**

Best fit with ShowerTronic iV6  
flow rate: Rain-37.70, Intense-16.15, Mist-3.52 & Water Fall-32.55 l/min\*




**OSA-70049**

Overhead Shower 350 x 350mm Round Edge Square Head Single Flow (Body & Face Plate Stainless Steel with Chrome Plated) with Rubit Cleaning System  
flow rate: 41.55 l/min\*




**OSA-70051**

Overhead Shower 400 x 400mm Round Edge Square Head Single Flow (Body & Face Plate Stainless Steel with Chrome Plated) with Rubit Cleaning System  
flow rate: 45.75 l/min\*



**BSA-70071**  
Body shower concealed type 135 x 135mm (ABS chrome plated face plate)  
with installation box and rubit cleaning system  
flow rate: Normal-10.00 l/min\*



\*at 3 bar pressure

