

RAK-SENSATION



RAK
CERAMICS

ICONS



WASH BASIN

Lavabo
Lavabo
Lavabo
Waschbecken
Раковина



CLOSE COUPLED WATER CLOSET

WC monoblocco
WC monobloc
Inodoro monoblock
Tiefspül WC
Унитаз-компакт



WATER CLOSET

WC
WCs
Inodoro
Wasserklösett
Унитаз



SEAT AND COVER

Sedile e coperchio
Siège et couvercle
Asiento y tapa
Sitz und Deckel
Сиденье и крышка



BIDET

Bidet
Bidet
BIDÉ
Bidés
Биде

TECHNICAL INFORMATION

Informazioni Tecniche
Informations Techniques
Technische Informationen
Техническая информация



FREE STANDING WASH BASIN

Lavabo free standing
Lavabo freestanding
lavamanos free standing
Freistehendes Waschbecken.
Напольная раковина



COUNTER TOP WASH BASIN

Lavabo da appoggio
Lavabo sur comptoir
Encimera del lavamanos
Aufgesetztes Waschbecken
накладная раковина на столешницу



COUNTER TOP SLAB+BOWL

Piano d'appoggio + ciotola
Plan + vasque à poser
Encimera+lavabo de apoyo
Platte + Aufsatzwaschbecken
Цельнолитая столешница + чаша



WALL HUNG WASH BASIN

Lavabo sospeso
Lavabo suspendu au mur
lavamanos suspendido
Eingesetztes Waschbecken
Подвесная раковина



BACK TO WALL CLOSE COUPLED WC

WC monoblocco a filo muro
WC monobloc pose' au sol
WC bloqueo al ras de la pared
Rückwandmontage Tiefspül WC
Пристенный унитаз-компакт



BACK TO WALL WC

WC a filo muro
WC posé au sol
WC al ras de la pared
Rückwandmontage WC
Приставной унитаз



WALL HUNG WC

WC sospeso
WC contre le mur
WC suspendido
Wandhängendes WC
Подвесной унитаз



BACK TO WALL BIDET

Bidet a filo muro
Bidet contre le mur
Bidet al ras de la pared
Rückwandmontage Bidet
Приставное биде



WALL HUNG BIDET

Bidet sospeso
Bidet suspendu au mur
Bidet suspendido
Wandhängendes Bidet
Подвесное биде



TOUCHLESS FLUSHING

Sistemi di risciacquo touchless
Rinçage sans contact
Enrojecimiento sin contacto
Berührunglose Spülung
Бесконтактный смыв



P-TRAP

A parete
Murale
A pared
P-Falle
Сифон с горизонтальным отводом



S-TRAP

A terra
Au sol
A piso
S-Falle
Сифон с вертикальным отводом



SOFT CLOSE

Chiusura morbida
Avec fermeture
Cierre amortiguado
Slow-close
Плавное закрытие



QUICK RELEASE

Montaggio rapido
À Démontage rapide
Abierto detrás
Abnehmbar
Быстросъемное



WATER SUPPLY

Allaccio ldrico
Arrivée d'eau
Suministro ed agua
Wasserzulauf
Подача воды



BOTTLE TRAP

Sifone
Siphon
Sifón
Siphon
Бутылочный сифон



SPRAY DOUCHE SET

Doccetta bidet
Bidet-douche
Ducha bidet
Duschbidet
Душ-биде



COMPATIBLE WITH 4.5L DUAL FLUSHING. FACTORY SETTING IS 6L

Compatible con doppio scarico 4.5L.
Preconfigurato a 6L.
Compatible avec le système de double chasse à 4.5 litres. Calibrage de fabrication 6 litres.
compatible con doble descarga 4,5L
Ajuste de fábrica configurado a 6 L.
Kompatibel mit dem Spülregulierungssystem mit 4.5 Liter. Herstellerereinstellung 6 Liter
Заводская настройка смыва-6 литров. Возможна настройка двойного смыва 4.5 литра.

HIDDEN FIXATIONS

Fissaggio nascosto
Fixation invisible
Fijaciones ocultas
Versteckte Befestigung
Скрытая Фиксация

COMFORT HEIGHT 42 CM

Altezza comfort 42 cm
Cuvette wc hauteur 42 cm
Altura de confort 42 CM
Komfortable Höhe 42 cm
Оптимальная высота 42 см

BACK OPEN

Apertura posteriore
Cuvette wc non addossée au mur
Abierto detrás
Rückseite Offen
Открытая задняя часть

INSPECTIONABLE

Ispezionabile
Possibilité d'ouverture pour vérification
Inspeccionable
Möglichkeit der Öffnung zur weiteren Kontrolle
Возможность визуального контроля

RAK-SENSATION

A symphony of grace and balance

Let the elegant shapes of RAK-Sensation capture your imagination, the new bathroom collection by RAK Ceramics.

An eclectic collection, combining aesthetic functionality and innovation.

Rimless technology, hidden fixations and symmetrical shapes underlining the soft turning of the unique and distinctive form.

Stylish and captivating RAK-Sensation defines your bathroom with natural harmony.



Lasciatevi conquistare dalle linee sinuose di RAK-Sensation, la nuova collezione bagno di RAK Ceramics. Un progetto eclettico e ampio che unisce estetica, funzionalità e innovazione. Tecnologia Rimless, sistema di fissaggio nascosto e forme equilibrate con un particolare accento sulle morbide curve dalla linea unica e distintiva. Elegante, intrigante, RAK-Sensation dona carattere e naturale armonia al vostro bagno.



Laissez-vous conquérir par les lignes sinueuses de RAK-Sensation, la nouvelle collection de salles de bains de RAK Ceramics. Un projet éclectique et ample qui unit l'esthétique, la fonctionnalité et l'innovation. Technologie Rimless, système de fixation cachée et forms équilibrées, avec un accent particulier mis sur les courbes douces de la ligne unique et distinctive. Élégante et intrigante, RAK-Sensation confère du caractère et une harmonie naturelle à votre salle de bains.



"Dejáte conquistar de las líneas sinuosas de RAK-Sensation, la nueva colección de baños de RAK Ceramics. Un proyecto ecléptico y amplio que une la estética, la funcionalidad y la innovación. La tecnología Rimless, sistema de fijaciones ocultas y formas simétricas que subrayan el suave giro de la forma única y distintiva. Elegante y cautivadora RAK-Sensation define su baño con armonía natural"



Lassen Sie sich von den gewundenen Linien von RAK-Sensation, der neuen Badkollektion von RAK Ceramics verführen. Ein eklektisches und umfassendes Projekt, das Ästhetik, Funktionalität und Innovation vereint. Technologie Rimless, Verdecktes Befestigungssystem und ausgeglichene Formen, mit einem besonderen Akzent auf den weichen Kurven der einzigartigen und kennzeichnenden Linie. Elegante und fesselnd, verleiht RAK-Sensation Ihrem Bad Charakter und eine natürliche Harmonie.



Эlegantные формы RAK-Sensation, новой коллекции для ванной комнаты от RAK-Ceramics, будоражат воображение. Эта коллекция сочетает в себе эстетичность, функциональность и инновационность. Безободковая технология Rimless, скрытые крепления и симметричные очертания подчеркивают мягкие переходы уникальной и самобытной формы. Стиль и завораживающая красота коллекции RAK-Sensation придаст вашей ванной комнате ощущение естественной гармонии.

All ceramic cistern codes refer to bottom inlet version; all washbasin codes refer to one tap hole version, unless differently specified.

Tutti i codici per le cisterne si riferiscono alla versione con carico dal basso; tutti i codici dei lavabi si riferiscono alla versione con un foro, se non diversamente specificato

l'entrée de l'eau de tous les réservoirs pour nos wc monobloc ets positionnée dans la partie inférieure; tous nos lavabos sont prévus avec un seul trou pour les robinets (sauf specification différente)

Alle Zulaufe für den Spülkasten befinden sich im unteren Bereich des WCs; Alle Kodes der Waschbecken beziehen sich auf die Version mit einem Loch, falls nicht anders angegeben.

Если иное не указано, все коды для керамического бачка относятся к варианту с впускным отверстием снизу; все коды для раковины относятся к варианту с одним отверстием для крана.




 60 CM

 52 CM



 52 CM



design **RAK**
CERAMICS

Quality design for international tastes

RAK Ceramics product development has created a very wide range of products with carefully finished details and quality design to suit international tastes, incorporating the latest rimless technology.

Carefully designed and engineered with the aid of the latest 3D CAD softwares and prototyped with 5 axis CNC machines, RAK Ceramics Sanitaryware range has the perfect solution for your bathroom, whatever you have imagined.

Rimless technology

RAK Ceramics delivers the ultimate in technology for bathroom suites. Based on similar design specifications to sanitaryware in hospitals and medical centres, RAK Ceramics Rimless water closets allows you to experience the same high standards of hygiene in your own home.

RAK Ceramics continues to set new standards of hygiene and water efficiency in the sanitaryware industry, with uniquely engineered water flushing systems that effectively remove waste, helping to keep bathrooms fresh and hygienic.

WATER SAVING

Using just 4 litres for the full flush and 2.5 litres for the half flush, water usage is reduced by a third.

HYGIENIC AND EASY TO CLEAN

The water closets have no rims to harbour germs, making cleaning quick, easy and more hygienic.

SILENT FLUSH

Rimless technology allows a faster and more silent flush.

EFFICIENT DESIGN

Design and efficiency can be successfully combined. Water flows vertically and horizontally, before flushing the entire inner surface of the bowl, without splashing.



Water Saving



Easy Cleaning



Silent



Hygienic



No ledges or rim



Rimless



No Lateral Holes



FOR BACK TO WALL AND FREE STANDING



FOR WALL HUNG

Hidden fixation systems

Our wall hung and back to wall products are benefitting of the collaboration with Fischer Group, one of the industry leaders. The use of the most innovative Fischer fixing systems, is allowing us design freedom on the ceramic, better aesthetics and more safety for the installer.

The Hidden Fixation System is comfortable and time saving, in fact one-man installation is made possible by the clip system that keeps the ceramic held up during the installation.



60 CM
SENCT6000AWHA

52 CM
SENWC1346AWHA

52 CM
SENBD2015AWHA

52 CM
SENWC1446AWHA









55 CM
SENF5501AWHA

52 CM
SENC1446AWHA



  65 CM
SENWB6501AWHA


 52 CM
SENWC1346AWHA

 52 CM
SENBD2015AWHA



 60 CM SENC5000AWHA
  103 CM PRESL10347100E
  W 100 x D 46 x H 60CM JOYWH100PWH
  W 100 x D 2 x H 68CM JOYMR10068LED



 62 CM SENWC1146AWHA
 SENWT1800AWHA

Models | Modelli | Modèles | Modelos | Modelle | Модели



55 CM
SENFS5501AWHA

Hidden Fixations



55 CM
SENFS5500AWHA

Hidden Fixations

No Tap Hole



FOR WASH BASIN
PP WHITE : BTRWBPPR020

With Flexible Hose





Inspectionalbe



FREE-FLOW
CHROME : DUO002444

CLICK-CLACK
CHROME : DUO000444

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



Note | Nota | Remarque | Notas | Hinweis | Примечание

All dimensions in mm tolerance $\pm 5\%$ for below 200mm and $\pm 3\%$ for above 200mm | Tutte le dimensioni hanno una tolleranza di $\pm 5\%$ mm al di sotto dei 200mm e di $\pm 3\%$ mm al di sopra dei 200mm | Toutes les dimensions en mm tolérance $\pm 5\%$ pour moins de 200mm et $\pm 3\%$ pour plus de 200mm | Todas las medidas en mm con tolerancia de 5% para menos de 200mm y 3% para más de 200mm | Alle Abmessungen in mm, Toleranz $\pm 5\%$ für unter 200mm, und $\pm 3\%$ für über 200mm | Все размеры указаны в мм, погрешность $\pm 5\%$ ниже 200 мм и $\pm 3\%$ выше 200 мм



55 CM
SENFS5501AWHA

Models | Modelli | Modèles | Modelos | Modelle | Модели




65 CM
SENWB6501AWHA

60 CM
SENWB6001AWHA

55 CM
SENWB5501AWHA

50 CM
SENWB5001AWHA

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



Note | Nota | Remarque | Notas | Hinweis | Примечание

All dimensions in mm tolerance $\pm 5\%$ for below 200mm and $\pm 3\%$ for above 200mm | Tutte le dimensioni hanno una tolleranza di $\pm 5\%$ mm al di sotto dei 200mm e di $\pm 3\%$ mm al di sopra dei 200mm | Toutes les dimensions en mm tolérance $\pm 5\%$ pour moins de 200mm et $\pm 3\%$ pour plus de 200mm | Todas las medidas en mm con tolerancia de 5% para menos de 200mm y 3% para más de 200mm | Alle Abmessungen in mm, Toleranz $\pm 5\%$ für unter 200mm, und $\pm 3\%$ für über 200mm | Все размеры указаны в мм, погрешность $\pm 5\%$ ниже 200 мм и $\pm 3\%$ выше 200 мм

Models | Modelli | Modèles | Modelos | Modelle | Модели




60 CM
SENCT6000AWHA

FOR WASH BASIN
INOX CHROME : BTRWBSST001
ABS CHROME : BTRWBABS002

Inspectionable

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



Models | Modelli | Modèles | Modelos | Modelle | Модели



65 CM
SENWB6601AWHA



H 90 CM
VN0102AWHA



VN0401AWHA







FOR WASH BASIN
INOX CHROME : BTRWBSST001
ABS CHROME : BTRWBABS002

Suitable Only for Wash Basin : SENWB65

Suitable for Only Wash Basin : SENWB65

Inspectionable إمكانية الفتح للتحقق

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



Note | Nota | Remarque | Notas | Hinweis | Примечание

All dimensions in mm tolerance $\pm 5\%$ for below 200mm and $\pm 3\%$ for above 200mm | Tutte le dimensioni hanno una tolleranza di $\pm 5\%$ mm al di sotto dei 200mm e di $\pm 3\%$ mm al di sopra dei 200mm | Toutes les dimensions en mm tolérance $\pm 5\%$ pour moins de 200mm et $\pm 3\%$ pour plus de 200mm | Todas las medidas en mm con tolerancia de 5% para menos de 200mm y 3% para más de 200mm | Alle Abmessungen in mm, Toleranz $\pm 5\%$ für unter 200mm, und $\pm 3\%$ für über 200mm | Все размеры указаны в мм, погрешность $\pm 5\%$ ниже 200 мм и $\pm 3\%$ выше 200 мм



RAK-SENSATION WITH RAK-JOY & RAK-PRECIOUS SURFACES



63 CM
PRESL06347102A

Suitable for RAK-Sensation Counter Top WB : 60 CM



83 CM
PRESL08347102A

Suitable for RAK-Sensation Counter Top WB : 60 CM



103 CM
PRESL10347102A

Suitable for RAK-Sensation Counter Top WB : 60 CM



163 CM
PRESL16347102A

Suitable for RAK-Sensation Counter Top WB : 60 CM



203 CM
PRESL20347102A

Suitable for RAK-Sensation Counter Top WB : 60 CM



FOR VANITY
PP WHITE : BTRWBPPR021

Inspectionable

Compact Height

RAK-PRECIOUS - COLORS AND FINISHES

RAK-PRECIOUS - FINITURE E COLORI | RAK-PRECIOUS - FINITURES ET COULEURS
| RAK-PRECIOUS - COLORES Y ACABADOS | RAK-PRECIOUS - OBERFLÄCHEN UND FARBEN | RAK-PRECIOUS - ЦВЕТА И ОТДЕЛКА

	100 CARRARA (LAPPATO)		103 SURFACE XL COOL GREY (NATURAL)
	101 MACAUBAS (NATURAL)		104 BEHIND GREY (NATURAL)
	102 TRAVERTINO IVORY (LAPPATO)		105 UNI DARK BLACK (NATURAL)



60 CM
SENCT5000AWHA

83 CM
PRESL08347103A

W 80 x D 46 x H 60CM
JOYWH080EGY

W 80 x D 2 x H 68CM
JOYMR08068LED

RAK-SENSATION WITH RAK-JOY & RAK-PRECIOUS SURFACES



63 CM
PRESL06347102E

Suitable for RAK-Sensation WB :
60 / 55 / 50 CM



83 CM
PRESL08347102E

Suitable for RAK-Sensation WB :
65 / 60 / 55 / 50 CM



103 CM
PRESL10347102E

Suitable for RAK-Sensation WB :
65 / 60 / 55 / 50 CM



123 CM
PRESL12347102E

Suitable for RAK-Sensation WB :
55 / 50 CM



163 CM
PRESL16347102E

Suitable for RAK-Sensation WB :
65 / 60 / 55 / 50 CM



FOR VANITY
PP WHITE : BTRWBPPR021

Inspectionable

Compact Height



203 CM
PRESL20347102E

Suitable for RAK-Sensation WB :
65 / 60 / 55 / 50 CM

RAK-PRECIOUS - COLORS AND FINISHES

RAK-PRECIOUS - FINITURE E COLORI | RAK-PRECIOUS - FINITURES ET COULEURS
| RAK-PRECIOUS - COLORES Y ACABADOS | RAK-PRECIOUS - OBERFLÄCHEN UND FARBEN | RAK-PRECIOUS - ЦВЕТА И ОТДЕЛКА

	100 CARRARA (LAPPATO)		103 SURFACE XL COOL GREY (NATURAL)
	101 MACAUBAS (NATURAL)		104 BEHIND GREY (NATURAL)
	102 TRAVERTINO IVORY (LAPPATO)		105 UNI DARK BLACK (NATURAL)




60 CM
SENCT5000AWHA


103 CM
PRESL10347100E


W 100 x D 46 x H 60CM
JOYWH100PWH


W 100 x D 2 x H 68CM
JOYMR10068LED




 60 CM
SENCT6000AWHA

 85 CM
PRESL08347101A

 101
MACAUBAS (NATURAL)


 W 80 x D 46 x H 60CM
JOYWH080UGY

 W 80 x D 2 x H 68CM
JOYMR08068LED



Touchless flushing

Enjoy the same hands free, germ free experience of commercial restrooms. With the new RAK Ceramics Touchless Flushing System, this same ease of use and minimal spreading of germs has finally expanded to the home use toilets. A sensor module mounts underneath the toilet's cistern lid and runs on four AA batteries. It utilizes emerging sensing technology, which projects an electromagnetic field that is both extremely accurate and reliable.




This type of sensor detects the user in the projected field and initiates the dual flush: 6 Liters keeping the hand above the spot, or 3 Liters waving the hand.



DUAL FLUSHING:

-  Still hand above the indicated spot for *full flush*.
-  Waving hand above the indicated spot for *half flush*.

Technical Information:

-  Sensor area is within 40mm~60mm from the surface of the cistern lid; effective diameter of the sensor area is within 100mm.
-  Battery life: around 2 years for family use, and 1 year for commercial using.
-  Override lateral push button in case of failed battery.

Models | Modelli | Modèles | Modelos | Modelle | Модели




62 CM
SENWC1146AWHA
SENWT1805AWHA

Hidden Fixations
Comfort Height 42 CM

66 CM
SENWC1045AWHA
SENWT1805AWHA

Back Open
Comfort Height 42 CM

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



Urea RAK-Sensation
SENSC3900WH

Urea RAK-Sensation
SENSC3901WH

Urea RAK-Sensation
SENSC3900WH

Urea RAK-Sensation
SENSC3901WH

Note | Nota | Remarque | Notas | Hinweis | Примечание













All dimensions in mm tolerance $\pm 5\%$ for below 200mm and $\pm 3\%$ for above 200mm | Tutte le dimensioni hanno una tolleranza di $\pm 5\%$ mm al di sotto dei 200mm e di $\pm 3\%$ mm al di sopra dei 200mm | Toutes les dimensions en mm tolérance $\pm 5\%$ pour moins de 200mm et $\pm 3\%$ pour plus de 200mm | Todas las medidas en mm con tolerancia de 5% para menos de 200mm y 3% para más de 200mm | Alle Abmessungen in mm, Toleranz $\pm 5\%$ für unter 200mm, und $\pm 3\%$ für über 200mm | Все размеры указаны в мм, погрешность $\pm 5\%$ ниже 200 мм и $\pm 3\%$ выше 200 мм



Models | Modelli | Modèles | Modelos | Modelle | Модели

 <p>Rimless</p>	 <p>Rimless</p>	 <p>Rimless</p>	 <p>Rimless</p>
 <p>62 CM SENWC1146AWHA SENWT1800AWHA</p> <p>Hidden Fixations Comfort Height 42 CM</p>	 <p>66 CM SENWC1045AWHA SENWT1800AWHA</p> <p>Back Open Comfort Height 42 CM</p>	 <p>52 CM SENWC1346AWHA</p> <p>Hidden Fixations Comfort Height 42 CM</p>	 <p>52 CM SENWC1446AWHA</p> <p>Hidden Fixations</p>

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры

 <p>31.3 Kg.</p>	 <p>30.0 Kg.</p>	 <p>25.4 Kg.</p>	 <p>22.3 Kg.</p>
 <p>Urea RAK-Sensation SENSC3901WH</p>  <p>Urea RAK-Sensation SENSC3900WH</p>	 <p>Urea RAK-Sensation SENSC3901WH</p>  <p>Urea RAK-Sensation SENSC3900WH</p>	 <p>Urea RAK-Sensation SENSC3901WH</p>  <p>Urea RAK-Sensation SENSC3900WH</p>	 <p>Urea RAK-Sensation SENSC3901WH</p>  <p>Urea RAK-Sensation SENSC3900WH</p>





Note | Nota | Remarque | Notas | Hinweis | Примечание

All dimensions in mm tolerance $\pm 5\%$ for below 200mm and $\pm 3\%$ for above 200mm | Tutte le dimensioni hanno una tolleranza di $\pm 5\%$ mm al di sotto dei 200mm e di $\pm 3\%$ mm al di sopra dei 200mm | Toutes les dimensions en mm tolérance $\pm 5\%$ pour moins de 200mm et $\pm 3\%$ pour plus de 200mm | Todas las medidas en mm con tolerancia de 5% para menos de 200mm y 3% para más de 200mm | Alle Abmessungen in mm, Toleranz $\pm 5\%$ für unter 200mm, und $\pm 3\%$ für über 200mm | Все размеры указаны в мм, погрешность $\pm 5\%$ ниже 200 мм и $\pm 3\%$ выше 200 мм

Models | Modelli | Modèles | Modelos | Modelle | Модели

 <p>Rimless</p>	 <p>SET WITH MIXER (SHATAFF) BRASS CHROME : SPRDOMX0001</p>
 <p>48 CM SENWC1447AWHA</p> <p>Hidden Fixations</p>	

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры

 <p>21.0 Kg.</p>	
 <p>Urea RAK-Sensation SENSC3901WH</p>  <p>Urea RAK-Sensation SENSC3900WH</p>	



Models | Modelli | Modèles | Modelos | Modelle | Модели



52 CM
SENBD2015AWHA

Hidden Fixations

Comfort Height 42 CM



52 CM
SENBD2101AWHA

Hidden Fixations



48 CM
SENBD2104AWHA


Hidden Fixations



FOR BIDET
PP WHITE : BTRBDPPR011
ABS CHROME : BTRBDABS010

Inspectionable

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



Note | Nota | Remarque | Notas | Hinweis | Примечание

All dimensions in mm tolerance $\pm 5\%$ for below 200mm and $\pm 3\%$ for above 200mm | Tutte le dimensioni hanno una tolleranza di $\pm 5\%$ mm al di sotto dei 200mm e di $\pm 3\%$ mm al di sopra dei 200mm | Toutes les dimensions en mm tolérance $\pm 5\%$ pour moins de 200mm et $\pm 3\%$ pour plus de 200mm | Todas las medidas en mm con tolerancia de 5% para menos de 200mm y 3% para más de 200mm | Alle Abmessungen in mm, Toleranz $\pm 5\%$ für unter 200mm, und $\pm 3\%$ für über 200mm | Все размеры указаны в мм, погрешность $\pm 5\%$ ниже 200 мм и $\pm 3\%$ выше 200 мм



52 CM 52 CM

RAK CERAMICS
P.O. Box 4714, Ras Al Khaimah,
United Arab Emirates (U.A.E.)
Tel.: +971 7 2467000
Fax: +971 7 2445270
Email : info@rakceramics.com

RAKCERAMICS.COM

RAK

CERAMICS