



Corsano

SORRENTINA

Superiore alle mode,
agli anni che passano, ai luoghi.

È il mood vintage delle cementine Sorrentina, 20x20 cm, da abbinare in totale libertà ad altri formati, anche molto grandi e molto diversi, amplificandone le potenzialità decorative. Grafiche inedite in cui s'intrecciano trame floreali e motivi geometrici, i colori del mare con quelli della terra. È così che la casa ci accoglie e ci rassicura trasmettendoci il fascino dei ricordi e della tradizione.

The vintage mood of the 20x20 Sorrentine cementines, careless of fashion, places and passing of time is freely combinable with other formats, even larger and different, amplifying their decorative potential. Original graphics intertwine floral textures and geometric patterns, with sea and earth colours. This is how the house welcomes and reassures us by transmitting the charm of memories and tradition.



Furore - Maiori - Pozzano - Albori
Nerano - Nocelle - Tramonti - Corsano - Laurito






Albore - Nerano - Nocelle - Tramonti




Rivestimento / Wall: SN 10 - Maiori
Pavimento / Floor: OB 3 Rett.





Rivestimento / Wall: SN 10 - Furore
Pavimento / Floor: Pozzano



20SN10
SN 10 / Bianco
20x20 cm 8x8 in

■ 067



20SN00FUA
Furore
20x20 cm 8x8 in
■ 092




20SN00MAA
Maiori
20x20 cm 8x8 in
■ 092



20SN00ALA
Albori
20x20 cm 8x8 in
■ 092



20SN00NEA
Nerano
20x20 cm 8x8 in
■ 092




20SN00COA
Corsano
20x20 cm 8x8 in
■ 092



20SN00POA
Pozzano
20x20 cm 8x8 in
■ 092



20SN00NOA
Nocelle
20x20 cm 8x8 in
■ 092



20SN00TRA
Tramonti
20x20 cm 8x8 in
■ 092



20SN00LAA
Laurito
20x20 cm 8x8 in
■ 092

	Package	20x20
Box	Pieces	29
	Mq.	1,16
	Kg.	20,40
Europallet	Boxes	45
	Mq.	52,20
	Kg.	940,00




FIRE


LA PORCELLANA SMALTATA




SPESSEZZA




RESISTENZA AL GELO




ASSORBIMENTO D'ACQUA



CAMPIONE D'IMPRESA CONSIGLIATO



RESISTENZA CHIMICA



RESISTENZA ALLO SCIOLAMENTO




ASCIUTTO




BAGNATO


THE GLAZED PORCELAIN




THICKNESS




FROST RESISTANCE



WATER ABSORPTION



RECOMMENDED USE



CHEMICAL RESISTANCE



SLIPPING RESISTANCE




DRY




WET


GLASIERTES FEINSTEINZEUG




STAERKE




FROSTBESTÄNDIGKEIT



WASSERAUFAHME



ANWEDUNGSBEREICH



BESTÄNDIGKEIT GEGEN CHEMIKALIEN



RUTSCHFESTIGKEIT




TROCKEN




NASS


LA PORCELAINE EMAILÉE




ÉPAISSEUR




RESISTANCE AU GEL



ABSORPTION D'EAU



PIÈCE D'EMPLOI CONSEILLÉE



RESISTANCE CHIMIQUE



FACTEUR DE RESISTANCE ANTIGLISSEMENT



SEC



MOUILLE

8,5 mm **RESISTANT**
ISO 10545.12

~0,1%
ISO 10545.3

G
UNI EN ISO 10545.13
5
UNI EN ISO 10545.14

R9
-

B
≥0,42
>0,40

Price codes: ■ Mq. ■ Ml. ● Pieces