

# Stoneclay.




Slit 60x60



cement & resin

Charcoal 60x60


Lea Ceramiche



Lime 30x60





Gres tutta massa UGL  
 Full-body porcelain UGL  
 Grès Cérame pleine masse UGL  
 Vollgemischtes Durchgefärbtes Feinsteinzeug UGL


Stonalizzazione	Resistenza allo scivolamento	Fuga minima consigliata
Shading / Denuançage / Spielfarbig	Slip resistance / Résistance au glissement / Rutschfestigkeit	Minimum suggested joint Joint minimum conseillé Empfohlene Fugenbreite
ANSI A137.1	DIN 51130 R10 (Nat) R11 (Nat - Grip)	RECT 2 mm (INDOOR)
	DIN 51097 B (A+B) (Nat) C (A+B+C) (Grip)	OUTDOOR 5-6 mm Approx (*)
	B.C.R. - TORTUS $\mu >0,40$	(*) Decisione a cura della Direzione Lavori / Codici di Posa Nazionali Decision by the Construction Manager / National Laying Standards Décision établie par la Direction des Travaux / Codes de Pose Nationaux Die Entscheidung wird von der Bauleitung / gemäß nationalen Vorschriften getroffen.
	ANSI A326.3 DCOF $\geq 0.42$	
	AS/NZS 4586 P3 (Nat) P4 (Grip)	
	BS 7976-2 PTV 36+Wet (Sl. 96) (Nat) PTV 36+Wet (Sl. 96-Sl.55) (Grip)	

# Stoneclay.

Spessore / Thickness / Epaisseur / Stärke  
10mm

 gres porcellanato  
 L2

## 4 Colori / Colors / Couleurs / Farben



## 2 Finiture / Finishes / Surfaces / Oberfläche

### NAT



residenziale  
résidentiel  
Wohnbereiche



commerciale leggero  
light commercial  
commercial léger  
Leichte gewerbliche  
Anwendungen



commerciale intensivo  
intensive commercial  
commercial intensif  
Intensive gewerbliche  
Anwendungen

### GRIP




esterno  
outdoor  
extérieur  
Außenbereiche


## Imballi

Packing / Emballage / Verpackung

Articolo	Scatola			Pallet				
	cm	inch	pz.	mq	kg	scat.	mq	kg
Fondo	60x60	24"x24"	4	1,44	32,5	32	46,1	1040,0
Fondo L2 (20mm)	60x60	24"x24"	2	0,72	33,6	32	23,0	1075,2
Fondo	30x60	12"x24"	8	1,44	32,5	32	46,1	1040,0
Mosaico	30x30	12"x12"	5	0,45	9,3	60	27,0	558,0
Battiscopa	10x60	4"x24"	12	7,2 m.l.	16,0	60	432 m.l.	960,0
Gradino Step	60x60	24"x24"	4	1,44	32,0	32	46,1	1024,0

## 2 Formati / Sizes / Formats / Formate

 gres porcellanato



\*Spessore / Thickness / Epaisseur / Stärke  
20 mm

 L2




\*colori disponibili: / available colors: / couleurs disponibles: / verfügbare Farben:  
Lime, Cendre

## Mosaici

Decmosaics / Mosaïques / Mosaik

**MOSAICO\***  
30x30cm / 12"x12"




## Pezzi speciali

Trims / Pièces spéciales / Formstücke

**battiscopa\***  
10x60cm / 4"x24" rett  
nat



**gradino step\***  
60x60cm / 24"x24" rett



\*disponibile in tutti i colori  
available in all colors  
disponible sur toutes les couleurs  
Erhältlich für alle Farben



Cendre 60x60